



E x p e r i e n c e i n **L i g h t i n g**



2026 CATALOGUE







www.horozelektrik.com



E x p e r i e n c e i n L i g h t i n g

	ADHESIVE TAPE	223
	ALUMINIUM BULKHEAD LAMP	141
	ALUMINIUM PROFILE	197
	CABLE TIE	223
	CEILING LAMP	102
NEW	CLIPS	184
	COAXIAL CABLE	223
	CONNECTOR	224
	CONTACTOR	218
	DESK LAMP	111
	DIMMABLE LED BULB	04
NEW	DIN RAIL	221
NEW	DOORBELL	210
NEW	DOWNLIGHT FITTING	18
	DRYWALL KIT	55
NEW	EMERGENCY KIT	206
	EMERGENCY LED LANTERN	201
NEW	FLOOR LAMP	106
	FLUORESCENT TUBE	17
	FRAME	55
NEW	GARDEN LAMP	142
	GLASS PENDANT LAMP	93
	HALOGEN LAMP	17
	LAMP HOLDER	222
	LED 3CCT BULB	04
	LED ADAPTER	195
	LED BACKLIGHT PANEL	55
	LED BATTEN LIGHT	117
NEW	LED BULB	04
	LED BULKHEAD LAMP	140
	LED CANOPY LIGHT	128
	LED CAPSULE	11
	LED CEILING LAMP	101
	LED COLOUR BULB	16
NEW	LED DECORATIVE CEILING LAMP	47
	LED DESK LAMP	110
NEW	LED DOWNLIGHT	26
	LED DRIVER	187
	LED EMERGENCY EXIT LAMP	206
	LED FILAMENT BULB	13
	LED FRAME PANEL	55
	LED FRAMELESS PROJECTOR	126
	LED FRAMELESS WORKLIGHT	127
NEW	LED GARDEN LAMP	147
	LED HEADLIGHT	202
	LED HOUSE NUMBER LIGHT	166
	LED INGROUND & RECESSED LAMP	171
	LED LANTERN	200
	LED LINEAR HIGH BAY LAMP	119
NEW	LED LINEAR SUSPENSION LIGHT	70
	LED LINEAR TRACK LIGHT	62
	LED MAGNETIC LIGHT SYSTEM	56
	LED MODULE STRIP	193
	LED NIGHT LAMP	214
NEW	LED PANEL	54
	LED PHOTOCCELL BULB	05
	LED PICTURE & MIRROR LAMP	103
	LED PROJECTOR	122
	LED PROJECTOR STAND	128
NEW	LED READING LAMP	104
	LED RECESSED SENSOR LAMP	171
	LED RECHARGEABLE PROJECTOR	130
	LED RGB PROJECTOR	125
	LED SENSOR BULB	05
NEW	LED SENSOR DECORATIVE CEILING LAMP	46
	LED SENSOR DOWNLIGHT	37
NEW	LED SLIM MAGNETIC LIGHT SYSTEM	59
	LED SMART BULB	05
	LED SOLAR CAMPING LIGHT	200
NEW	LED SOLAR PROJECTOR	129
	LED SOLAR SECURITY LIGHT	130
	LED SOLAR STREET LIGHT	132
NEW	LED SOLAR WALL & GROUND LAMP	168

NEW	LED SOLAR WALL LAMP	169
	LED SPOTLIGHT	68
NEW	LED STREET LIGHT	135
	LED STRING LIGHT	96
NEW	LED STRIP	180
NEW	LED STRIP CONNECTOR	185
	LED SURFACE BACKLIGHT	50
NEW	LED SURFACE LIGHT	38
NEW	LED SUSPENSION LIGHT	74
NEW	LED TABLE LAMP	107
	LED TORCH	203
NEW	LED TRACK LIGHT	63
	LED TUBE	12
	LED TUBE FIXTURE	117
NEW	LED UFO HIGH BAY LAMP	120
NEW	LED WALL LIGHT	98
NEW	LED WATERPROOF LAMP	114
	LIGHT CONTROL PHOTOSENSOR	207
	LIGHTING TRACK	69
	MINIATURE CIRCUIT BREAKER	219
	MODUL DOWNLIGHT FITTING	24
	MOTOR PROTECTOR	217
	MOTOR PROTECTOR BOX	217
	MOULDED CASE CIRCUIT BREAKER	220
	NAIL CABLE CLIP	223
	NETWORK CABLE	223
NEW	PENDANT LAMP	67
NEW	PIR E27 SENSOR	208
NEW	PIN BUSBAR	221
	PORTABLE LED PROJECTOR	126
NEW	PORTABLE LED STAND	128
NEW	POWER CONVERTER PLUG ADAPTER	212
	RECESSED LAMP	172
	RECESSED MONOPOINT	69
	RECHARGEABLE LED BULB	05
	RESIDUAL CURRENT CIRCUIT BREAKER	220
NEW	RF CONTROLLER	184
	RGB AMPLIFIER	196
NEW	RGB CONNECTOR	185
NEW	RGB CONTROLLER	196
NEW	RGB LED STRIP KIT	188
	RGB NEON LED STRIP KIT	188
NEW	RGB RF CONTROLLER	183
NEW	RGB SOCKET SET	183
NEW	SENSOR	207
NEW	SMOKE DETECTOR	208
	SOCKET	215
NEW	SOCKET SET	183
	SPOTLIGHT	67
	STARTER	223
	STRING LIGHT	97
	SURFACE LIGHT	52
	SWITCH	215
	TERMINAL	224
	TERMINAL BLOCK	224
	THERMAL RELAY	218
	TIMER	212
	TOUCH CONTROLLER	196
	TRACK CONNECTOR	69
	TRACK LIGHT	66
	TRACK SUSPENSION	69
	TRANSFORMER	223
NEW	VOLTAGE SURGE PROTECTOR	213
	WATERPROOF LED STRING LIGHT	190
NEW	WATERPROOF LED STRIP	177
NEW	WATERPROOF NEON LED STRIP	175
NEW	WATERPROOF PROFILE NEON LED	173
	WIRE SPRING	224
	WIRELESS LIGHTING CONTROLLER SWITCH	212

 223 ADHESIVE TAPE	 141 ALUMINIUM BULKHEAD	 197 ALUMINIUM PROFILE	 223 CABLE TIE	 102 CEILING LAMP	 NEW 184 CLIPS	 223 COAXIAL CABLE	 224 CONNECTOR	 218 CONTACTOR
 111 DESK LAMP	 04 DIMMABLE LED BULB	 NEW 221 DIN RAIL	 NEW 210 DOORBELL	 NEW 18 DOWNLIGHT FITTING	 55 DRYWALL KIT	 NEW 206 EMERGENCY KIT	 201 EMERGENCY LED LANTERN	 NEW 106 FLOOR LAMP
 17 FLUORESCENT TUBE	 55 FRAME	 NEW 142 GARDEN LAMP	 93 GLASS PENDANT LAMP	 17 HALOGEN LAMP	 222 LAMP HOLDER	 04 LED 3CCT BULB	 195 LED ADAPTER	 55 LED BACKLIGHT PANEL
 117 LED BATTEN LIGHT	 NEW 04 LED BULB	 140 LED BULKHEAD LAMP	 128 LED CANOPY LIGHT	 11 LED CAPSULE	 101 LED CEILING LAMP	 16 LED COLOUR BULB	 NEW 47 LED DECORATIVE CEILING LAMP	 110 LED DESK LAMP
 NEW 26 LED DOWNLIGHT	 187 LED DRIVER	 206 LED EMERGENCY EXIT LAMP	 13 LED FILAMENT BULB	 55 LED FRAME PANEL	 126 LED FRAMELESS PROJECTOR	 127 LED FRAMELESS WORKLIGHT	 NEW 147 LED GARDEN LAMP	 202 LED HEADLIGHT
 166 LED HOUSE NUMBER LIGHT	 171 LED INGROUND & RECESSED LAMP	 200 LED LANTERN	 119 LED LINEAR HIGH BAY LAMP	 NEW 70 LED LINEAR SUSPENSION LIGHT	 62 LED LINEAR TRACK LIGHT	 56 LED MAGNETIC LIGHT SYSTEM	 193 LED MODULE STRIP	 214 LED NIGHT LAMP
 NEW 54 LED PANEL	 05 LED PHOTOCELL BULB	 103 LED PICTURE & MIRROR LAMP	 122 LED PROJECTOR	 128 LED PROJECTOR STAND	 NEW 104 LED READING LAMP	 171 LED RECESSED SENSOR LAMP	 130 LED RECHARGEABLE PROJECTOR	 125 LED RGB PROJECTOR
 05 LED SENSOR BULB	 NEW 46 LED SENSOR DECORATIVE CEILING LAMP	 37 LED SENSOR DOWNLIGHT	 NEW 59 LED SLIM MAGNETIC LIGHT SYSTEM	 05 LED SMART BULB	 200 LED SOLAR CAMPING LIGHT	 NEW 129 LED SOLAR PROJECTOR	 130 LED SOLAR SECURITY LIGHT	


Experience in Lighting

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 01/2026




**HOROZ ELECTRIC****LED Bulb / LED 3CCT Bulb / Dimmable LED Bulb****PREMIER**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G

	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018
Power	: 5 W	: 7 W	: 9 W	: 12 W	: 15 W	: 18 W
Luminous Flux	: 500 lm	: 760 lm	: 900 lm	: 1150 lm	: 1500 lm	: 1850 lm
Sizes (mm)	: A: 55 B: 100	: A: 55 B: 100	: A: 60 B: 108	: A: 60 B: 111	: A: 60 B: 121	: A: 66 B: 134

**HOROZ ELECTRIC****LED Bulb / LED Capsule LED Tube****COMBO-10 3 CCT**



001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)

F A ↑ G**CCT ADJUSTABLE****D I M M A B L E****EXPERT-10**

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K

F A ↑ G



**HOROZ****ELECTRIC**

Rechargeable LED Bulb/LED Photocell Bulb LED Smart Bulb / LED Sensor Bulb

DURALITE-12



001 092 0012

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm / 6400K
- Emergency Lighting Duration: 6 Hours
- 3.7V 1200mAhx2 Li-on Battery
- Emergency Work: 5W - 550 lm

Rechargeable
Emergency
LED BulbDC MODE:
FIRST ON-OFF
IS HIGH MODEDC MODE:
SECOND ON-OFF
IS ECO MODEDC MODE:
THIRD ON-OFF
IS FLASH MODE**DARK-10**

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K

Built-in
Photocell
Sensor**DUSK TO DAWN**Turn on
< 15 LuxTurn off
> 25-30 Lux**D I M M A B L E****HOROSCOPE-9**


001 084 0009

- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB





RGB Multicolor

2700K 6500K

**FORCE-10**

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec



RECHARGEABLE LED BULB / LED PHOTOCELL BULB / LED SMART BULB / LED SENSOR BULB

**HOROEZ****ELECTRIC**

LED Bulb / Dimmable LED Bulb

ZELDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3CCT




CCT ADJUSTABLE




ZELDA-5 3 CCT	ZELDA-7 3 CCT	ZELDA-9 3 CCT
016-091-0005	016-091-0007	016-091-0009

Power	:	5 W	7 W	9 W
Luminous Flux	:	400 lm	560 lm	720 lm
Sizes (mm)	:	A: 49 B: 45 C: 120	A: 49 B: 45 C: 120	A: 49 B: 47 C: 120




CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



CONVEX-8	CONVEX-10
001-064-0008	001-064-0010



Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm



PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K / 6400K


001 075 0006



D I M M A B L E


VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm




**HOROZ****ELECTRIC****LED Bulb****PLUS**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	PLUS-6	PLUS-8	PLUS-10
	001-002-0006	001-002-0008	001-002-0010
Power	6 W	8 W	10 W
Luminous Flux	440 lm	610 lm	800 lm




F A ↑ G

FONIX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	FONIX-6	FONIX-8
	001-001-0006	001-001-0008
Power	6 W	8 W
Luminous Flux	440 lm	610 lm
Sizes (mm)	A: 50 B: 51.5	A: 50 B: 56.5



F A ↑ G

CORN-7


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 760 lm
- 6400K




F A ↑ G

FOX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	6 W	9 W	12 W	15 W
Luminous Flux	510 lm	820 lm	1155 lm	1500 lm
Sizes (mm)	A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146




F A ↑ G


LED BULB

**HOROZ****ELECTRIC****LED Bulb****ULTRA**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A ↑ G**


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Sizes (mm)	: A: 37 B: 100	: A: 37 B: 107	: A: 37 B: 110




E14

CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A ↑ G**


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Sizes (mm)	: A: 37 B: 124	: A: 37 B: 135	: A: 37 B: 135




E14

ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A ↑ G**

	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Lamp Holder	: E14 / E27	: E14 / E27	: E14 / E27
Sizes (mm)	: A: 45 B: 80	: A: 45 B: 90	: A: 45 B: 90




E14




E27

REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

G**A ↑ G****F****A ↑ G**

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	: 4 W	: 6 W	: 10 W	: 12 W
Luminous Flux	: 260 lm	: 480 lm	: 920 lm	: 1150 lm
Lamp Holder	: E14	: E14	: E27	: E27
Sizes	: A: 39 B: 68	: A: 50 B: 86	: A: 63 B: 100	: A: 80 B: 115




E14




E27

**HOROSZ****ELECTRIC****LED Bulb****TORCH NOVO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F 


	TORCHNOVO-20	TORCHNOVO-30	TORCHNOVO-40	TORCHNOVO-50
	001-093-0020	001-093-0030	001-093-0040	001-093-0050
Power	: 20 W	: 30 W	: 40 W	: 50 W
Color Temperature	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K
Lamp Holder	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3100 lm	: 4200 lm	: 5350 lm
Sizes (mm)	: A: 80 B: 120	: A: 100 B: 152	: A: 118 B: 168	: A: 138 B: 191




LED BULB

TORCHCRYSTAL

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


F 

	TORCHCRYSTAL-20	TORCHCRYSTAL-30	TORCHCRYSTAL-40	TORCHCRYSTAL-50
	001-094-0020	001-094-0030	001-094-0040	001-094-0050
Power	: 20 W	: 30 W	: 40 W	: 50 W
Color Temperature	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K
Lamp Holder	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3100 lm	: 4200 lm	: 5350 lm
Sizes (mm)	: A: 80 B: 100	: A: 100 B: 117	: A: 113 B: 130	: A: 136 B: 150




**HOROZ****ELECTRIC****LED Bulb****TORCH**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F**A ↑ G**


	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	: 3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	: E27	E27	E27	E27	E27	E27
Luminous Flux	: 2050 lm	3120 lm	4250 lm	5350 lm	8300 lm	10600 lm
Sizes (mm)	: A: 80 B: 135	A: 100 B: 165	A: 118 B: 190	A: 138 B: 220	A: 127 B: 232	A: 138 B: 230 (E27)

**GLOBE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A ↑ G**


	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	20 W
Luminous Flux	: 1600 lm	2010 lm
Sizes (mm)	: A: 95 B: 136.5	A: 120 B: 161

**UFO PRO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


F**A ↑ G**

	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	50 W	70 W
Luminous Flux	: 3050 lm	5200 lm	7500 lm
Sizes (mm)	: A: 120 B: 110	A: 150 B: 140	A: 170 B: 170




**HOROZ****ELECTRIC****LED Capsule****PETA**


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10	PETA-12
	001-045-0004	001-045-0006	001-045-0008	001-045-0010	001-045-0012
Power	4 W	6 W	8 W	10 W	12 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63	A: 18 B: 62

**DECO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60


**MEGA-5**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K


001 011 0005

**EXA**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	EXA-4	EXA-6
	001-047-0004	001-047-0006
Power	4 W	6 W
Luminous Flux	400 lm	600 lm
Sizes (mm)	A: 13,3 B: 48	A: 13,3 B: 60


**MIDI**

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K


001 012 0002

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A: 12 B: 34	A: 12 B: 36





MAKRO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K




MAKRO-2

001-090-0002

MAKRO-3


001-090-0003

Power	: 1.5 W	3 W
Luminous Flux	: 160 lm	280 lm
Sizes (mm)	: A: 10 B: 33	A: 13 B: 37



MULTI

- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K




MULTI-2

001-091-0002

MULTI-3



001-091-0003

Power	: 1.5 W	3 W
Luminous Flux	: 175 lm	280 lm
Sizes (mm)	: A: 10 B: 33	A: 13 B: 37



GIGA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



GIGA-4

001-046-0004

GIGA-6



001-046-0006

Power	: 4 W	6 W
Luminous Flux	: 360 lm	520 lm
Sizes (mm)	: A: 26 B: 54	A: 26 B: 58



POND

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



POND-3

001-086-0003

POND-6


001-086-0006

Power	: 3 W	6 W
Luminous Flux	: 260 lm	520 lm
Sizes (mm)	: A: 16 B: 50	A: 16 B: 55



LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



L: 600



L: 1200



L: 1500



LED TUBE-60

002-001-0009

LED TUBE-120

002-001-0018

LED TUBE-150

002-001-0024

Power	: 9 W	18 W	24 W
Luminous Flux	: 830 lm	1800 lm	2500 lm
Length (mm)	: L: 600	L: 1200	L: 1500






**HOROZ****ELECTRIC**

LED Filament Bulb

FILAMENT BALL



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power	: 4 W	: 4 W	: 6 W	: 6 W
Luminous Flux	: 450 lm	: 450 lm	: 700 lm	: 700 lm
Lamp Holder	: E14	: E27	: E14	: E27
Sizes	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78

FILAMENT CANDLE


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0004	001-013-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT FLAME


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0004	001-014-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015
Power	: 4 W	: 6 W	: 8 W	: 10 W	: 12 W	: 15 W
Luminous Flux	: 450 lm	: 700 lm	: 900 lm	: 1200 lm	: 1540 lm	: 1750 lm
Sizes (mm)	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 112	: A: 70 B: 131





**HOROZ****ELECTRIC**

LED Filament Bulb/LED Bulb

RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006





F A ↑ G

RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 029 0006



F A ↑ G

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




RUSTIC TUBE-6

RUSTIC TUBE-8

001-033-0006

001-033-0008

Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes /mm) :	A: 30 B: 185	A: 30 B: 235





F A ↑ G

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005

**3 Modes**

Flame Mode



General Lighting Mode




Breathing Mode



**HOROZ[®] ELECTRIC**

LED Filament Bulb

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

FILAMENT LED**AMBER
COLOR****TITANIUM
COLOR****F**
A
G2200K 4200K 6400K
2400K
☀️ ⚙️**TOLEDO**


001 049 0008

**PARADOX****PARADOX-XL**

001 052 0008

**GINZA****GINZA-XL**


001 050 0008

**ORIGAMI****ORIGAMI-XL**

001 053 0008

**ENIGMA****ENIGMA-XL**

001 051 0008

**ELLIPTIC****ELLIPTIC-XL**

001 054 0008

8W

LED FILAMENT BULB


**HOROZ ELECTRIC**

LED Colour Bulb

FANTASY RGB

001 088 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
50 lm

FANTASY

001 088 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs




Yellow ■ 110 lm Red ■ 44 lm Green ■ 78 lm Blue ■ 32 lm Orange ■ 96 lm Purple ■ 30 lm Pink ■ 46 lm

White
140 lm

COMFORT RGB

001 087 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
35 lm

COMFORT

001 087 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



Yellow ■ 90 lm Red ■ 33 lm Green ■ 60 lm Blue ■ 25 lm Orange ■ 75 lm Purple ■ 23 lm Pink ■ 38 lm

White
100 lm

RAINBOW

001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs




Yellow ■ 105 lm Red ■ 34 lm Green ■ 68 lm Blue ■ 12 lm

White
120 lm

SPECTRA

001 017 0003

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs




Yellow ■ 315 lm Red ■ 102 lm Green ■ 205 lm Blue ■ 38 lm

White
250 lm

**HOROZ****ELECTRIC**

Fluorescent Tube/Halogen Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs




TUBE-5



TUBE-5	TUBE-5	TUBE-5	TUBE-5
004-001-0008	004-001-0013	004-001-0021	004-001-0028

Power	:	8 W	13 W	21 W	28 W
Luminous Flux	:	400lm	1045lm	1660lm	2350lm
Length (mm)	:	L: 300	L: 530	L: 860	L: 1160




TUBE-8



TUBE-8	TUBE-8	TUBE-8	TUBE-8
004-003-0010	004-003-0015	004-003-0018	004-003-0036

Power	:	10 W	15 W	18 W	36 W
Luminous Flux	:	360 lm	740 lm	975 lm	2400 lm
Length (mm)	:	L: 347	L: 450	L: 600	L: 1200

**HOROZ**

Fluorescent Tube





FLUORESCENT TUBE

- Average Life: 2.000 Hrs



	GU10 CLOSED	JC DR OPEN	JC DR CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	:	50 W	50 W
Luminous Flux	:	340 lm	650 lm
Lamp Holder	:	GU10	GU5.3



HALOGEN LAMP

**HOROZ**


Halogen Lamp




- Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power :	150W	300 W / 500W	1000W
Luminous Flux :	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm) :	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




- Average Life: 2.000 Hrs



		JC G4	JC G4 WHITE
		12V AC	12V AC
Power	:	20 W	20 W
Luminous Flux	:	250 lm	200 lm

- Average Life: 2.000 Hrs



	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	: 25 W / 40W	40W	40W
Luminous Flux	: 270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**


Downlight Fitting

PAMUK

- Lamp holder not included
- Max. 10W LED

WHITE**BLACK**

	PAMUK-1	PAMUK-2	PAMUK-3	PAMUK-4
	015-062-0001	015-062-0002	015-062-0003	015-062-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 92 C: 37	: A: 92 B: 92 C: 37	: A: 175 B: 92 C: 37	: A: 258 B: 92 C: 37

**HOROZ ELECTRIC**

Downlight Fitting Modul Downlight Fitting




MINT

- Lamp holder not included
- Max. 10W LED

WHITE**BLACK**

	MINT-1	MINT-2	MINT-3	MINT-4
	015-063-0001	015-063-0002	015-063-0003	015-063-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 90 C: 57	: A: 90 B: 90 C: 55	: A: 175 B: 90 C: 55	: A: 262 B: 90 C: 55



YUKA

- Lamp holder not included
- Max. 10W LED

BLACK**WHITE**

015 064 0001




**HOROZ ELECTRIC**

Downlight Fitting

BEGONVİL

015 059 0001


- Lamp holder not included
- Max. 10W LED

**BLACK****GOLDEN****WHITE**

FİRÜZE

015 058 0001


- Lamp holder not included
- Max. 10W LED

**BLACK****GOLDEN****WHITE**

KADİFE

015 060 0001


- Lamp holder not included
- Max. 10W LED

**BLACK****GOLDEN****WHITE**

NANE

015 061 0001

- Lamp holder not included
- Max. 10W LED

**BLACK****GOLDEN****WHITE**

**HOROZ ELECTRIC**

Downlight Fitting

AZER

- Lamp holder not included
- Max. 10W LED

AZER-1**AZER-2****AZER-3****BLACK****WHITE****GOLD****AZER-1**

015-039-0001

**AZER-2**

015-040-0001

**AZER-3**

015-041-0001



PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK**BLACK&WHITE****PETUNYA-1**

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Cutting Size (mm)	:	90x81	166x90	252x90
Sizes (mm)	:	A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45





MEYAN

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001




KARANFİL

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KARANFİL-R

015-022-0050




KARANFİL-S

015-023-0050




RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME

- Frame Ring for KARANFİL-R





KAKTÜS

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001




LAVİNYA

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



LAVİNYA-R

015-050-0001



LAVİNYA-S

015-051-0001



KAMELYA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 025 0050

- Lamp holder not included
- Max. 10W LED



LAVANTA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 024 0050

- Lamp holder not included
- Max. 10W LED



ORKİDE

CHROME


MAT CHROME

GOLDEN

WHITE

015 007 0050

- 220-240V / 50-60Hz
- Max. 10W LED






AZELYA

- Lamp holder not included
- Max. 10W LED

WHITE

BLACK

WHITE-BLACK



	AZELYA-1	AZELYA-2	AZELYA-3	AZELYA-4
	015-048-0001	015-048-0002	015-048-0003	015-048-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 85 B: 85 C: 40	: A: 92 B: 92 C: 42	: A: 92 B: 172 C: 42	: A: 92 B: 252 C: 42



ANEMON


- Lamp holder not included
- Max. 10W LED

WHITE

BLACK



	ANEMON-1	ANEMON-2	ANEMON-3	ANEMON-4
	015-049-0001	015-049-0002	015-049-0003	015-049-0004
Cutting Size (mm)	: 85	: 85	: 85x160	: 85x245
Sizes (mm)	: A: 95 B: 95 C: 35	: A: 92 B: 92 C: 35	: A: 92 B: 175 C: 35	: A: 92 B: 253 C: 35





RECESSED

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	RECESSED-R	RECESSED-SQ1	RECESSED-SQ2	RECESSED-SQ3	RECESSED-SQ4
	015-042-0001	015-043-0001	015-043-0002	015-043-0003	015-043-0004
Cutting Size (mm)	: 80	: 80	: 160	: 240	: 160
Sizes (mm)	: A: 85 B: 85 C: 30	: A: 88 B: 88 C: 35	: A: 168 B: 88 C: 35	: A: 248 B: 88 C: 35	: A: 168 B: 168 C: 35



SURFACE

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	SURFACE-R	SURFACE-SQ1	SURFACE-SQ2	SURFACE-SQ3	SURFACE-SQ4
	015-044-0001	015-045-0001	015-045-0002	015-045-0003	015-045-0004
Sizes (mm)	: A: 90 B: 90 C: 110	: A: 105 B: 105 C: 110	: A: 110 B: 205 C: 110	: A: 115 B: 300 C: 110	: A: 205 B: 205 C: 110





HOROZ ELECTRIC


Modul Downlight Fitting

MODUL-9

016 076 0009




SUITABLE FOR MODULE FITTING CASES



BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K/6400K



MODUL-G

128 003 0001

- Max. 10W LED




SUITABLE FOR MODULE FITTING CASES

SUITABLE FOR GU10 AND G5.3 LED BULBS

BLACK

GOLD

WHITE



MODUL DOWNLIGHT FITTING



**HOROZ ELECTRIC**

LED Downlight

MABEL

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K



016 098 0005



WHITE

BLACK

ROSE GOLD

**HOROZ ELECTRIC**

LED Downlight LED Sensor Downlight




LUNA

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available

016 041 0003

WHITE





BIANCA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K

016 036 0003

WHITE

M.CHROME





ANGELA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K

016 002 0002

M.CHROME





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K





**HOROZ****ELECTRIC**

LED Downlight

MELODY

016 069 0005

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs

**MAT CHROME****WHITE****BLACK****DOUBLE SPRING CLAMP CONNECTOR**

LED DOWNLIGHT


LOGAN 3 CCT

016 085 0005

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT



CCT ADJUSTABLE

**BLACK****WHITE**


**HOROZ****ELECTRIC**

LED Downlight

NORA PRO-5

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

016 053 1005




CCT ADJUSTABLE



WHITE


BLACK



AMARA


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K

016 079 0006




WHITE&BLACK

BLACK




**HOROZ****ELECTRIC****LED Downlight**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR**BLACK****WHITE**

PARKER-5	PARKER-12
016-071-0005	016-071-0012

Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 40 B: 82	A: 38 B: 148




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)

LED DOWNLIGHT





- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR**BLACK****WHITE**

CARTER-5	CARTER-12
016-072-0005	016-072-0012

Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 35 B: 82	A: 33 B: 145



Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)

**HOROZ****ELECTRIC**


LED Downlight

PAULA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE


CCT Selectable by DIP Switch




WHITE

BLACK

ADJUSTABLE CUT HOLE



	PAULA-9 3 CCT	PAULA-18 3 CCT	PAULA-24 3 CCT	PAULA-36 3 CCT
	016-092-0009	016-092-0018	016-092-0024	016-092-0036
Power	: 9 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 720 lm	: 1440 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 66-75	: 70-105	: 70-150	: 70-200
Sizes (mm)	: A:130 B:32	: A:160 B:32	: A:210 B:32	: A:265 B:32








STELLA

STELLA/SQ

WHITE

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

ADJUSTABLE CUT HOLE



FRAMELESS



	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19



	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19

**HOROZ****ELECTRIC**

LED Downlight

LUCIA 3 CCT

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs



CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K



4000K




6500K

WHITE

BLACK



	LUCIA-10 3 CCT	LUCIA-15 3 CCT	LUCIA-20 3 CCT	LUCIA-25 3 CCT	LUCIA-30 3 CCT	LUCIA-35 3 CCT	LUCIA-40 3 CCT
	016-046-1010	016-046-1015	016-046-1020	016-046-1025	016-046-1030	016-046-1035	016-046-1040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




LED DOWNLIGHT

**HOROZ****ELECTRIC**


LED Downlight

VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE****BLACK****NEW
COLOR**

	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power	: 5 W	: 10 W	: 15 W	: 20 W	: 30 W
Luminous Flux	: 341 lm	: 824 lm	: 1079 lm	: 1470 lm	: 2205 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø150	: Ø170	: Ø205
Sizes (mm)	: A: 43 B: 90	: A: 43 B: 120	: A: 43 B: 170	: A: 45 B: 195	: A: 45 B: 225




ALEXA 3 CCT

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3CCT

CCT ADJUSTABLE

CCT Selectable by Driver
DIP Switch**3000K****4000K****6500K****WHITE****BLACK****ALUMINIUM**

	ALEXA-8 3 CCT	ALEXA-12 3 CCT	ALEXA-20 3 CCT	ALEXA-24 3 CCT	ALEXA-30 3 CCT
	016-048-1008	016-048-1012	016-048-1020	016-048-1024	016-048-1030
Power	: 8 W	: 12 W	: 20 W	: 24 W	: 30 W
Luminous Flux	: 600 lm	: 900 lm	: 1500 lm	: 1800 lm	: 2250 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø115	: Ø145	: Ø190
Sizes (mm)	: A: 32 B: 98	: A: 32 B: 120	: A: 32 B: 145	: A: 32 B: 180	: A: 32 B: 230



**HOROZ****ELECTRIC**

LED Downlight

ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT




CCT ADJUSTABLE

CCT Selectable
by DIP Switch


WHITE

BLACK

PLASTIC



	ALEXIS-6 3 CCT	ALEXIS-9 3 CCT	ALEXIS-12 3 CCT	ALEXIS-18 3 CCT	ALEXIS-24 3 CCT	ALEXIS-30 3 CCT
	016-087-0006	016-087-0009	016-087-0012	016-087-0018	016-087-0024	016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter :	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300



LED DOWNLIGHT

ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

CCT Selectable
by DIP Switch


WHITE

BLACK

PLASTIC




	ALEXIS/SQ-9 3 CCT	ALEXIS/SQ-12 3 CCT	ALEXIS/SQ-18 3 CCT	ALEXIS/SQ-24 3 CCT	ALEXIS/SQ-30 3 CCT
	016-088-0009	016-088-0012	016-088-0018	016-088-0024	016-088-0030
Power :	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300




**HOROZ****ELECTRIC**

LED Downlight


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

**CLARA****MARIA**


	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40

**SLIM**


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**


	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 14 B: 190	A: 14 B: 221	A: 14 B: 297

**SLIM/Sq**

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A: 14 B: 89	A: 14 B: 113,5	A: 14 B: 146	A: 14 B: 163	A: 14 B: 194,5	A: 14 B: 219,5	A: 14 B: 292





**HOROZ****ELECTRIC**


LED Downlight

HARLEY 2 CCT

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT

**2 CCT****WHITE****BLACK****ADJUSTABLE CUT HOLE**


	HARLEY-5 2 CCT	HARLEY-10 2 CCT	HARLEY-16 2 CCT	HARLEY-20 2 CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40




LED DOWNLIGHT

VIOLET

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33






**HOROZ****ELECTRIC**


LED Downlight

VALENTINA 2 CCT

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

WHITE**ADJUSTABLE
CCT HOLE**

	VALENTINA-6 2 CCT	VALENTINA-12 2 CCT	VALENTINA-24 2 CCT	VALENTINA-36 2 CCT
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	: 12 W	: 24 W	: 36 W
Luminous Flux	: 480 lm	: 960 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 50-90	: 50-105	: 50-150	: 50-205
Sizes (mm)	: A: 100 B: 25	: A: 120 B: 25	: A: 170 B: 25	: A: 220 B: 25




ALESYA 3 CCT

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3CCT

CCT ADJUSTABLE

**WHITE****BLACK**

	ALESYA-10 3 CCT	ALESYA-15 3 CCT	ALESYA-20 3 CCT	ALESYA-25 3 CCT	ALESYA-30 3 CCT	ALESYA-40 3 CCT
	016-089-1010	016-089-1015	016-089-1020	016-089-1025	016-089-1030	016-089-1040
Power	: 10 W	: 15 W	: 20 W	: 25 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1200 lm	: 1600 lm	: 2000 lm	: 2400 lm	: 3200 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø110	: Ø145	: Ø200	: Ø200
Sizes (mm)	: A: 30.5 B: 90	: A: 33 B: 120	: A: 35 B: 140	: A: 39 B: 170	: A: 44 B: 220	: A: 44 B: 220



**HOROZ ELECTRIC**

LED Sensor Downlight/LED Downlight


MARTHA-18 3 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT

016 060 1018


CCT ADJUSTABLE

CCT Selectable by DIP Switch

**WHITE****BLACK**

Day&Night motion sensor mode


Night motion sensor mode

**Recessed****Surface Mounting****PIR Sensor****360°****Built-in Photocell & PIR Sensor****MATILDA 3 CCT**

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

CCT ADJUSTABLE


CCT Selectable by DIP Switch

**WHITE****BLACK****MATILDA-12 3 CCT****MATILDA-18 3 CCT**

016-090-0012

016-090-0018

Power	:	12 W	18 W
Luminous Flux	:	1200 lm	1800 lm
Cutting Diameter (mm)	:	60-130	60-180
Sizes (mm)	:	A: 170 B: 18	A: 220 B: 18

**Recessed****Surface Mounting**

LED SENSOR DOWNLIGHT/LED DOWNLIGHT

**HOROZ ELECTRIC**

LED Surface Light

NORA PRO/S-5

016 078 1005


F A G

CCT ADJUSTABLECCT Selectable
by DIP Switch

3000K




4000K



6500K

WHITE**BLACK**


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

**HOROZ ELECTRIC**

LED Surface Light
LED Surface Backlight
Surface Light

**KAMEL**


016 099 0005



F A G

WHITE**BLACK**

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- 400 lm



**HOROZ****ELECTRIC**

LED Surface Light

GUSTO 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT




CCT ADJUSTABLE




WHITE

BLACK



	GUSTO-12 3 CCT	GUSTO-18 3 CCT	GUSTO-24 3 CCT	GUSTO-32 3 CCT	GUSTO-40 3 CCT
	016-095-0012	016-095-0018	016-095-0024	016-095-0032	016-095-0040
Power	: 12 W	: 18 W	: 24 W	: 32 W	: 40 W
Luminous Flux	: 1200 lm	: 1800 lm	: 2400 lm	: 3200 lm	: 4000 lm
Sizes (mm)	: A:180 B:25	: A:230 B:25	: A:300 B:25	: A:400 B:25	: A:500 B:25



LED SURFACE LIGHT

PASTEL 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK





	PASTEL-18 3 CCT	PASTEL-24 3 CCT	PASTEL-32 3 CCT
	016-096-0018	016-096-0024	016-096-0032
Power	: 18 W	: 24 W	: 32 W
Luminous Flux	: 952 lm	: 1286 lm	: 1798 lm
Sizes (mm)	: A:230 B:45	: A:300 B:45	: A:400 B:45



**HOROZ****ELECTRIC**

LED Surface Light


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE**ARINA****WHITE****BLACK****ALUMINIUM**

	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K

SELENA 3 CCT


- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC**BLACK****WHITE****CCT ADJUSTABLE**

	SELENA-12 3 CCT	SELENA-18 3 CCT	SELENA-24 3 CCT	SELENA-36 3 CCT
	016-084-0012	016-084-0018	016-084-0024	016-084-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A:140 B:32	A:173 B:32	A:218 B:32	A:290 B:32

MILENA 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC**BLACK****WHITE****CCT ADJUSTABLE**



	MILENA-12 3 CCT	MILENA-18 3 CCT	MILENA-24 3 CCT	MILENA-36 3 CCT
	016-083-0012	016-083-0018	016-083-0024	016-083-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A:140 B:32	A:173 B:32	A:220 B:32	A:290 B:32

**HOROZ****ELECTRIC**

LED Surface Light


VALENTINA/S 2 CCT

- 165-265V/50-60Hz
- Average Life: 25.000 Hrs
- 2CCT


**2 CCT****WHITE**

VALENTINA/S-12 2 CCT	VALENTINA/S-24 2 CCT	VALENTINA/S-36 2 CCT
016-086-0012	016-086-0024	016-086-0036

Power	:	12 W	24 W	36 W
Luminous Flux	:	960 lm	1920 lm	2880 lm
Sizes (mm)	:	A: 120 B: 46	A: 172 B: 46	A: 225 B: 46



**CARLA**

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K




CARLA-16	CARLA-24	CARLA-32	CARLA-48
016-058-0016	016-058-0024	016-058-0032	016-058-0048

Power	:	16 W	24 W	32 W	48 W
Luminous Flux	:	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	:	A: 120 B: 45	A: 175 B: 45	A: 225 B: 45	A: 300 B: 45



**CARLA/SQ**

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

**WHITE**

CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
016-059-0016	016-059-0024	016-059-0032	016-059-0048

Power	:	16 W	24 W	32 W	48 W
Luminous Flux	:	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	:	A: 125 B: 45	A: 172 B: 45	A: 225 B: 45	A: 300 B: 45



**HOROZ****ELECTRIC**

LED Surface Light

SOFIA 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK

ALUMINIUM



	SOFIA-18 3 CCT	SOFIA-24 3 CCT	SOFIA-36 3 CCT	SOFIA-48 3 CCT
	016-064-1018	016-064-1024	016-064-1036	016-064-1048
Power	18 W	24 W	36 W	48 W
Luminous Flux	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	A:123 B:40	A:180 B:40	A:228 B:40	A:300 B:40




SOFIA/S 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK

ALUMINIUM



	SOFIA/S-18 3 CCT	SOFIA/S-24 3 CCT	SOFIA/S-36 3 CCT	SOFIA/S-48 3 CCT
	016-065-1018	016-065-1024	016-065-1036	016-065-1048
Power	18 W	24 W	36 W	48 W
Luminous Flux	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	A:123 B:40	A:180 B:40	A:228 B:40	A:300 B:40




**HOROZ****ELECTRIC**

LED Surface Light

CATALINA 3 CCT





CCT ADJUSTABLE

**BLACK****WHITE**

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

**PLASTIC**

	CATALINA-12 3 CCT	CATALINA-18 3 CCT	CATALINA-24 3 CCT	CATALINA-36 3 CCT
	016-081-1012	016-081-1018	016-081-1024	016-081-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A:120 B:38	: A:175 B:38	: A:215 B:38	: A:295 B:38




LED SURFACE LIGHT

CATALINA/S 3 CCT





CCT ADJUSTABLE

**BLACK****WHITE**

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

**PLASTIC**

	CATALINA/S-12 3 CCT	CATALINA/S-18 3 CCT	CATALINA/S-24 3 CCT	CATALINA/S-36 3 CCT
	016-082-1012	016-082-1018	016-082-1024	016-082-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A:120 B:38	: A:175 B:38	: A:215 B:38	: A:295 B:38




**HOROZ ELECTRIC**



LED Surface Light

BELİNDİ

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****BLACK**

	BELİNDİ-30	BELİNDİ-45	BELİNDİ-60
	016-094-0030	016-094-0045	016-094-0060
Power	: 30 W	: 45 W	: 60 W
Luminous Flux	: 3200 lm	: 4900 lm	: 6500 lm
Sizes (mm)	: A:260 B:50	: A:350 B:55	: A:430 B:60



HAZEL 3 CCT

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT





CCT ADJUSTABLE

CCT Selectable by DIP Switch

**3000K****4500K****6000K****WHITE****BLACK**

	HAZEL-24 3 CCT	HAZEL-32 3 CCT	HAZEL-40 3 CCT
	016-077-1024	016-077-1032	016-077-1040
Power	: 24 W	: 32 W	: 40 W
Luminous Flux	: 1680 lm	: 2240 lm	: 2800 lm
Sizes (mm)	: A:300 B:53	: A:370 B:55	: A:450 B:60



**HOROZ****ELECTRIC**

LED Surface Light

SCARLETT-30 3 CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT

016 070 1030

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch


3000K



4200K



6400K

WHITE**BLACK**

Linkable / Fast Connector



Release the bracket through push or pull the plastic button

**ANDREA**

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



Fast Connector



Release the bracket through push or pull the plastic button

**WHITE****ANDREA/S**

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



Fast Connector



Release the bracket through push or pull the plastic button

**WHITE**

**HOROZ ELECTRIC**

LED Sensor Decorative Ceiling Lamp


LUCAS 5 CCT



- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5 CCT
- Detection Distance: 3m (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Time Delay: 30s-60s-180s adj. by clip-on
- Relative humidity: <93%R
- Working temperature: -20~+40°C
- Installation height: 3-5m
- Emergency Light: 6400K
- Emergency Mode Working Time: 3Hours/300 lm
- 2x 3.7V 1800mAh Lithium Ion Battery

**WHITE**

Emergency Lighting



Power Adj.




CCT Adj.

Test Button Adj.



Sensor Time Adj.




Sensor Adj.



LUCAS-20 5 CCT	LUCAS-25 5 CCT
027-024-0020	027-024-0025

Power	:	20 W	25 W
Adjustable Power	:	10W-15W-20W	15W-20W-25W
Luminous Flux	:	1800 lm	2250 lm
Sizes (mm)	:	A: 280 B: 70	A: 330 B: 70

**HOROZ ELECTRIC**

LED Sensor Decorative Ceiling Lamp LED Decorative Ceiling Lamp






**HOROZ****ELECTRIC**

LED Decorative Ceiling Lamp

ELSA-48 3 CCT



160-265V/50-60Hz
Average Life: 20.000 Hrs
2700 lm
3 CCT

027 025 0048

**CCT ADJUSTABLE****WHITE****GALA-48 3 CCT**

160-265V/50-60Hz
Average Life: 20.000 Hrs
3800 lm
3 CCT

027 026 0048

**CCT ADJUSTABLE****WHITE**

**HOROZ****ELECTRIC**


LED Decorative Ceiling Lamp

TERRA 3 CCT

027 022 0048



- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2800 lm
- 3 CCT




CCT ADJUSTABLE

CCT Selectable
by Driver DIP Switch

3000K




4500K



6000K

WHITE



RAPSODY 3 CCT

027 023 0048



- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3720 lm
- 3 CCT




CCT ADJUSTABLE

CCT Selectable
by Driver DIP Switch

3000K




4500K



6000K

WHITE



**HOROZ****ELECTRIC**

LED Decorative Ceiling Lamp

LED Sensor Decorative Ceiling Lamp

EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE

EPSILON-15	EPSILON-24	EPSILON-36
027-004-0015	027-004-0024	027-004-0036

Power	:	15 W	24 W	36 W
Luminous Flux	:	1125 lm	1800 lm	2700 lm
Sizes (mm)	:	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




LED DECORATIVE CEILING LAMP / LED SENSOR DECORATIVE CEILING LAMP

CRAMER 3 CCT

027 015 1020


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20~+40°C
- Installation height: 2.2m-3.5m

WHITE**CCT ADJUSTABLE****3000K****4500K****6000K**



PULSAR-48


056 015 0048




- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

WHITE


BLACK



Inside of Product



PROTEUS



- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE

BLACK



BACKLIGHT PANEL



Inside of Product



	PROTEUS-36	PROTEUS-48
	056-014-0036	056-014-0048
Power	: 36 W	: 48 W
Luminous Flux	: 3000 lm	: 4400 lm
Sizes (mm)	: A: 300 B: 600 C: 38	: A: 300 B: 1200 C: 38




**HOROZ****ELECTRIC**

LED Surface Light




LAYLA-15

016 073 0015

**BLACK****WHITE**

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K





LED SURFACE LIGHT

SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL



**WHITE****BLACK**

	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162

SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL

**WHITE****BLACK**

	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200



JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED



BLACK

WHITE



JOKER-1

015-038-0001



JOKER-2

015-038-0002



JOKER-4

015-038-0004



JOKER-3

015-038-0003



JOKER-5

015-038-0005




JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6



**HOROZ****ELECTRIC**

Surface Light

SALSA


SALSA-L

SALSA-XL


SALSA/SQ-L

WHITE**BLACK****SALSA**


015-036-0001

**SALSA-L**


015-036-0002

**SALSA-XL**

015-036-0003

**SALSA/SQ-L**

015-037-0002



REFLEX

CHROME**GOLD****RED COPPER****REFLEX**

128-001-0001

REFLEX-L

128-001-0002

REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) : A:60

A:80

A:100


A:80

For Reflector : Salsa

Salsa-L

Salsa-XL


Salsa/SQ-L





SURFACE LIGHT

FREZYA

■ Bulb not included

WHITE**BLACK****FREZYA-R**

015-026-0050

**FREZYA-S**


015-027-0050



MIAMI

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

015 033 0001

WHITE**BLACK**

**HOROZ****ELECTRIC****LED Panel****ANDROMEDA 3 CCT**

056 017 0050

WHITE


- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5000 lm
- 3 CCT

CCT ADJUSTABLECCT Selectable
by DIP Switch**BACKLIGHT
PANEL**

Inside of Product





28 mm

**SUPERNOVA 3 CCT**

056 018 0050

WHITE



- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 5000 lm
- 3 CCT

CCT ADJUSTABLECCT Selectable
by DIP Switch

Backside of Product



8 mm

**HOROZ****ELECTRIC****LED Panel/LED Backlight Panel
LED Frame panel/Frame
Drywall Kit**

**HOROZ ELECTRIC**

LED Panel/LED Backlight Panel/LED Frame Panel Frame / Drywall Kit

LED PANEL/LED BACKLIGHT PANEL/LED FRAME PANEL/FRAME/DRYWALL KIT

MOON

180-265V / 50-60Hz
Average Life: 25.000 Hrs
4200K / 6400K

WHITE

3000K 4200K 6400K

A B C

SMD LED

MOON-32	MOON-40
056-007-0032	056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

□ F IP20

ZODIAC

180-265V / 50-60Hz
Average Life: 25.000 Hrs
4200K / 6400K

WHITE

3000K 4200K 6400K

A B C

SMD LED

ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8

□ F IP20

TAURUS

175-265V / 50-60Hz
Average Life: 20.000 Hrs
6400K

WHITE

2700K 4200K 6400K

A B C

SMD LED

TAURUS-36	TAURUS-48
056-013-0036	056-013-0048

Power :	36 W	48 W
Luminous Flux :	3000 lm	4400 lm
Sizes (mm) :	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32

BACKLIGHT PANEL Inside of Product

□ F IP20

CAPELLA-48

175-265V / 50-60Hz
Average Life: 25.000 Hrs
3125 lm
6400K

056 012 0048

2700K 4200K 6400K

48W SMD LED

A B C

595 mm 595 mm 13 mm

WHITE

□ F IP20

FRAME

WHITE

DRY KIT

111 001 0001

Drywall Kit Apparatus
For LED Panels

FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45
-------------	---------------------	----------------------	---------------------	---------------------	---------------------

A B C

□ F IP20



HOROZ

ELECTRIC

LED Magnetic Light System




HOROZ

ELECTRIC

LED Magnetic Light System LED Slim Magnetic Light System




RECESSED MAGNET RAIL MAGNET-R2



129 006 0002

SURFACE MAGNET RAIL MAGNET-S2



129 007 0002

THREE INSTALLATION





48VDC

2M



THICKNESS 2mm




**HOROZ****ELECTRIC**


LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs


**BLACK****MAGNET-LL1****MAGNET-LL2****MAGNET-LM1****MAGNET-LM2**

	MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
	129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028
Power	: 6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	: 540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
Sizes (mm)	: L:110 W:22 H:44	L:218 W:22 H:44	L:326 W:22 H:44	L:435 W:22 H:44	L:302 W:22 H:44	L:603 W:22 H:44	L:903 W:22 H:44




MAGNET

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

	MAGNET-ALL1	MAGNET-ALL2
	129-003-0012	129-003-0018
Power	: 12 W	18 W
Luminous Flux	: 1080 lm	1620 lm
Sizes (mm)	: L:223 W:22 H:120	L:332 W:22 H:120





**HOROZ****ELECTRIC**

LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

MAGNET-T1	MAGNET-T2
129-005-0020	129-005-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
Sizes (mm)	:	Ø:65 H:160	Ø:65 H:180



MAGNET-P1	MAGNET-P2
129-004-0020	129-004-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
Sizes (mm)	:	Ø:65 H:280	Ø:65 H:300


MAGNET

- 220VAC/48VDC
- Average Life: 40.000 Hrs



MAGNET-PS1	MAGNET-PS2
129-008-0001	129-008-0002

Power	:	100 W	200 W
Sizes (mm)	:	L:220 W:22 H:43	L:260 W:22 H:43

BLACK

MAGNET

- 48VDC

BLACK**MAGNET-C1****MAGNET-C2****MAGNET-SJ****MAGNET-RJ****MAGNET-H****MAGNET-RC****MAGNET-RW****MAGNET-SC****MAGNET-SW**

MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H	MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW
129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001	129-011-0001	129-012-0001	129-013-0001	129-014-0001

Sizes (mm)	:	L:370 W:16 H:17	L:220 W:16 H:17	L:100 W:23	L:70 W:11.5 H:T10	L:2000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80
------------	---	-----------------	-----------------	------------	-------------------	------------------	-----------	-----------	-----------	-----------



HOROZ ELECTRIC

LED Slim Magnetic Light System



LED SLIM MAGNETIC LIGHT SYSTEM



RECESSED SLIM MAGNET RAIL SLIM MAGNET-R2



129 106 0002



Surface

SURFACE SLIM MAGNET RAIL SLIM MAGNET-S2

129 107 0002



Recessed




HOROZ ELECTRIC

LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



SLIM MAGNET-LL1



MAGNET-LL2




MAGNET-LM1



MAGNET-LM2




	SLIM MAGNET-LL1	SLIM MAGNET-LL2	SLIM MAGNET-LM1	SLIM MAGNET-LM2
	129-102-0012	129-102-0018	129-101-0010	129-101-0020
Power	: 12 W	: 18 W	: 10 W	: 20W
Luminous Flux	: 1080 lm	: 1620 lm	: 1050 lm	: 2220 lm
Sizes (mm)	: L:222 W:27 H:24	: L:330 W:27 H:24	: L:305 W:27 H:24	: L:605 W:27 H:24



SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs




BLACK



Adjustable




	SLIM MAGNET-ALL1	SLIM MAGNET-ALL2
	129-103-0012	129-103-0018
Power	: 12 W	: 18 W
Luminous Flux	: 1080 lm	: 1620 lm
Sizes (mm)	: L:229 W:27 H:39	: L:337 W:27 H:39



SLIM MAGNET


- 48VDC
- Average Life: 40.000 Hrs



BLACK



	SLIM MAGNET-T2	SLIM MAGNET-T3
	129-105-0015	129-105-0020
Power	: 15 W	: 20 W
Luminous Flux	: 1220 lm	: 1630 lm
Sizes (mm)	: L:145 Ø:55	: L:145 Ø:65





**HOROZ****ELECTRIC**

LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

SLIM MAGNET-P1

SLIM MAGNET-P3

129-104-0010

129-104-0020

Power	:	10 W	20 W
Luminous Flux	:	800 lm	1630 lm
Sizes (mm)	:	L:1800 Ø:40	L:1800 Ø:50



SLIM MAGNET-P5

129-104-0007

Power	:	7 W
Luminous Flux	:	660 lm
Sizes (mm)	:	L:1605 Ø:105 X:105



SLIM MAGNET

■ 48VDC

BLACK


SLIM MAGNET-CL



SLIM MAGNET-CI



SLIM MAGNET-CT



SLIM MAGNET-CX



SLIM MAGNET-CC



SLIM MAGNET-RW



SLIM MAGNET-RC



SLIM MAGNET-RL




SLIM MAGNET-CL	SLIM MAGNET-CI	SLIM MAGNET-CT	SLIM MAGNET-CX	SLIM MAGNET-CC	SLIM MAGNET-RW	SLIM MAGNET-RC	SLIM MAGNET-RL
129-109-0001	129-110-0001	129-111-0001	129-112-0001	129-113-0001	129-114-0001	129-115-0001	129-116-0001

Sizes (mm)	:	W:47 H:47	W:27 H:67	W:47 H:67	W:67 H:67	W:27 H:27	W:80 H:27	W:80 H:27	W:47 H:47
------------	---	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------



SLIM MAGNET

- 220VAC/48VDC
- Average Life: 40.000 Hrs

BLACK

SLIM MAGNET-PS1

SLIM MAGNET-PS2

129-108-0001

129-108-0002

Power	:	100 W	200 W
Sizes (mm)	:	L:294 W:27 H:24	L:343 W:27 H:24




**HOROZ ELECTRIC**


LED Linear Track Light

SPLIT

- 160-265V
- Average Life: 30.000 Hrs
- 4200K

BLACK

	SPLIT-12	SPLIT-18
	018-034-0012	018-034-0018
Power	: 12 W	18 W
Luminous Flux	: 840 lm	1260 lm
Sizes (mm)	: A:85 B:28 C:305 D:107	A:85 B:28 C:603 D:107


**HOROZ ELECTRIC**

LED Linear Track Light




PARMA

- 160-265V
- Average Life: 40.000 Hrs


WHITE&BLACK**BLACK****Rotatable Body**

	PARMA-20	PARMA-30
	018-032-0020	018-032-0030
Power	: 20 W	30 W
Luminous Flux	: 1600 lm	2400 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57




CENOVA

- 160-265V
- Average Life: 40.000 Hrs
- 4200K

WHITE**BLACK****Rotatable Body**

	CENOVA-20	CENOVA-30
	018-033-0020	018-033-0030
Power	: 20 W	30 W
Luminous Flux	: 2050 lm	3160 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57



**HOROZ****ELECTRIC**

LED Track Light

BREMEN 3 CCT


- 165-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE



WHITE

BLACK



	BREMEN-10 3 CCT	BREMEN-20 3 CCT	BREMEN-30 3 CCT	BREMEN-40 3 CCT
	018-031-1010	018-031-1020	018-031-1030	018-031-1040
Power	: 10 W	: 20 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 3200 lm
Sizes (mm)	: A: 54 B: 126 C: 138	: A: 63 B: 156 C: 146	: A: 76 B: 180 C: 171	: A: 88 B: 180 C: 181

**HOROZ****ELECTRIC**

LED Track Light



LED TRACK LIGHT





VARNA 3 CCT

- 165-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3CCT



CCT ADJUSTABLE




WHITE

BLACK




	VARNA-20 3 CCT	VARNA-30 3 CCT	VARNA-40 3 CCT
	018-026-1020	018-026-1030	018-026-1040
Power	: 20 W	: 30 W	: 40 W
Luminous Flux	: 1600 lm	: 2400 lm	: 3200 lm
Sizes (mm)	: A: 70 B: 118	: A: 81 B: 124	: A: 90 B: 134



LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




WHITE

BLACK



	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024
Power	: 10 W	: 18 W	: 24 W
Luminous Flux	: 650 lm	: 1170 lm	: 1560 lm
Sizes (mm)	: A: 58 B: 110 C: 132	: A: 78 B: 118 C: 148	: A: 88 B: 146 C: 162




**HOROZ ELECTRIC**

LED Track Light

Z O O M A B L E

MONACO-30

018 019 0030




- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- 2250 lm
- Beam Angle: 15°-60°




WHITE

BLACK




LONDRA



WHITE

BLACK


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



	LONDRA-12	LONDRA-15
Power	12 W	15 W
Luminous Flux	1080 lm	1350 lm
Sizes (mm)	A: 50 B: 200	A: 60 B: 200

FARS


018 030 0026



BLACK

WHITE

- 185-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K




**HOROZ****ELECTRIC****Track Light****LONDRA-G**

115 005 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**HOROZ****ELECTRIC****Track Light****TORONTO**

115 004 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**BASEL**

115 003 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



**HOROZ[®] ELECTRIC**

Pendant Lamp/ Track Light/Spotlight

**HOROZ[®] ELECTRIC**

Pendant Lamp




VERTEX

021 024 0001

WHITE**BLACK**

- 220-240V
- Max. 10W LED

**PENDANT LAMP****HOROZ[®] ELECTRIC**

Track Light/Spotlight




VERONA

116 002 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included





VERSAY

115 006 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included


**TRACK LIGHT / SPOTLIGHT**

**HOROZ****ELECTRIC**

Track Light / LED Spotlight / Spotlight


DAKAR

115 001 0001



RABAT

115 002 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included





GU10



TOKYO

017 002 0008


**WHITE****BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



LOZAN

116 001 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10



**HOROZ ELECTRIC**

Lighting Track / Track Connector/Track Suspension Recessed Monopoint

LIGHTING TRACK

097 001 0001

1 m.

097 001 0002

2 m.

097 001 0003

3 m.

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



33 mm

**HOROZ ELECTRIC**

Track Suspension Lighting Track Track Connector Recessed Monopoint



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001

L Connector

096-002-0002

TRACK SUSPENSION

- 1.5M SUSPENSION SET FOR TRACK RAIL

096 001 0006

1.5 m.



LIGHTING TRACK / TRACK CONNECTOR/ TRACK SUSPENSION / RECESSED MONOPOINT




**HOROZ****ELECTRIC**

LED Linear Suspension Light

BELLINI3-45 3 CCT

019 080 1045

- 165-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 5000 lm
- Surface mounting also available




CCT ADJUSTABLE**BLACK****WHITE****HOROZ****ELECTRIC**

LED Linear Suspension Light LED Suspension Light

**AVENUE 3 CCT**

019 066 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE**BLACK****WHITE**


**HOROZ****ELECTRIC**

LED Linear Suspension Light

INNOVA 3 CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- Surface mounting also available


CCT ADJUSTABLE

**BLACK****WHITE****ALUMINIUM****INNOVA3-40 3 CCT****INNOVA5-40 3 CCT**

019-033-1040

019-034-1040



Power	:	40 W	40 W
Luminous Flux	:	4200 lm	4200 lm
Width (mm)	:	30 mm	50 mm
Colors	:	BLACK	BLACK/WHITE



LED LINEAR SUSPENSION LIGHT

INNOVA10-80

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 6500 lm
- Surface mounting also available

**BLACK****WHITE****ALUMINIUM**



**HOROZ****ELECTRIC**

LED Linear Suspension Light

FORTUNE 3 CCT


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE

**BLACK****WHITE**



FORTUNE3-40 3 CCT	FORTUNE5-40 3 CCT
019-050-1040	019-051-1040

Power	:	40 W	40 W
Luminous Flux	:	4200 lm	4200 lm
Width (mm)	:	30 mm	50 mm
Colors	:	BLACK	BLACK/WHITE



FORTUNE10-80

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 8000 lm
- Surface mounting also available



**BLACK****WHITE**

**HOROZ****ELECTRIC**

LED Linear Suspension Light

FORTIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- Surface mounting also available

**CCT ADJUSTABLE****BLACK****WHITE****PLASTIC**

	FORTIS-30 3 CCT	FORTIS-40 3 CCT	FORTIS-50 3 CCT	FORTIS-60 3 CCT	FORTIS-70 3 CCT	FORTIS-100 3 CCT
	019-068-1030	019-068-1040	019-068-1050	019-068-1060	019-068-1070	019-068-1100
Power	: 30 W	: 40 W	: 50 W	: 60 W	: 70 W	: 100 W
Luminous Flux	: 2400 lm	: 3200 lm	: 4000 lm	: 4800 lm	: 5600 lm	: 8000 lm
Sizes (mm)	: A: 35 B: 50	: A: 35 B: 70	: A: 35 B: 100	: A: 42 B: 150	: A: 42 B: 200	: A: 42 B: 280



LED LINEAR SUSPENSION LIGHT



**HOROZ****ELECTRIC**

LED Suspension Light

MONARCH-100 3 CCT


019 079 0100

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- 7000 lm

DAYLIGHT 50W

COOL WHITE 100W

WARM WHITE 50W

**CCT ADJUSTABLE**CCT Selectable
by Remote
Controller



3000K



4200K



6400K


BLACK

**HOROZ****ELECTRIC**


LED Suspension Light

EDMOND

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

BLACK

	EDMOND-16	EDMOND-24	EDMOND-32
	019-077-0016	019-077-0024	019-077-0032
Power	: 16 W	: 24 W	: 32 W
Luminous Flux	: 1050 lm	: 1440 lm	: 1640 lm




LED SUSPENSION LIGHT



**HOROZ****ELECTRIC**

LED Suspension Light



INVICTA



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

BLACK

	INVICTA-28	INVICTA-44
	019-076-0028	019-076-0044
Power	: 28 W	44 W
Luminous Flux	: 2160 lm	3440 lm




**HOROZ****ELECTRIC**


LED Suspension Light

GRANDE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**BLACK****ROSE GOLD**


	GRANDE-20	GRANDE-36
	019-069-0020	019-069-0036
Power	: 20 W	: 36 W
Luminous Flux	: 1200 lm	: 2100 lm
Sizes (mm)	: A: 1200 B: 400	: A: 1200 B: 600




LED SUSPENSION LIGHT

ESSENCE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**BLACK****ROSE GOLD**

	ESSENCE-30	ESSENCE-48
	019-070-0030	019-070-0048
Power	: 30 W	: 48 W
Luminous Flux	: 1800 lm	: 2900 lm
Sizes (mm)	: A: 1200 B: 400	: A: 1200 B: 600




**HOROZ****ELECTRIC**

LED Suspension Light

RAIMOND


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**BLACK****WHITE****RAIMOND-30****RAIMOND-55**

019-074-0030



019-074-0055

Power	:	30 W	55 W
Luminous Flux	:	1800 lm	3300 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600



EMPIRE


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**BLACK****ROSE GOLD****EMPIRE-20****EMPIRE-36**

019-071-0020

019-071-0036

Power	:	20 W	36 W
Luminous Flux	:	1200 lm	2100 lm
Sizes (mm)	:	A: 1200 B: 670	A: 1200 B: 1080



**HOROZ****ELECTRIC**


LED Suspension Light

SANTANA

019 072 0012

BLACK**ROSE GOLD**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K





FOREVER

019 073 0011

BLACK**ROSE GOLD**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 660 lm
- 4000K





LED SUSPENSION LIGHT

DAXTON-15

019 078 0015

BLACK+GOLD

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 800 lm
- 4000K





ALWAYS

019 075 0012

BLACK**ROSE GOLD**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K





**HOROZ****ELECTRIC**

LED Suspension Light

MORTAL 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

**CCT ADJUSTABLE****BLACK****GOLD**

	MORTAL-70 3 CCT	MORTAL-80 3 CCT	MORTAL-150 3 CCT
	019-088-0070	019-088-0080	019-088-0150
Power (4000K)	: 70 W	: 80 W	: 150 W
Power (3000K) (6500K)	: 35 W	: 40 W	: 75 W
Luminous Flux	: 4900 lm	: 5600 lm	: 10500 lm
Sizes (mm)	: A:1000 B:450	: A:1000 B:550	: A:1100 B:560 C:450

LED SUSPENSION LIGHT



**HOROZ****ELECTRIC**

LED Suspension Light

JOLLY 3 CCT

019 081 0168



DAYLIGHT 84W


COOL WHITE 168W

WARM WHITE 84W



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 11760 lm
- 3 CCT


CCT ADJUSTABLE



BLACK

WHITE

CHAMPAGNE



LED SUSPENSION LIGHT




**HOROZ****ELECTRIC**



LED Suspension Light

REGINA 3 CCT

- 175-265 V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

**BLACK****WHITE**

	REGINA-70 3 CCT 019-082-0070	REGINA-105 3 CCT 019-082-0105	REGINA-140 3 CCT 019-082-0140	REGINA-144 3 CCT 019-082-0144
Power (4000K) :	70 W	105 W	140 W	144 W
Power (3000K) (6500K) :	35 W	52 W	70 W	72 W
Luminous Flux :	4900 lm	7350 lm	9800 lm	10080 lm
Sizes (mm) :	A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 1000





**HOROZ****ELECTRIC**


LED Suspension Light

HARVEY 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

**CCT ADJUSTABLE****BLACK****WHITE**

HARVEY-35 3 CCT	HARVEY-53 3 CCT	HARVEY-70 3 CCT	HARVEY-88 3 CCT
019-083-0035	019-083-0053	019-083-0070	019-083-0088
Power (4000K) : 35 W	53 W	70 W	88 W
Power (3000K) (6500K) : 18 W	26 W	35 W	44 W
Luminous Flux : 2450 lm	3710 lm	4900 lm	6160 lm
Sizes (mm) : A:1000 B:400	A:1000 B:600	A:1000 B:800	A:1200 B:600 C:400



LED SUSPENSION LIGHT



**HOROZ****ELECTRIC**



LED Suspension Light

SAMIRA 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

**BLACK****GOLD**

	SAMIRA-70 3 CCT	SAMIRA-106 3 CCT	SAMIRA-140 3 CCT	SAMIRA-176 3 CCT
	019-084-0070	019-084-0106	019-084-0140	019-084-0176
Power (4000K)	70 W	106 W	140 W	176 W
Power (3000K) (6500K)	35 W	53 W	70 W	88 W
Luminous Flux	4900 lm	7350 lm	9800 lm	12320 lm
Sizes (mm)	A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 600 B: 400



**HOROZ****ELECTRIC**

LED Suspension Light

CONTES-56 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3920 lm
- 3 CCT




019 086 0056



DAYLIGHT 28W

COOL WHITE 56W

WARM WHITE 28W

CCT ADJUSTABLE**BLACK****WHITE**

LED SUSPENSION LIGHT

CONTES-84 3 CCT





- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

019 086 0084

DAYLIGHT 42W

COOL WHITE 84W

WARM WHITE 42W

CCT ADJUSTABLE**BLACK****WHITE**

**HOROZ****ELECTRIC**

LED Suspension Light

FAUNA-84 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

019 085 0084




DAYLIGHT 42W

COOL WHITE 84W

WARM WHITE 42W

CCT ADJUSTABLE

3000K




4000K



6500K

BLACK

WHITE



650 mm



**HOROZ ELECTRIC**

LED Suspension Light


CONCORDE-24

BLACK

019 053 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K





CONCORDE-36

BLACK

019 053 0036



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K



LED SUSPENSION LIGHT

VENEZIA

CHROME

019 057 0040



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K




TROYA

CHROME

019 058 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K



**HOROZ ELECTRIC**

LED Suspension Light

LIBERTY


019 054 0030



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



CORNELIA



019 055 0060



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K




MONZA

019 059 0040



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K




COPERNIC

019 060 0015



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



**HOROZ****ELECTRIC**

LED Suspension Light



OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2026 lm
- 4000K





GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K




CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR



019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



LED SUSPENSION LIGHT

**HOROZ ELECTRIC**


LED Suspension Light

CALIBUR-24

019 031 0024

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




CAMEL-24

019 032 0024

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




ORIENT

019 016 0016

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K




ORION

019 017 0030

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K




CYBER

019 061 0024

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K




AVALON

019 018 0035

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





GLORY

019 019 0045

CHROME

- 180-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K




**HOROZ****ELECTRIC**

Pendant Lamp

LORENZO

- 220-240V/50-60Hz
- Bulb not included

**BLACK****GOLDEN**

LORENZO-4

LORENZO-6



021-025-0004

021-025-0006

Power

: 4xMax.18W LED E27

6xMax.18W LED E27

**HOROZ****ELECTRIC**

Pendant Lamp Glass Pendant Lamp



PENDANT LAMP





MENDOZA-6

021 026 0006

**BLACK****GOLDEN**

- 220-240V/50-60Hz
- Max. 18W LED
- 6XE27
- Bulb not included





**HOROZ®****ELECTRIC**

Pendant Lamp

TORRENT

BLACK+GOLD

- 220-240V/50-60Hz
- Bulb not included



TORRENT-4	TORRENT-6	TORRENT-8
021-027-0004	021-027-0006	021-027-0008

Power	: 4xMax.12W LED G9	6xMax.12W LED G9	8xMax.12W LED G9
-------	--------------------	------------------	------------------



**HOROZ ELECTRIC**

Glass Pendant Lamp / Pendant Lamp

DREAM

021 020 0001

**SHARP**


021 019 0001

**RONDO**

021 018 0001

**AMBER****TITANIUM**

- 250V~/4A
- Max. 60W
- Glass

**GLOBAL**


021 021 0001

**GLOBAL-X**

021 021 0002

**AMBER****TITANIUM**



- 250V~/4A
- Max. 60W
- Glass

**AMPER**

021 022 0001

COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant

**ELEMENT-1**


021 015 0001

**AMBER****TITANIUM****ELEMENT-2**

021 015 0002

**CLEAR COPPER****CLEAR CHROME**

- 250V~/4A
- Max. 60W
- Glass



GLASS PENDANT LAMP / PENDANT LAMP



SPARK-1

021 016 0001



AMBER

TITANIUM

SPARK-2


021 016 0002



TITANIUM COPPER

AMBER COPPER

- 250V~ / 4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER

TITANIUM

HARMONY-2


021 017 0002



TITANIUM COPPER

AMBER COPPER

- 250V~ / 4A
- Max. 60W
- Glass



METEOR

021 014 0001




021 014 0002



COPPER

CHROME

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ****ELECTRIC**

Pendant Lamp

VOLTA

021 001 0001

**BLACK****WHITE****BROWN****BLUE****RED****GREY**■ 250V~/4A
■ Max. 60W

EDISON

021 002 0001

TESLA


021 003 0001

WEBER

021 008 0001

GAUSS

021 009 0001

**RED COPPER****GOLDEN****PEARL BLACK****OLD BRONZE****CHROME**■ 250V~/4A
■ Max. 60W

NEWTON

021 010 0001

KEPLER




021 011 0001

MAXWELL

021 012 0001

NOBEL

021 013 0001

BLACK■ 250V~/4A
■ Max. 60W**FOLDABLE CASE**

**HOROZ ELECTRIC**

LED String Light

AMBIANCE

022 004 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available



Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS AVAILABLE

**HOROZ ELECTRIC**


LED String Light String Light



PARADISE

022 005 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs




**HOROZ****ELECTRIC****String Light****CARNAVAL-ROLL**

022 003 0001

CUTTABLE


- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included

**CARNAVAL-F10**


022 002 0010

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0,94mm²
- Total 10 Meters
- Bulb not included

**CARNAVAL****LINKABLE**

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²

**HOROZ ELECTRIC**


LED Wall Light

ACROPOL

029 012 0008

**BLACK****ROSE GOLD**


- 180-240V / 50-60Hz
- 500 lm
- 4000K
- Average Life: 30.000 Hrs

**FOREVER-W**

029 013 0007

**BLACK****ROSE GOLD**

- 180-240V / 50-60Hz
- 400 lm
- 4000K
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**


LED Wall Light

**ALWAYS-W**

029 014 0012

**BLACK****ROSE GOLD**

- 180-240V / 50-60Hz
- 700 lm
- 4000K
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**



LED Wall Light

BELEK

029 009 0003

**WHITE****BLACK**


- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs




LED WALL LIGHT

MAESTRO

029 008 0010

**BLACK**

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**



LED Wall Light

CUNDA


029 011 0003

**WHITE****BLACK**

- 180-240V / 50-60Hz
- 700 lm
- 4200K
- Average Life: 20.000 Hrs





SALDA

**SALDA-10****SALDA-14**


029-010-0010

029-010-0014

Power	: 10 W	14 W
Luminous Flux	: 372 lm	680 lm
Sizes (mm)	: A: 620 B: 140	A: 920 B: 140



**BLACK**

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



SiSAM

029 006 0008




TRUVA

029 007 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SiSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC****LED Ceiling Lamp****HOROZ ELECTRIC****LED Ceiling Lamp
Ceiling Lamp**

LED CEILING LAMP

LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME

■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4









■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	: 300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm



**HOROZ****ELECTRIC****Ceiling Lamp****BODRUM**

■ 220-240V / 50-60Hz

MAT CHROME

■ BODRUM-1


■ BODRUM-2

■ BODRUM-3

■ BODRUM-4

BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
--------------	---	---------	-----------	-----------	-----------

**KEMER**

■ 220-240V / 50-60Hz

CHROME

■ KEMER-1

■ KEMER-2


■ KEMER-3

■ KEMER-4

■ KEMER-5

KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	---	---------	-----------	-----------	-----------	-----------

**MANAVGAT**

■ 220-240V / 50-60Hz

CHROME

■ MANAVGAT-1

■ MANAVGAT-2


■ MANAVGAT-3

■ MANAVGAT-4

■ MANAVGAT-5

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	---	---------	-----------	-----------	-----------	-----------



**HOROZ****ELECTRIC**



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp





LED PICTURE & MIRROR LAMP

SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABİL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




**HOROZ ELECTRIC**

LED Picture & Mirror Lamp/LED Reading Lamp

LEYLEK


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME****BLACK****LEYLEK-8****LEYLEK-12**

040-016-0008

040-016-0012



Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40

**TURNA**


040 007 0003

BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

**KANARYA**


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME****BLACK****KANARYA-8****KANARYA-12**

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120




**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

KARTAL


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME****BLACK****KARTAL-8****KARTAL-12**

040-017-0008


040-017-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50



ANKA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME****BLACK****ANKA-8****ANKA-12**

040-014-0008


040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



FLAMİNGO


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME****BLACK****FLAMİNGO-8****FLAMİNGO-12**

040-001-0008

040-001-0012

Power	:	8 W	12 W
Luminous Flux	:	450 lm	750 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



**HOROZ ELECTRIC**

Floor Lamp

MERİÇ

■ 220-240V / 50-60Hz



	MERİÇ-1	MERİÇ-2	MERİÇ-3
	045-001-0001	045-001-0002	045-001-0003
Power	: Max.18W LED	Max.18W LED (Mother) Max.10W LED (Baby)	Max.18W LED (Mother) Max.10W LED (Baby)
Lamp Holder	: E27	E27 (Mother) & E14 (Baby)	E27 (Mother) & E14 (Baby)
Color	: White	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500

**HOROZ ELECTRIC**

Floor Lamp



**HOROEZ[®] ELECTRIC**

LED Table Lamp

HUGO 3 CCT

050 007 0001

**Long Press
Infinitely
DIMMABLE**

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20,000 Hrs

SILVER**PEARL BLACK****GOLD**

CCT ADJUSTABLE

CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

MAGNUM 3 CCT

050 008 0001

**Long Press
Infinitely
DIMMABLE**

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20,000 Hrs

SILVER**PEARL BLACK****GOLD**

CCT ADJUSTABLE

CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

ELIXIR 3 CCT

050 009 0001

**Long Press
Infinitely
DIMMABLE**

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20,000 Hrs

SILVER**PEARL BLACK****GOLD**

CCT ADJUSTABLE

CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

LED TABLE LAMP


**HOROZ[®] ELECTRIC**

LED Table Lamp

MERIDA 3 CCT

- 100-240V AC/5VDC
- 120 lm
- Duration Time: 4-6 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

050 001 0001


**CCT ADJUSTABLE****BLACK****WHITE****PINK****GOLD****LIGHT BLUE****LIGHT GREEN****HOROZ[®] ELECTRIC**

LED Table Lamp

**PRONTO 3 CCT**

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

050 002 0001


**CCT ADJUSTABLE****GOLD****SILVER****ROSE GOLD**

**HOROZ[®] ELECTRIC**


LED Table Lamp

AVIVA 3 CCT

050 003 0001



- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

GOLD**SILVER****ROSE GOLD**

CCT ADJUSTABLE

CCT Selectable by Touch Switch


3000K**4500K****6000K**

INTER 3 CCT

050 004 0001



- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs



CCT ADJUSTABLE

CCT Selectable by Touch Switch


3000K**4500K****6000K**

WANDA 3 CCT

050 005 0001



- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs



CCT ADJUSTABLE

CCT Selectable by Touch Switch

3000K**4500K****6000K**


**HOROZ ELECTRIC**

LED Desk Lamp

BESTE

- 100-240V AC
- 380 lm
- 4500K
- Average Life: 30.000 Hrs

049 037 0005

G**RED****WHITE****BLACK****1,5m PLUG****HOROZ ELECTRIC**


LED Desk Lamp

**EBRU**

049 010 0010

BLACK**WHITE****SILVER**



- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs

**IREM**

049 011 0005

RED**WHITE****BLACK**

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**


Desk Lamp

SİMGE

048 014 0060

**GREEN****BLUE**

- 220-240V / 50-60Hz
- Max.18W LED




RANA

048 013 0060

**BLACK****WHITE****RED**

- 220-240V / 50-60Hz
- Max.18W LED




BİHTER

048 009 0060

**BLACK****WHITE****RED****BLUE**

- 220-240V / 50-60Hz
- Max.18W LED



DESK LAMP




**HOROZ ELECTRIC**

LED Batten Light

**HOROZ ELECTRIC****LED Batten Light
LED Waterproof Lamp
LED Tube Fixture****GAMA**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



GAMA-30




GAMA-60




GAMA-80



	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150
Power	: 30 W	: 60 W	: 80 W
Luminous Flux	: 2250 lm	: 4500 lm	: 6000 lm
Length (mm)	: A: 600 B: 75 C: 25	: A: 1200 B: 75 C: 25	: A: 1500 B: 75 C: 25

**WHITE****BLACK****GAMA-X**

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



GAMA-30X




GAMA-60X



GAMA-80X



	GAMA-30X	GAMA-60X	GAMA-80X
	052-006-2060	052-006-2120	052-006-2150
Power	: 30 W	: 60 W	: 80 W
Luminous Flux	: 2250 lm	: 4500 lm	: 6000 lm
Length (mm)	: A: 600 B: 80 C: 30	: A: 1200 B: 80 C: 30	: A: 1500 B: 80 C: 30


**WHITE****BLACK**

**HOROZ ELECTRIC**


LED Batten Light

TETRA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


WHITE

	TETRA-18	TETRA-36	TETRA-72
	052-003-0060	052-003-0120	052-003-0150
Power	: 18 W	: 36 W	: 72 W
Luminous Flux	: 1135 lm	: 2269 lm	: 5300 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500



TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**WHITE****BLACK**

	TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
	052-005-0060	052-005-0120	052-005-0150
Power	: 27 W	: 54 W	: 72 W
Luminous Flux	: 1890 lm	: 3780 lm	: 5670 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




**HOROZ ELECTRIC**

LED Waterproof Lamp



SAILOR 3 CCT

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 3CCT
- Max. 300W can be linkable










	SAILOR-20 3 CCT	SAILOR-40 3 CCT	SAILOR-50 3 CCT
	059-010-0020	059-010-0040	059-010-0050
Power	20 W	40 W	50 W
Luminous Flux	2600 lm	5200 lm	6500 lm
Length (mm)	L: 645	L: 1245	L: 1545





**HOROZ****ELECTRIC**


LED Waterproof Lamp

NAVIGATOR

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect




	NAVIGATOR-18	NAVIGATOR-36	NAVIGATOR-45
	059-011-0018	059-011-0036	059-011-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1800 lm	: 3600 lm	: 4500 lm
Max Connectable Units	: 16 PCS	: 8 PCS	: 6 PCS
Length (mm)	: L: 600	: L: 1200	: L: 1500



LED WATERPROOF LAMP

NAVIGATOR/XL

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect



	NAVIGATOR/XL-24	NAVIGATOR/XL-48	NAVIGATOR/XL-60
	059-011-2024	059-011-2048	059-011-2060
Power	: 24 W	: 48 W	: 60 W
Luminous Flux	: 2400 lm	: 4800 lm	: 6000 lm
Max Connectable Units	: 12 PCS	: 6 PCS	: 5 PCS
Length (mm)	: L: 600	: L: 1200	: L: 1500




**HOROZ****ELECTRIC**


LED Waterproof Lamp

IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 650	: L: 1260	: L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 652	: L: 1262	: L: 1562



OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	: 36 W	: 72 W	: 90 W
Luminous Flux	: 2880 lm	: 5760 lm	: 7200 lm
Length (mm)	: L: 632	: L: 1242	: L: 1542




**HOROZ[®] ELECTRIC**


LED Batten Light /LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


LINKABLE

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226






PROMASTER

057 003 2120

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included




PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included




	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 88 C: 62	A: 1280 B: 65 C: 65	A: 1280 B: 88 C: 62



**HOROZ ELECTRIC**

LED Linear High Bay Lamp


PYRAMID



- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**


	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 6500 lm	: 13000 lm	: 19500 lm	: 26000 lm
Length (mm)	: 266	: 519	: 772	: 1025

**HOROZ ELECTRIC**

LED Linear High Bay Lamp LED Ufo High Bay Lamp




ZEUGMA



- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000






**HOROZ****ELECTRIC**

LED Ufo High Bay Lamp

MAGNUS-200 3 CCT

063 012 0200


- 100-277V / 50-60Hz
- 30.000 lm
- Average Life: 50.000 Hrs
- 3 CCT
- 1-10V Dimmer

**CCT ADJUSTABLE****DIP SWITCH POWER ADJUSTABLE IN 3 GEARS****MYRA 3 CCT**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

**CCT ADJUSTABLE**

	MYRA-100 3 CCT	MYRA-150 3 CCT	MYRA-200 3 CCT
	063-011-0100	063-011-0150	063-011-0200
Power	100 W	150 W	200 W
Luminous Flux	15000 lm	22500 lm	30000 lm
Length (mm)	A:52,96 B:4 C:265,1D:128,6 E:40 F:265,1 G:113,4 H:148,4	A:54,7 B:96,4 C:290,4 D:128,6 E:40 F:290,4 G:116,1 H:151,1	A:60,96 B:4 C:347,2 D:128,6 E:40 F:347,2 G:129,4 H:156,9




**HOROZ****ELECTRIC**


LED Ufo High Bay Lamp

ARTEMIS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
	063-003-0100	063-003-0150	063-003-0200	063-003-0300
Power	: 100 W	: 150 W	: 200 W	: 300 W
Luminous Flux	: 15000 lm	: 22500 lm	: 30000 lm	: 45000 lm
Sizes (mm)	: A: 265 B: 148.4	: A: 290.4 B: 151	: A: 347.2 B: 157	: A: 396 B: 177




AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	AGORA-100	AGORA-150	AGORA-200	AGORA-300
	063-008-0100	063-008-0150	063-008-0200	063-008-0300
Power	: 100 W	: 150 W	: 200 W	: 300 W
Luminous Flux	: 13000 lm	: 19500 lm	: 26000 lm	: 39000 lm
Sizes (mm)	: A: 270 B: 91	: A: 300 B: 96.5	: A: 330 B: 103	: A: 372 B: 108




HERKÜL

- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K





	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 15000 lm	: 22500 lm	: 30000 lm
Length (mm)	: A: 275 B: 28 C: 119 D: 154	: A: 320 B: 29 C: 122 D: 158	: A: 380 B: 36 C: 123 D: 159



**HOROZ****ELECTRIC****LED Projector****BORNEO**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	BORNEO-50	BORNEO-100	BORNEO-200	BORNEO-300	BORNEO-400	BORNEO-500	BORNEO-600
	068-033-0050	068-033-0100	068-033-0200	068-033-0300	068-033-0400	068-033-0500	068-033-0600
Power	50 W	100 W	200 W	300 W	400 W	500 W	600 W
Luminous Flux	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm	60000 lm	72000 lm
Sizes (mm)	A: 210 B: 190 C: 41	A: 280 B: 240 C: 45	A: 360 B: 325 C: 65	A: 425 B: 445 C: 68	A: 445 B: 445 C: 68	A: 600 B: 510 C: 71	A: 600 B: 510 C: 71

LED Projector
LED RGB Projector
LED Solar Projector
LED Solar Security Light
LED Rechargeable Light
LED Frameless Projector
Portable LED Projector
LED Projector Stand

**HOROZ****ELECTRIC**

**HOROZ ELECTRIC**

LED Projector

PALLAS 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs




CCT ADJUSTABLE

CCT Selectable by DIP Switch

**3000K****4500K****6000K****BLACK**

	PALLAS-50 3 CCT	PALLAS-100 3 CCT	PALLAS-200 3 CCT	PALLAS-300 3 CCT
	068-030-1050	068-030-1100	068-030-1200	068-030-1300
Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 6500 lm	: 13000 lm	: 26000 lm	: 39000 lm
Sizes (mm)	: A:176.5 B:152.4 C:28.2	: A:222.5 B:191.5 C:29.7	: A:297.3 B:256.3 C:32.7	: A:350.9 B:301.4 C:33.5



LED PROJECTOR

MARGAY 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs




CCT ADJUSTABLE

CCT Selectable by DIP Switch

**3000K****4500K****6000K****GRAY**

	MARGAY-50 3 CCT	MARGAY-100 3 CCT	MARGAY-200 3 CCT	MARGAY-300 3 CCT
	068-031-1050	068-031-1100	068-031-1200	068-031-0300
Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 6500 lm	: 13000 lm	: 26000 lm	: 39000 lm
Sizes (mm)	: A:145 B:188 C:32	: A:194 B:249 C:36	: A:253 B:327 C:39	: A:295 B:379 C:49




**HOROZ ELECTRIC**

LED Projector

PARDUS




- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	PARDUS-10	PARDUS-20	PARDUS-30	PARDUS-50	PARDUS-100	PARDUS-200	PARDUS-300
	068-028-0010	068-028-0020	068-028-0030	068-028-0050	068-028-0100	068-028-0200	068-028-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 900 lm	: 1800 lm	: 2700 lm	: 4500 lm	: 9000 lm	: 18000 lm	: 27000 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 68.8 B: 105 C: 21	: A: 88 B: 127 C: 28	: A: 110 B: 164 C: 29	: A: 141 B: 185 C: 29	: A: 185 B: 255 C: 32	: A: 289 B: 407 C: 34	: A: 399 B: 498 C: 48

ASLAN



- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**BLACK****WHITE**

	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200	ASLAN-300
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200	068-010-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5500 lm	: 11000 lm	: 21160 lm	: 31740 lm
Sizes (mm)	: A: 66 B: 72 C: 22	: A: 86 B: 102 C: 26	: A: 103 B: 116 C: 26	: A: 134 B: 160 C: 25	: A: 192 B: 225 C: 28	: A: 312 B: 280 C: 28	: A: 336 B: 378 C: 33

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WITH PIR SENSOR****BLACK****WHITE**



	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	: 10 W	: 20 W	: 30 W	: 50 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5500 lm
Sizes (mm)	: A: 126 B: 72 C: 40	: A: 142 B: 102 C: 40	: A: 176 B: 135 C: 40	: A: 184 B: 160 C: 40

**HOROZ ELECTRIC**


LED Projector / LED RGB Projector

PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

**BLACK**

	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm
Color Temperature	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	A: 101 B: 109 C: 21	A: 122 B: 134 C: 30	A: 138 B: 155 C: 32	A: 175 B: 198 C: 32	A: 231 B: 269 C: 35	A: 312 B: 385 C: 37




REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W



	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	20 W	30 W	50 W	100 W
Luminous Flux	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A: 109.4 B: 84.6 C: 25.2	A: 137 B: 105 C: 25.2	A: 178 B: 124 C: 26.5	A: 269 B: 180 C: 27.2




**HOROZ ELECTRIC**

Portable LED Projector/LED Frameless Projector


WORKSHOP

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug

F A ↑ G




	WORKSHOP-30	WORKSHOP-60
	068-019-0030	068-019-0060
Power	30 W	60 W
Luminous Flux	3250 lm	6500 lm
Sizes (mm)	A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	1 socket+ON/OFF on back	2 socket+ON/OFF on back



PEGASUS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




FRAMELESS FLOODLIGHT NO DARK AREA EDITION

E A ↑ G



	PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
	068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	A: 81,9 B: 94,6 C: 35,2	A: 101,7 B: 117,5 C: 36,3	A: 133,2 B: 165,2 C: 38,3	A: 164 B: 200,8 C: 45	A: 203 B: 251,8 C: 49,5





**HOROZ****ELECTRIC**

LED Frameless Worklight

PEGASUS/W

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT**NO DARK AREA EDITION****1.8 m PLUG**

	PEGASUS/W-50	PEGASUS/W-100
	068-032-0050	068-032-0100
Power	: 50 W	: 100 W
Luminous Flux	: 5750 lm	: 11700 lm
Sizes (mm)	: A:178.6 B:155.8 C:78.1	: A:223.3 B:194.8 C:80.4




LED FRAMELESS WORKLIGHT

**HOROZ ELECTRIC**

Portable LED Stand /LED Projector Stand LED Canopy Light

TELESCOPE

107 003 0040






- 170-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- 4300lm
- 1.6M H05RNF
- 3X0.5mm2 VDE PLUG

**TOWER**

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen: 2x4355 lm,
- Ra > 80, IP54
- ON/OFF Switch
- 1X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs

**HOROZ ELECTRIC**

Portable LED Stand LED Projector Stand



LED Canopy Light

PORTABLE


107 001 0003

- PORTABLE STAND
- 1.5 meter H05VV-F cable

**TRIPOD SINGLE**


107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



**TRIPOD DOUBLE**

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable

**FALCON**

069 001 0110

RECESSED



TIGER PRO 3 CCT

- 3.2V DC
- Average Life: 50.000 Hrs
- 3 CCT
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK



CCT ADJUSTABLE



CCT Selectable
by Remote
Controller



3000K




4500K



6500K




	TIGER PRO-50 3 CCT	TIGER PRO-100 3 CCT	TIGER PRO-200 3 CCT	TIGER PRO-300 3 CCT
	068-012-2050	068-012-2100	068-012-2200	068-012-2300
Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 700 lm	: 1100 lm	: 1700 lm	: 3100 lm
Battery	: (3.2V / 5AH) Lithium Iron Phosphate	: (3.2V / 8AH) Lithium Iron Phosphate	: (3.2V / 20AH) Lithium Iron Phosphate	: (3.2V / 30AH) Lithium Iron Phosphate
Solar Panel	: Monocrystalline, 6V/6W	: Monocrystalline, 6V/10W	: Monocrystalline, 6V/20W	: Monocrystalline, 6V/30W
Projector Sizes (mm)	: A: 143 B: 185 C: 57	: A: 178 B: 233 C: 57	: A: 215 B: 285 C: 58	: A: 275 B: 350 C: 57
Solar Panel Sizes (mm)	: D: 230 E: 150	: D: 300 E: 210	: D: 390 E: 300	: D: 430 E: 390




SPIDER-16

068 021 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V

BLACK



SPARROW-16

068 022 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time: 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK




THREE MODES LIGHTING

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE




PANDA-10

068 023 0010



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery

BLACK





ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel

BLACK



**HOROZ****ELECTRIC**


LED Solar Projector

TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K-4200K-6400K

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch**3000K****4500K****6000K****DIMMABLE**

	TURBO-200 3 CCT 068-027-0200	TURBO-400 3 CCT 068-027-0400	TURBO-800 3 CCT 068-027-0800
Power	: 200 W	: 400 W	: 800 W
Luminous Flux	: 1466 lm	: 2391lm	: 2733 lm
Battery	: 3.7V 1200X3mAh	: 3.7V 8000mAh	: 3.7V 10000mAh
Panel	: 5V 1.3W	: 5V 2.3W	: 6V 8W Solar Panel Foldable
Endurance	: Strong light 5H universal light 7H	: Strong light 5H universal light 7H	: Strong light 6H universal light 8H
Sizes (mm)	: A:183.5 B:144 C:54.3	: A:217.8 B:174.3 C:54.8	: A:277 B:244.5 C:66



LED SOLAR PROJECTOR





**HOROZ ELECTRIC**

LED Solar Street Light

GRAND PRO

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Installation Height : 3-6 meters
- Charging Time: 4-6 Hours
- Remote Control: 12m

**BLACK**

	GRAND PRO-50	GRAND PRO-100	GRAND PRO-200	GRAND PRO-300
	074-009-2050	074-009-2100	074-009-2200	074-009-2300
Power	50 W	100 W	200 W	300 W
Luminous Flux	950 lm	1150 lm	1900 lm	2100 lm
Battery	3.2V / 4AH Lithium Iron Phosphate	3.2V / 5AH Lithium Iron Phosphate	3.2V / 12AH Lithium Iron Phosphate	3.2V / 15AH Lithium Iron Phosphate
Solar Panel	Monocrystal Panel 5V / 6W	Monocrystal Panel 5V / 8W	Monocrystal Panel 5V / 15W	Monocrystal Panel 5V / 20W
Irradiation Area	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	A: 216 B: 219 C: 46	A: 231 B: 413 C: 47	A: 251 B: 622 C: 47	A: 251 B: 722 C: 47



Ø 45-50mm

**HOROZ ELECTRIC**


LED Solar Street Light LED Street Light





GRAND/XL


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK




	GRAND/XL-600	GRAND/XL-900	GRAND/XL-1200
	074-009-0600	074-009-0900	074-009-1200
Power	: 600 W	: 900 W	: 1200 W
Luminous Flux	: 2092 lm	: 2668 lm	: 3066 lm
Battery	: 3 x 3.2V/15Ah Lithium Iron Phosphate	: 3 x 3.2V/20Ah Lithium Iron Phosphate	: 3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V/18W	: Polycrystalline Silicon 6V/25W	: Polycrystalline Silicon 6V/30W
Installation Height	: 4 Meters	: 5 Meters	: 6 Meters
Irradiation Area	: 80 m ²	: 150 m ²	: 200 m ²
Street Lamp Sizes (mm)	: A: 345 B: 450 C: 70	: A: 345 B: 600 C: 75	: A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 360	: D: 340 E: 510	: D: 340 E: 590



**HOROZ ELECTRIC**

LED Solar Street Light


COMPACT PRO




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

**BLACK**


POLE INCLUDED





	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V3Ah Lithium Iron Phosphate	3.2V3Ah Lithium Iron Phosphate	3.2V3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55



COMBAT



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

**BLACK**

POLE

130 001 0001

Pole for Combat





	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V10Ah Lithium Iron Phosphate	4x3.2V15Ah Lithium Iron Phosphate	5x3.2V20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3.5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127

**HOROZ ELECTRIC**

LED Street Light

ORLANDO PRO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**GRAY**

	ORLANDO PRO-30	ORLANDO PRO-50	ORLANDO PRO-100	ORLANDO PRO-150	ORLANDO PRO-200
	074-005-1030	074-005-1050	074-005-1100	074-005-1150	074-005-1200
Power	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4500 lm	: 7500 lm	: 15000 lm	: 22500 lm	: 30000 lm
Pole Diameter (Ø)	: Min.50 - Max.65	: Min.50 - Max.65	: Min.50 - Max.65	: Min.50 - Max.65	: Min.50 - Max.65
Sizes (mm)	: A: 315 B: 170 C: 60	: A: 315 B: 170 C: 60	: A: 410 B: 210 C: 62	: A: 455 B: 252 C: 66.5	: A: 500 B: 272 C: 66.5






**HOROZ ELECTRIC**

LED Street Light

FLORIDA



- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K

GRAY**Adjustable Pole Angle**

	FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
	074-014-0030	074-014-0050	074-014-0100	074-014-0150	074-014-0200
Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3000 lm	5000 lm	10000 lm	15000 lm	20000 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 383 B: 125 C: 70	A: 465 B: 159 C: 75	A: 555 B: 198 C: 75	A: 593 B: 222 C: 75	A: 682 B: 260 C: 75



**HOROZ ELECTRIC**

LED Street Light



TEXAS



- 100-265V/50-60 Hz
- Average Life: 20.000 Hrs
- 6400K



ANTHRACITE



	TEXAS-50	TEXAS-100	TEXAS-150	TEXAS-200
	074-012-0050	074-012-0100	074-012-0150	074-012-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	5750 lm	11680 lm	17600 lm	24000 lm
Sizes (mm)	A: 350 B: 141 C: 68	A: 425 B: 185 C: 77	A: 516 B: 225 C: 77	A: 578 B: 248 C: 77
Pole Diameter (Ø)	53	63	63	63



LED STREET LIGHT





**HOROZ ELECTRIC**

LED Street Light

VEGAS



- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

BLACK

	VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
	074-013-0050	074-013-0100	074-013-0150	074-013-0200
Power :	50 W	100 W	150 W	200 W
Luminous Flux :	5750 lm	11680 lm	17600 lm	23550 lm
Sizes (mm) :	A: 411 B: 139	A: 462 B: 151	A: 541 B: 189	A: 654 B: 213





**HOROZ ELECTRIC**

LED Street Light

ROCKET



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK**Adjustable Pole Angle**

ROCKET-30	ROCKET-50	ROCKET-100
074-015-0030	074-015-0050	074-015-0100

Power	: 30 W	50 W	100 W
Luminous Flux	: 3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm)	: D: 74	D: 74	D: 74
Pole Diameter (Ø)	: 60	60	60
Sizes (mm)	: A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15

**LED STREET LIGHT**


**HOROZ ELECTRIC**

LED Bulkhead Lamp


SORENTO 3 CCT

071 017 0020

CCT ADJUSTABLE

**WHITE****BLACK**


- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC ($\geq 2\text{MA}$)
- Power Frequency : 50/60Hz
- Ambient Light : $<10\text{LUX} \rightarrow 2000\text{LUX}$
- Time Delay : Min.10sec $\pm$ 3sec $\pm$ MAX.10min $\pm$ 5min
- Detection Range : $120^\circ \pm 20^\circ$
- Detection Distance : $10\text{m} \pm 2\text{m} (<24^\circ\text{C})$
- Working Temperature : $-20 \rightarrow +40\text{C}$
- Working Humidity : $<93\%\text{Rh}$
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



PALERMO 3 CCT

071 018 0015

CCT ADJUSTABLE

**WHITE****BLACK**

- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC ($\geq 2\text{MA}$)
- Power Frequency : 50/60Hz
- Ambient Light : $<10\text{LUX} \rightarrow 2000\text{LUX}$
- Time Delay : Min.10sec $\pm$ 3sec $\pm$ MAX.10min $\pm$ 5min
- Detection Range : $120^\circ \pm 20^\circ$
- Detection Distance : $10\text{m} \pm 2\text{m} (<24^\circ\text{C})$
- Working Temperature : $-20 \rightarrow +40\text{C}$
- Working Humidity : $<93\%\text{Rh}$
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s


**HOROZ ELECTRIC**

LED Bulkhead Lamp



BOLKAR-20


071 014 0020



AUTOMATIC SENSOR

**WHITE**

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs
- Works only at night with PIR sensor




**HOROZ ELECTRIC**

LED Bulkhead Lamp/ Aluminium Bulkhead Lamp

FARADAY

- 160-265V / 50-60 Hz
- Average Life: 25.000 Hrs



FARADAY-24	FARADAY-36
071-015-0024	071-015-0036

Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 250 B: 125 C: 38	A: 300 B: 150 C: 35




WHITE



NORTON

- 160-265V / 50-60 Hz
- Average Life: 30.000 Hrs




NORTON-24	NORTON-36
071-016-0024	071-016-0036

Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 200 B: 38	A: 240 B: 35



WHITE

**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp



WHITE

BLACK

220-240V / 50-60Hz

NEMRUT


AYDER

TOROS

KAÇKAR



NEMRUT	AYDER	TOROS	KAÇKAR
070-001-0060	070-012-0100	070-002-0060	070-013-0100
Power	:	Max.18 W LED	Max.18 W LED
Sizes (mm)	:	A: 210 B: 80 C: 105	A: 275 B: 120 C: 155



WHITE

BLACK

220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES



ZİGANA	MUNZUR	ARARAT	ERCİYES
070-005-0060	070-014-0100	070-006-0060	070-015-0100
Power	:	Max.18 W LED	Max.18 W LED
Sizes (mm)	:	A: 180 B: 85 C: 180	A: 240 B: 110 C: 140



**HOROZ ELECTRIC****Garden Lamp****HOROZ ELECTRIC**


Garden Lamp

LED Garden Lamp

LED House Number Light

**NAR**

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

Power	: Max.18W LED
Color	: Black/White
Sizes	: A: 170 B: 240 C: 210

NAR-2
075-016-0002

Power	: Max.18W LED
Color	: Black/White
Sizes	: A: 170 B: 800 C: 260

NAR-3
075-016-0003

Power	: Max.18W LED
Color	: Black/White
Sizes	: A: 170 B: 170 C: 300

NAR-4
075-016-0004

Power	: Max.18W LED
Color	: Black
Sizes	: A: 170 B: 170 C: 580

NAR-5
075-016-0005

Power	: Max.18W LED
Color	: Black
Sizes	: A: 170 B: 170 C: 840



NAR-6
075-016-0006

Power	: Max.2x18W LED
Color	: Black

NAR-7
075-016-0007


Power	: Max.3x18W LED
Color	: Black



PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



Sizes (mm)

: A: 90 B: 215

PALMERA-1

075-018-0001

PALMERA-2

075-018-0002

PALMERA-3

075-018-0003

PALMERA-4

075-018-0004

A: 90 B: 300


A: 90 B: 500

A: 90 B: 800

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



Sizes (mm)

: A: 90 B: 90 C: 215

PALMERA/S1

075-017-0001

PALMERA/S2

075-017-0002

PALMERA/S3

075-017-0003

PALMERA/S4

075-017-0004

A: 90 B: 90 C: 300

A: 90 B: 90 C: 500

A: 90 B: 90 C: 800


**HOROZ® ELECTRIC**

Garden Lamp

KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK/SQ-2**

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm)

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500


A: 90 B: 800



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK-2**

075-014-0002

KAVAK-3

075-014-0003

KAVAK-4

075-014-0004

KAVAK-5

075-014-0005

Sizes (mm)

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130


A: 500 B: 90 C: 130

A: 800 B: 90 C: 130



**HOROZ****ELECTRIC****Garden Lamp****LADİN**


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



	LADİN-1	LADİN-2	LADİN-3	LADİN-4
	075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm)	: A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120

**DEFNE**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED



	DEFNE-1	DEFNE-2	DEFNE-3	DEFNE-4	DEFNE-5
	075-004-0001	075-004-0002	075-004-0003	075-004-0004	075-004-0005
Sizes (mm)	: A: 405 B: 76	A: 344 B: 76 C: 142	A: 325 B: 76 C: 110	A: 500 B: 76 C: 110	A: 800 B: 76 C: 110




**HOROZ ELECTRIC**

Garden Lamp

KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**KAYIN-1**

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150


A: 800 B: 150



PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**PALMIYE-1**

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230

A: 500 B: 150

A: 800 B: 150






**HOROZ****ELECTRIC**

LED Garden Lamp

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K

**BLACK****PRESTIGE-1S**

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)	:	A: 70.4 B: 230.7
------------	---	------------------

A: 70.4 B: 230.7





A: 109 B: 300

A: 109 B: 500

A: 109 B: 800

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K

**BLACK****DYNAMIC-1S**

076-058-1001

DYNAMIC-1

076-058-0001

DYNAMIC-2

076-058-0002

DYNAMIC-3

076-058-0003

DYNAMIC-4

076-058-0004

Sizes (mm)	:	A: 110 B: 300
------------	---	---------------

A: 110 B: 300

A: 300 B: 300

A: 500 B: 300




A: 800 B: 300

**HOROZ****ELECTRIC**

LED Garden Lamp

DEXTER


- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K

**BLACK**

	DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
	076-115-0001	076-115-0002	076-115-0003	076-115-0004
Sizes (mm) :	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150

BEYOND


076 087 0001



Ambience Light / 3000K

**BLACK**

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life: 30.000 Hrs




**HOROZ****ELECTRIC**


LED Garden Lamp

CALEX

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK

	CALEX-1	CALEX-2	CALEX-3
	076-116-0030	076-116-0060	076-116-0090
Power	: 10 W	: 20 W	: 30 W
Luminous Flux	: 667 lm	: 1247 lm	: 2101 lm
Sizes (mm)	: A: 30 B: 8 C: 2.8	: A: 60 B: 8 C: 2.8	: A: 90 B: 8 C: 2.8



LED GARDEN LAMP



**HOROZ****ELECTRIC****Garden Lamp****MANGO**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED

**MANGO-1**


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003

**MANOLYA**

- 220-240V / 50-60Hz
- Diffuser: Glass

**MANOLYA-1**

075-008-0001



MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 2x18W LED
Lamp Holder	:	GU10	GU10	E27
Body	:	Stainless Steel	Stainless Steel	Aluminium
Color	:	Mat Chrome / Black	Mat Chrome / Black	Black
Lighting Direction	:	Down	Up&Down	Up&Down
Sizes (mm)	:	A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108




**HOROZ****ELECTRIC**

Garden Lamp


MAMBA

076 066 0001



MAMBA-SQ

076 067 0001


**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED




REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK


REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Up	Up&Down	Up	Up&Down




GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Down	Up&Down	Down	Up&Down




**HOROZ****ELECTRIC**


LED Garden Lamp

TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


BLACK

	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	5 W	7 W	12 W	15 W
Luminous Flux	350 lm	442 lm	821lm	987 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	W: 85	W: 119	W: 170	W: 220




PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




**HOROZ®****ELECTRIC**


LED Garden Lamp

NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK


	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	: 5 W	: 7 W	: 12 W	: 14 W
Luminous Flux	: 309 lm	: 452 lm	: 780 lm	: 973 lm
Lighting Direction	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front
Sizes (mm)	: A: 90 B: 100 C: 48	: A: 92 B: 120 C: 50	: A: 95 B: 185 C: 50	: A: 95 B: 220 C: 53




LED GARDEN LAMP

PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	: 2 W	: 4 W	: 6 W	: 8 W
Luminous Flux	: 260 lm	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 73 B: 80 C: 38	: A: 95 B: 117 C: 38	: A: 95 B: 181 C: 42	: A: 95 B: 217 C: 49



**HOROZ****ELECTRIC**

LED Garden Lamp

VOLCANO 3 CCT

- 100-265V / 50-60Hz
- 3CCT
- Average Life: 25.000 Hrs

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

2700K



4000K




6500K

BLACK

WHITE



	VOLCANO-9 3 CCT	VOLCANO-12 3 CCT	VOLCANO-15 3 CCT	VOLCANO-18 3 CCT
	076-119-0009	076-119-0012	076-119-0015	076-119-0018
Power	: 9 W	: 12 W	: 15 W	: 18 W
Luminous Flux	: 900 lm	: 1200 lm	: 1500 lm	: 1800 lm
Sizes (mm)	: A: 120 B: 47	: A: 180 B: 47	: A: 220 B: 47	: A: 250 B: 47



**HOROZ ELECTRIC**



LED Garden Lamp

LAGOS

- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012






CARAT

- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012





LED GARDEN LAMP

FACTOR-2

- 85-265V /50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK**WHITE**

076 075 0002





BAT-6

- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006




**HOROZ ELECTRIC**


LED Garden Lamp

BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs





	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009
Power	: 5W	: 7W	: 9W
Luminous Flux	: 350 lm	: 619 lm	: 865 lm
Sizes (mm)	: A: 105 B: 62	: A: 125 B: 62	: A: 160 B: 62

BLACK

METROPOL-12


- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

076 073 0012

**BLACK**

ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power	: 5W	: 8W	: 11W
Luminous Flux	: 330 lm	: 445 lm	: 740 lm
Sizes (mm)	: A: 125 B: 50	: A: 170 B: 50	: A: 214 B: 50



BLACK

SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006





SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

076 085 0012





LED GARDEN LAMP

HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006






HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

076 084 0012





**HOROZ®****ELECTRIC**

LED Garden Lamp

KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**



	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power	: 5 W	: 10 W	: 5 W	: 10 W
Luminous Flux	: 450 lm	: 900 lm	: 450 lm	: 900 lm



VIPER

- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs



076 086 0017

**BLACK****WHITE**

SCADA


- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

076 074 0012

**BLACK****WHITE**


LUXIA-G

076 078 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




MORENA

076 080 0020




BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



**HOROZ® ELECTRIC**



LED Garden Lamp

MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK**BLACK&GOLDEN**

076 052 0010




VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

VECTOR-6	VECTOR-12
076-083-0006	076-083-0012

Power	:	6 W	12 W
Luminous Flux	:	350 lm	728 lm
Sizes (mm)	:	A: 130 B: 70	A: 200 B: 80





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010




**HOROZ®****ELECTRIC****LED Garden Lamp**


LED GARDEN LAMP

IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	: 7 W	: 2x7 W
Luminous Flux	: 630 lm	: 1260 lm
Lighting Direction	: Up	: Up&Down




**HOROZ ELECTRIC**


LED Garden Lamp

SUPERB

076 040 0015




- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs


**BLACK**

ANDIZ

076 037 0009


**BLACK****WHITE**

- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs




SEKOYA

076 038 0004

**BLACK****WHITE**

- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs




**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp

SAFARI

075 020 0001





BLACK

- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



SERVI


076 009 0012



BLACK

WHITE


- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



GARDEN LAMP / LED GARDEN LAMP

BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SALKIM





ZAKKUM

MEŞE

ARDIÇ



	SALKIM	ZAKKUM	MEŞE	ARDIÇ
	076-008-0006	076-005-0006	076-004-0012	076-003-0006
Power	6 W	6W	12 W	5.5 W
Luminous Flux	180 lm	330 lm	650 lm	245 lm
LED Type	COB	SMD	SMD	POWER
IP	44	54	54	54
Lighting Direction	Up&Down	Down	Up&Down	Down




**HOROZ®****ELECTRIC**


LED Garden Lamp

DRAGON

076 060 0015



- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs



WHITE

BLACK




LED GARDEN LAMP




SEGMENT

076 059 0024



- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



WHITE

BLACK




**HOROZ[®] ELECTRIC**


LED Garden Lamp

CLEMENT

076 062 0024




- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs


**WHITE****BLACK**

SWEEP

076 061 0024

**BLACK**

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs





CRUZ

TANGO

BLADE



- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**WHITE****BLACK**



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power :	24 W	24 W	24W
Luminous Flux :	1800 lm	1800 lm	1800 lm

**HOROZ****ELECTRIC**

LED Garden Lamp / LED House Number Light

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

12W**BLACK**

	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm




LED GARDEN LAMP / LED HOUSE NUMBER LIGHT




ARENA

076 033 0010


**LED
HOUSE
NUMBER**

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1..9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs




MAGMA-15

076 090 0015

**WHITE****BLACK**

- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life 25.000 Hrs



**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp


OPTIC

BLACK

- 85-265V / 50-60Hz
- AMBER/GREEN/6400K
- Average Life: 30.000 Hrs



Suitable for floor installation



	OPTIC-7L	OPTIC-12L	OPTIC-15L
	076-117-0007	076-117-0012	076-117-0015
Power	: 7W	: 12W	: 15W
Luminous Flux	: 490 lm	: 840 lm	: 1050 lm
Diameter (Ø)	: Ø 55	: Ø 63	: Ø 73
Sizes (mm)	: A: 268	: A: 276	: A: 286



LED GARDEN LAMP / GARDEN LAMP

OPTIC-X


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 021 0001



Suitable for floor installation



OPTIC-G


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 022 0001



Suitable for floor installation



OPTIC-GX


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 022 1001



Suitable for floor installation



**HOROZ ELECTRIC**

LED Solar Wall & Ground Lamp



KEOPS 3 CCT

078 018 0002

- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs / Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 1.7W
- Average Life: 30.000 Hrs



CCT ADJUSTABLE






QUEBEC 3 CCT

078 019 0002

- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs / Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 2W
- Average Life: 30.000 Hrs



CCT ADJUSTABLE




**HOROZ ELECTRIC**

LED Solar Wall & Ground Lamp /LED Solar Wall Lamp

MOLECUL

- Li-ION Battery 3.7V 1200mAh
- 4200K
- Lighting Time: High 8 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel : 5V 1.3W
- Average Life: 30.000 Hrs



Seamless splicing

Snap-on construction, splicing
Tightly fitted, visual integration without faults





Snap-on connection



MOLECUL-4	MOLECUL-6
078-020-0004	078-020-0006


Power	:	4 W	6 W
Luminous Flux	:	40 lm	60 lm
Sizes (mm)	:	A: 210 B:53	A: 288 B:53

**HOROZ ELECTRIC**

LED Solar Wall & Ground Lamp

LED Solar Wall Lamp

LED Solar Lamp




LED SOLAR WALL&GROUND LAMP / LED SOLAR WALL LAMP

MALIBU 3 CCT

- 3 CCT
- Charging Time: 4-6 Hours
- Working Time > 12H



CCT ADJUSTABLE



MALIBU-4 3 CCT	MALIBU-6 3 CCT	MALIBU-8 3 CCT
078-017-0004	078-017-0006	078-017-0008

Power	:	4W	6 W	8 W
Luminous Flux	:	30 lm	50 lm	85 lm
Battery	:	3.2V 600mAh Lifepo4	3.2V 1200mAh Lifepo4	3.2V 1800mAh Lifepo4
Solar Power	:	4.5V/150mA	4.5V/400mA	4.5V/500mA




**HOROZ ELECTRIC**


LED Solar Wall&Ground lamp/LED Solar Lamp

OZMO

078 015 0003





- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs /Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs




SIRIUS




- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs

**WITH PIR SENSOR**

	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power :	1W	2W
Luminous Flux :	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery :	1.2V 1200 mAh Li-Ion	3.7V 2200 mAh Li-Ion
Back Light :	Yes (Blue)	No



- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



VENÜS

MARS

NEPTUN







PLUTON

HALLEY

CRYSTAL



	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No



**HOROZ ELECTRIC**




LED Recessed Sensor Lamp/ LED Inground & Recessed Lamp

DIAMOND

- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE**BLACK**

079 026 0001

**HOROZ ELECTRIC**

LED Recessed Sensor Lamp LED Inground & Recessed Lamp Recessed Lamp

**ICON-R**



079 031 0003

**ICON-S**

079 032 0003

**WHITE****BLACK**

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs

**YOGA**

YOGA-V1




YOGA-V2



YOGA-H1


WHITE**BLACK**

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



YOGA-V1	YOGA-V2	YOGA-H1
079-033-0001	079-033-0002	079-034-0001

Power	:	3 W	3 W	3 W
Luminous Flux	:	58 lm	58 lm	58 lm





**HOROZ****ELECTRIC**

Waterproof Profile Neon LED

**HOROZ****ELECTRIC**

Waterproof Profile Neon LED/ Waterproof LED Strip
 RGB RF Controller / Socket Set/RGB Socket Set / LED Strip/ LED Driver
 RGB LED Strip Kit/ Waterproof LED String Light
 LED Module Strip/RGB Controller / RGB Amplifier/Touch Controller
 Aluminium Profile



WATERPROOF PROFILE NEON LED

TUBOFLEX-R



WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30,000 Hrs
- 5 sets / 50 m Roll



Can be cut each 10 centimeters




3000K




4200K



6400K



TUBOFLEX-R1010



TUBOFLEX-R1610




TUBOFLEX-R2010



	TUBOFLEX-R1010	TUBOFLEX-R1610	TUBOFLEX-R2010
	081-035-1010	081-035-1610	081-035-2010
Power :	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	860 lm/m	1020 lm/m	1040 lm/m
Width :	10 mm	16 mm	20 mm
Height :	10 mm	10 mm	10 mm
T :	15 mm	20 mm	26 mm
Length :	50 m Roll	50 m Roll	50 m Roll

RECESSED PROFILE NEON LED



220-240V




With Clips



**HOROZ****ELECTRIC**

Waterproof Profile Neon LED





WATERPROOF PROFILE NEON LED

TUBOFLEX-S**220-240V****WATERPROOF**

Can be cut each 10 centimeters

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll

**SURFACE
PROFILE
NEON LED**

	TUBOFLEX-S88	TUBOFLEX-S1010	TUBOFLEX-S1212	TUBOFLEX-S1616	TUBOFLEX-S2020
	081-034-0808	081-034-1010	081-034-1212	081-034-1616	081-034-2020
Power :	10W/m	10W/m	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	850 lm/m	860 lm/m	870 lm/m	1020 lm/m	1040 lm/m
Width :	8 mm	10 mm	12 mm	16 mm	20 mm
Height :	8 mm	10 mm	12 mm	16 mm	20 mm
Length :	50 m Roll	50 m Roll	50 m Roll	50 m Roll	50 m Roll



**HOROZ****ELECTRIC**


Waterproof NEON LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

NEOLED/SLIM**YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED/RGB****RGB****NEOLED/SLIM****081-010-0003**

Power :	5,8 W/m
Luminous Flux :	465 lm/m
LED :	120 pcs/m, 28x35
Socket Sets :	5 sets/100 m Roll
Width :	7 mm
Height :	15 mm

NEOLED**081-010-0001**

Power :	6 W/m
Luminous Flux :	490 lm/m
LED :	120 pcs/m, 28x35
Socket Sets :	5 sets/100 m Roll
Width :	15 mm
Height :	15 mm

NEOLED/RGB**081-010-0002**

Power :	9 W/m
Luminous Flux :	-
LED :	72 pcs/m, 50x50
Socket Sets :	3 sets/50 m Roll
Width :	10 mm
Height :	20 mm

**HOROZ****ELECTRIC**

Waterproof NEON LED Strip

NEOFLEX



081 033 0001

- 240V
- Average Life: 30.000 Hrs

220-240V

Easy Connector


240LED / m



NEOFLEX

081-033-0001

Power :	10 W/m
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/50 m Roll
Width :	12 mm
Height :	7 mm

2700K**4200K****6400K****RED****GREEN****BLUE**

Can be cut each 10 centimeters




**HOROZ****ELECTRIC**

Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**Easy Connector****120LED / m****TUNA****TUNA/RGB**

	TUNA	TUNA/RGB
	081-036-0001	081-036-0002
Power :	8W/m	8W/m
Luminous Flux :	700 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5 Sets / 50m Roll	5 Sets / 50m Roll
Width :	8 mm	10 mm
Height :	3 mm	4 mm



Can be cut each 10 cm

**220-240V**

WATERPROOF LED STRIP

TUNA 3 CCT

081 036 1001

- 220-240V / 50-60Hz
- 9W/m
- 700 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs

220-240v**Easy Connector****120LED / m****CCT ADJUSTABLE**


Can be cut each 10 cm

**HOROZ****ELECTRIC**

Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**Easy Connector****240LED / m****SAVA****SAVA/RGB**

Can be cut each 10 cm



	SAVA	SAVA/RGB
	081-037-0001	081-037-0002
Power :	11W/m	11W/m
Luminous Flux :	1020 lm/m	-
LED :	240 pcs/m, 28x35	240 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll	5 sets/50 m Roll
Width :	10 mm	12 mm
Height :	3 mm	4 mm

**220-240V****SAVA 3 CCT****220-240V****Easy Connector****240LED / m**

081 037 1001

- 220-240V / 50-60Hz
- 11W/m
- 1020 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs

**CCT ADJUSTABLE**

Can be cut each 10 cm



**HOROZ****ELECTRIC**

Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V****Easy Connector****360LED / m**

WATERPROOF LED STRIP

DNIPRO**DNIPRO/RGB****3000K****RED****4200K****GREEN****6400K****BLUE****RGB**

	DNIPRO
	081-038-0001
Power :	20W/m
Luminous Flux :	1900lm/m
LED :	360 pcs/m, 28x35
Socket Sets :	5 sets/50 m Roll
Width :	12 mm
Height :	1 mm


	DNIPRO/RGB
	081-038-0002
Power :	20W/m
Luminous Flux :	-
LED :	360 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll
Width :	14 mm
Height :	2 mm



Can be cut each 10 cm

■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs

220-240V



FIRAT

FIRAT/RGB



CAN BE USED WITH
ALUMINIUM PROFILE

Easy Connector

120LED / m

**NEW
PRODUCT**



	FIRAT	FIRAT/RGB
	081-040-0001	081-040-0002
Power :	9 W/m	9 W/m
Luminous Flux :	760 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5sets/20m Roll	5sets/20m Roll
Width :	8 mm	10 mm



Can be cut each 10 cm



**HOROZ****ELECTRIC**













Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**VOLGA****VOLGA / RGB****COLORADO****COLORADO / RGB****GANJ****GANJ / RGB**

	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	235 lm/m	-	290 lm/m	-	520 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Height :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

WATERPROOF LED STRIP


**HOROZ****ELECTRIC**

Waterproof LED Strip

NEVA

081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V

Can be cut each 10 centimeters

**NEVA**


081-026-0001

Power	: 10 W/m
Luminous Flux	: 50000 lm / 164ft.
LED	: 240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/100 m Roll
Width	: 11.3 mm
Height	: 10 mm

**AVON**

081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V

Can be cut each 1 meter

**AVON**

081-025-0001

Power	: 13 W/m
Luminous Flux	: 1300lm/m 164ft.
LED	: 240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/50 m Roll
Diameter Ø	: 14 mm

**HOROZ****ELECTRIC**

RGB RF Controller / Socket Set / RGB Socket Set

RGB RF CONTROLLER

■ 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm

3x1A, For Max.750W

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm

3x3A, For Max.1500W



SOCKET SET

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips



- 1 pcs 8A Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm


NEVA SOCKET
081-026-9001
8 mm

NEOFLEX SOCKET
081-033-9001
5 mm

AVON SOCKET
081-026-0011
8 mm

RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

TUBOFLEX SOCKET SET

- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Aluminium Clips



Silicone light strip cutting port contacts and connectors corresponding



With Installation Screws and Accessories

TUBOFLEX-R1010 SOCKET	TUBOFLEX-R1610 SOCKET	TUBOFLEX-R2010 SOCKET
081-035-9001	081-035-9002	081-035-9003
10x10 mm	16x10 mm	20x10 mm

TUBOFLEX-S88 SOCKET	TUBOFLEX-S1010 SOCKET	TUBOFLEX-S1212 SOCKET	TUBOFLEX-S1616 SOCKET	TUBOFLEX-S2020 SOCKET
081-034-9001	081-034-9002	081-034-9003	081-034-9004	081-034-9005
8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm

**HOROZ****ELECTRIC**

Clips/ RF Controller / Socket Set

TUBOFLEX CLIPS

■ 100 pcs Aluminium Clips

**TUBOFLEX R-1010 CLIPS**

081-035-5001

10x10 mm

TUBOFLEX R-1610 CLIPS

081-035-5002

16x10 mm

TUBOFLEX R-2010 CLIPS

081-035-5003

20x10 mm

TUBOFLEX-S88 CLIPS

081-034-5001

8x8 mm

TUBOFLEX-S1010 CLIPS

081-034-5002

10x10 mm

TUBOFLEX-S1212 CLIPS

081-034-5003

12x12 mm

TUBOFLEX-S1616 CLIPS

081-034-5004

16x16 mm

TUBOFLEX-S2020 CLIPS

081-034-5005

20x20 mm

RGB RF CONTROLLER

■ 220V / 50-60Hz



3 CCT RF CONTROLLER

**TUNA RGB RF**

081-036-0013

10 mm

SAVA RGB RF

081-037-0013

12 mm

DNIPRO RGB RF

081-038-0013

15 mm

FIRAT RGB RF

081-040-0013

12 mm

TUNA 3 CCT RF

081-036-1012

8 mm

SAVA 3 CCT RF

081-037-1012

10 mm

3x3A, For Max.1500W



SOCKET SET

- 1pcs Socket (220V-)
- 1pcs Connector
- 1pcs End Cap
- 5 pcs Silicon Clips



RGB SOCKET SET

- 1pcs Socket (220V-)
- 1pcs Connector
- 1pcs End Cap
- 5 pcs Silicon Clips

**TUNA SOCKET**

081-036-0011

8 mm

SAVA SOCKET

081-037-0011

10 mm

DNIPRO SOCKET

081-038-0011

12 mm

TUNA RGB SOCKET

081-036-0012

10 mm

SAVA RGB SOCKET

081-037-0012

12 mm

DNIPRO RGB SOCKET

081-038-0012

14 mm

3 CCT SOCKET SET

- 1pcs End Cap
- 5 pcs Silicon Clips
- 1pcs Socket (220V-)

**TUNA 3 CCT SOCKET**

081-036-1011

8 mm

SAVA 3 CCT SOCKET

081-037-1011

10 mm

**HOROZ****ELECTRIC**

Connector/RGB Connector

LED STRIP CONNECTOR

- 220V / 50-60Hz
- 10 pcs Connector



TUNA I CONNECTOR	SAVA I CONNECTOR	DNIPRO I CONNECTOR	TUNA L CONNECTOR	SAVA L CONNECTOR	DNIPRO L CONNECTOR
081-036-0014	081-037-0014	081-038-0014	081-036-0015	081-037-0015	081-038-0015
8 mm	10 mm	15 mm	8 mm	10 mm	15 mm



CONNECTOR/RGB CONNECTOR

LED STRIP CONNECTOR

- 220V/12-24V
- 10 pcs Connector



FIRAT&KARASU CONNECTOR	FIRAT&KARASU L CONNECTOR	FIRAT&KARASU I CONNECTOR	FIRAT&KARASU CORNER CONNECTOR	FIRAT&KARASU MIDDLE CONNECTOR	FIRAT&KARASU RGB CONNECTOR	FIRAT&KARASU RGB MIDDLE CONNECTOR
081-039-0011	081-039-0012	081-039-0013	081-039-0014	081-039-0015	081-039-0016	081-039-0017



COLUMBIA-24

ATG F

081 019 0002


- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED : 320 LED/m



Can be cut each 5 centimeters



24V DC



CANTON-24

ATG F

081 020 0002

- 24V DC
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K
- Average Life: 30.000 Hrs



Can be cut each 5 centimeters



24V DC



SWAN

ATG F



Can be cut each 2,5 centimeters

- 12V/24V DC
- Average Life: 30.000 Hrs

24V DC



12V DC



	SWAN-12	SWAN-24
	081-021-0001	081-021-0002
Power :	16W/m	18W/m
LED :	240 pcs / m, 28x35, Single Chip/5m Roll	240 pcs/m, 28x35, Single Chip/5m Roll
Luminous Flux :	1400 lm / m	2000 lm/m
Lenght :	10mm Width	10mm Width
Colors :	3000K/4200K/6400K GREEN/RED/BLUE	3000K/6400K



SWAN-12/RGB

081 021 0003

240LED / m

12V DC

- 12V DC
- 16W/m
- 1400lm/m
- LED: 240 pcs/m, 35x35, Single Chip
- 5m Roll
- Average Life: 30.000 Hrs




Can be cut each 5 centimeters



**HOROZ****ELECTRIC****LED Driver****VESPA/24**


- Input Voltage: AC 85-265V / 50-60Hz
- Output Voltage: DC 24V

**SLIM CASE**

	VESPA-12/24	VESPA-36/24	VESPA-60/24	VESPA-100/24	VESPA-150/24	VESPA-200/24	VESPA-300/24	VESPA-400/24
	082-007-0012	082-007-0036	082-007-0060	082-007-0100	082-007-0150	082-007-0200	082-007-0300	082-007-0400
Output Power	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	0.5A	1.5A	2.5A	4.1A	6.25 A	8.3A	12.5A	17A
Canton-24/Swan-24 LED Strip	0.7m	2m	3.5m	5.5m	8.3m	11.1m	16.7m	22m
Size (mm)	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24	VEGA-400/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300	082-003-0400
Output Power	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	2.5A	4.1A	6.25A	8.3A	12.5A	12.5A
CANTON-24/SWAN-24 LED Strip	3.5m	5.5m	8.3m	11.1m	16.7m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188

**HOROZ ELECTRIC**

RGB LED Strip Kit / RGB Neon LED Strip Kit



MONSTER

24V DC

- 220-240V / 24V (with adapter)
- RGB
- 8W/m
- 420pcs/m



Can be cut each 10 centimeters



RGB LED STRIP KIT / RGB NEON LED STRIP KIT

DIGITAL



- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES

VICTORY



- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

**12V DC****24V DC****DIGITAL-5****DIGITAL-10**

081-030-0001

081-030-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm

**12V DC****24V DC****VICTORY-5****VICTORY-10**

081-028-0001

081-028-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm



**HOROZ****ELECTRIC**

RGB NEON LED Strip Kit



Indoor and Outdoor LED Strip Lights used



RGB NEON LED STRIP KIT

CAPITAL

- 220V/5V (With Adapter)
- RGB
- Average Life: 30.000 Hrs

5VDC

Can be cut each 3 centimeters



SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES



SILICONE LED Neon Light

Create the shape in your mind


**CAPITAL-5**

081-032-0001

CAPITAL-10

081-032-0002

Power :	5W/m	6w/m
LED :	30 pcs/m 39x39 SMD LED	30 pcs/m 39x39 SMD LED
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Cut Distance :	30 mm	30 mm
Size :	7x15 mm	7x15 mm



**HOROZ****ELECTRIC**

Waterproof LED String Light

FAIRY

**5V DC**

Each LED can be cut


WATERPROOF

- Average Life: 30.000 Hrs
- 100-240VAC/5VDC with adaptor
- LED View Angle: 180°

AMBER




7000K



"LotuslampX" APP



	FAIRY-10	FAIRY-20	FAIRY-40
	080-002-0010	080-002-0020	080-002-0040
Power :	2W	2W	2.5W
LED :	10 pcs/m, 28x35	10 pcs/m, 28x35	10 pcs/m, 28x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m	40 m

**DIMMABLE**Mode Selection
ON / OFF

FAIRY/RGB

WATERPROOF

- 100-240VAC/5VDC with adaptor
- Average Life: 30.000 Hrs
- LED View Angle: 180°

5V DC

Each LED can be cut



"LotuslampX" APP

Mode Selection
ON / OFF

RGB



	FAIRY-10 RGB	FAIRY-20 RGB
	080-003-0010	080-003-0020
Power :	5W	3.5W
LED :	10 pcs/m, 39x39	10 pcs/m, 40x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m



**HOROZ****ELECTRIC**

Waterproof NEON LED Strip

NEOLED SLIM 12V

081 010 0033

Average Life: 30.000 Hrs

12V DC**2700K****4200K****6400K****YELLOW****RED****GREEN****BLUE****NEOLED SLIM 12V**

081-010-0033

Power	:	8 W/m
Luminous Flux	:	42500lm/164ft.
LED	:	120 pcs/m, 28x35, Single Chips, Single Row
Length	:	5m
Width	:	11.3 mm
Height	:	5 mm



Can be cut each 2.5 centimeters



WATERPROOF-NEON LED STRIP



Average Life: 30.000 Hrs





120LED / m

12V DC




KARASU-12

KARASU-12/RGB



KARASU-12	
081-039-0001	
Power :	9 W/m
Luminous Flux :	840 lm/m
LED :	120 pcs/m, 28x35
Width :	8 mm

KARASU-12/RGB	
081-039-0002	
Power :	9 W/m
Luminous Flux :	-
LED :	120 pcs/m, 35x35
Width :	10 mm



KARASU-12/3 CCT



081 039 1001


- 220-240V / 50-60Hz
- 9W/m
- 900 lm/m
- 28X35 SMD LED
- Average Life:30.000 Hrs

120LED / m

12V DC



CCT ADJUSTABLE



**HOROZ****ELECTRIC**

LED Strip / LED Module Strip

REN**THAMES****REN/RGB****THAMES/RGB**

	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

WATERPROOF

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation


12V DC**NİL****AMAZON****NİL/RGB****AMAZON/RGB**

	NİL	NİL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

12V DC**NELSON****12V DC****WATERPROOF**


081 024 0001



- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module


NELSON/RGB

081 024 0002



**HOROZ****ELECTRIC****LED Driver****VESPA**


- Input Voltage: AC85~265V / 50~60Hz
- Output Voltage: DC 12V

**SLIM CASE**

	VESPA-12	VESPA-36	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-300	VESPA-400
	082-004-0012	082-004-0036	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0300	082-004-0400
Output Power :	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	1A	3A	5A	8.5A	12A	17A	25A	33A
28x35 SMD LED Strip :	3m	9m	15m	25m	37.5m	50m	75m	100m
50x50 SMD LED Strip :	2m	6m	10m	16.5m	25m	33.3m	50m	66.5m
Size (mm) :	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA

- Input Voltage: AC 176~264V / 50~60Hz
- Output Voltage: DC 12V



	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-300	VEGA-400
	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0300	082-001-0400
Output Power :	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

**HOROZ****ELECTRIC**


LED Adapter / LED Driver

VITA

- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 12V



	VITA-10	VITA-25	VITA-36	VITA-60
	082-006-0001	082-006-0002	082-006-0003	082-006-0005
Power :	10W	25W	36W	60W
Output Current:	1A	2A	3A	5A
Sizes :	A: 29 B: 73 C: 90	A: 32 B: 80 C: 93	A: 41 B: 65 C: 90	A: 47 B: 67 C: 105




VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



**ULTRA
SLIM CASE**

	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power :	12 W	24 W	36 W	48 W	60 W	72 W
Output Current :	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip :	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip :	1m	1.5m	2m	3m	4m	5m
Length (mm) :	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

**WATERPROOF****SLIM
CASE**

	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45



**HOROZ****ELECTRIC**

RGB Controller / RGB Amplifier / Touch Controller


CONTROLLER

	KARASU-SWAN-12 CONTROLLER 6A	KARASU CCT CONTROLLER 6A
	100-005-0001	100-006-0001
Output Power	216 W-432W	216 W-432 W
Output Current	6A/Each Color	6A/Each Color
Input Voltage	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF



RGB CONTROLLER


	RGB Controller 2A	RGB Controller 6A
	100-001-0072	100-002-0432
Output Power	72 W	216 W-432 W
Output Current	2A/Each Color	6A/Each Color
Input Voltage	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF



AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V

	AMPLIFIER-12A	AMPLIFIER-30A
	101-001-0144	101-001-0360
Output Power	144 W	360 W
Output Current	4A/Each Color	10A/Each Color
35x28 RGB LED Strip	30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter



TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved

	TOUCH	TOUCH-RGB
	100-003-0288	100-004-0288
Color	Single	16 million
Output Power	144-288W	144-288W
Output Current	4Ax3 Channel	4A/Each Color
35x28 LED Strips	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	5	12










PROFILE

RECESSED TYPE

0.7mm








	PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
	120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE

RECESSED TYPE

0.7mm






	PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
	120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



PROFILE

SURFACE TYPE

0.7mm





	PROFILE-S1	PROFILE-S1	PROFILE-B51	PROFILE-S2	PROFILE-S2	PROFILE-B52	PROFILE-S3	PROFILE-S3	PROFILE-B53
	120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



PROFILE

SURFACE TYPE

0.7mm



	PROFILE-S4	PROFILE-S4	PROFILE-B54	PROFILE-S5	PROFILE-S5	PROFILE-B55
	120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK









PROFILE

0.7mm

CORNER TYPE



FILEXIBLE TYPE



	PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1
	120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK




**HOROZ ELECTRIC**


LED Lantern / LED Solar Camping Light

VERON

084 037 0015


**CCT Adjustable**

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K)
- 4 Hours (4200K)
- Average Life: 30.000 Hrs


LED LANTERN**RECHARGEABLE**

CRESPO

084 036 0025



- 5V DC Micro USB
- 550 /195 /40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1,5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE**

LED Lantern

LED Solar Camping Light

Emergency LED Lantern

LED Headlight


LED Torch

LED Emergency Exit Lamp

**HOROZ ELECTRIC**

FORLAN

084 023 0010




- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube: 1.5 Hours
- 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs


LED LANTERN**RECHARGEABLE**

ROMARIO

084 022 0010



- 220-240V AC / 12V DC
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hour for Strong Light
- 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR**RECHARGEABLE**




**HOROZ****ELECTRIC**

Emergency LED Lantern

KANU

084 043 0008




- 220-240V / 50-60Hz
- 6000K
- 280 lm
- 3.7V 2400mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Duration Time: 3 Hours
- Stickers included

Recessed+Surface
Mounting Available**EXIT & SAFETY****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP**

HENRY


084 034 0005

- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30,000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included

**LED LANTERN****RECHARGEABLE****EMERGENCY EXIT****AUTOMATIC LIGHT-UP**


MALDINI

- 220-240V / 50-60Hz
- Average Life: 30,000 Hrs
- Stickers included

**LED LANTERN****RECHARGEABLE****EMERGENCY EXIT****AUTOMATIC LIGHT-UP**

MALDINI-2	MALDINI-3
084-014-0002	084-014-0003

Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45




**HOROZ ELECTRIC**



Emergency LED Lantern / LED Headlight

WENGER


084 025 0012




- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs

**LED LANTERN****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP****MESSI**

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs

**DESK LAMP MODE****HANGABLE
+
MOUNTABLE****LED LANTERN****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP**

	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50

BECKHAM

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs

**LED HEADLIGHT****RECHARGEABLE**

	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



**HOROZ****ELECTRIC**


Emergency LED Lantern/ LED Torch

ALVES

- 220-240V / 50-60Hz
- Wall-Mounted
- Charging Time: 20-24 Hrs
- Duration Time:
1.5 Hours for 2 Tube
3 Hours for 1 Tube
- Average Life: 30.000 Hrs



	ALVES-1	ALVES-2
	084-047-0024	084-047-0044
Power	: 24 W	44 W
Luminous Flux	: 190 lm	350 lm
Battery	: 4V 16Ah Rechargeable Lead-Acid Battery	2x4V 16Ah Rechargeable Lead-Acid Battery
Sizes (mm)	: A: 266 B: 70 C: 54	A: 450 B: 70 C: 55

**LED LANTERN****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP**



EMERGENCY LED LANTERN / LED TORCH

TORRES

- 220V AC / 4.2V DC Adaptor
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Charging Time: 4-6 Hours
- Average Life: 30.000 Hrs







	TORRES-1	TORRES-2
	084-046-0001	084-046-0003
Power	: 1 W	3 W
Luminous Flux	: 80 lm	240 lm
Duration Time	: Strong Light: 4 Hours Weak Light: 16 Hours	Strong Light: 2.5 Hours Weak Light: 13.5 Hours
Sizes (mm)	: A: 40 B: 145	A: 50 B: 190

**RECHARGEABLE****LED TORCH**


**HOROZ****ELECTRIC****LED Torch****WEAH**

084 045 0011

- 220-240V / 50-60Hz
- 3W: 150 lm
- 8W: 230 lm
- 4V 1.6Ah Rechargeable Lead-Acid Battery
- Duration Time:
Lantern : 1 Hour
Torch: 2 Hours
- Average Life: 30.000 Hrs



3W**LED LANTERN****RECHARGEABLE****LED TORCH****3W**

1-OFF-2

**LAMPARD**

084 044 0005

- 5V DC USB / TYPE-C
- 3.7V 3600mAh Rechargeable Lithium Battery
- 200 lm (Strong) 65 lm (Weak)
- Charging Time: 6-8 Hours
- Average Life: 30.000 Hrs



**LED TORCH****RECHARGEABLE****TYPE-C**

OFF-1-2

**HOROZ****ELECTRIC****LED Torch****ZOLA**

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**



OFF-1-2

PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170

LED TORCH**RECHARGEABLE**



OFF-1-2

BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



LED TORCH**RECHARGEABLE**

OFF-1-2

MARADONA-2

084 003 0002

- 220-240V AC / 12V DC
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**

OFF-1-2

LED TORCH


**HOROZ****ELECTRIC**

LED Emergency Exit Lamp/ Emergency Kit

**ROBSON**


084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes

**EXIT & SAFETY****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP****ZOFF**



084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes

**EXIT & SAFETY****RECHARGEABLE****EMERGENCY****AUTOMATIC LIGHT-UP****E M E R G E N C Y K I T****DURAKIT**


084 048 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- All LED Luminaires
- Power Range Between 1W-60W
- Maintained & Non-Maintained Modes

**E M E R G E N C Y K I T****DURAKIT-U**

084 049 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- Power Range Between 1W-60W
- Maintained & Non-Maintained Modes



**HOROZ****ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ****ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




LIGHT CONTROL PHOTOSENSOR / SENSOR

TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12x1m Max. (<24°C)
- Time-delay: 5 sec - 7+2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




**HOROZ ELECTRIC****Sensor/PIR E27 Sensor/Smoke Detector****MONDEO**

088 001 0010

WHITE


- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**ROVER**

088 001 0011

WHITE


- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**POLO**

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0.6-1.5 m/s




Detection is possible to go through doors, panes of glass or thin walls

**SMART**

088 001 0005

WHITE


- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)

**CAMARO**

088 006 0001

NEW PRODUCT**WHITE**


- Detection Range: 360°
- Max. 60W LED
- Power Source: 220V/50-60Hz
- Power Frequency: 50/60Hz
- Rated Load: <60W
- Detection Distance: 6m max (<24°C)
- Time-Delay: 10Sec - 5Min. (adjustable)
- Light-control: <10LUX->2000LUX (adjustable)

**AURIS**

087 002 0001

NEW PRODUCT**WHITE**

- Power Source: 220-240V/AC and DC9V (Battery Included)
- Static current: <15uA
- Alarm current: <25mA
- Low voltage alarm: 6.5-7.5V
- Alarm volume: >85db(3m)

ELECTRICITY: 220V AC
BATTERY: 9V DC**85DB**

**HOROZ****ELECTRIC****Sensor****MUSTANG-1**


088 002 0001

WHITE**BLACK**

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)



Surface and Recessed installation available

**MUSTANG-2**


088 002 0002

WHITE**BLACK**

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)




Surface and Recessed installation available

**DUSTER**

088 003 0001

WHITE**BLACK**


- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**SANDERO**

088 004 0001

WHITE**BLACK**



- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 4m-10m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°

**NAVARA**

088 005 0001

WHITE**BLACK**

- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 8m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°



SENSOR

**HOROZ****ELECTRIC****Doorbell****ROLLAND-D****4.5V DC**


086 007 0001

**ROLLAND-A****220V AC**


086 007 0002

WHITE**ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional




DOORBELL

**PLAY**

086 005 0001

- Operation Voltage: 4.5V DC (3xAA1.5V) or 9-15V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 80 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm



**HOROZ****ELECTRIC****Doorbell****FUJI-D****3V DC**


086 002 0001

**FUJI-A****220V AC**

086 002 0002

**BLUE****ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**NERO-D****4.5V DC**


086 003 0001

**NERO-A****220V AC**

086 003 0002

**BLUE****ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**MAXI-D****3V DC**


086 004 0001

**MAXI-A****220V AC**

086 004 0002

**BLUE****ANTHRACITE**

- Power Source: Emitter - 12V DC
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**DOORBELL**



HOROZ ELECTRIC

Power Converter Plug Adapter/ Wireless Lighting Controller Switch/Timer

GOLYAT-3

■ 16A/250V 2SOCKET
2P+E&2TYPE-C PLUG

132 001 0003

**NEW
PRODUCT**



CONTROLLER

Wireless Lighting
Controller Switch





- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W
- Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)

CONTROLLER-1

105-001-0001



1 Channel



CONTROLLER-2

105-001-0002



2 Channels



CONTROLLER-3

105-001-0003


3 Channels



CONTROLLER-4




105-001-0004

4 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001
Type	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	24	20	48
Minimum Setting	30 Minutes	1 Minute	15 Minutes
Power Reserve	No	Yes	Yes

**HOROZ****ELECTRIC**

Voltage Surge Protector

PROTEX-R

131 001 0001

- Operating Voltage : 220V AC-50/60Hz
- Under Voltage Cut Off : 140V-180V
- Over Voltage Cut Off : 230V-280V
- Delay Time : 5S/210S,default 5S
- Max Capacity : 16A



PROTEX-X

131 001 0002

- Operating Voltage : 220V AC-40-70Hz
- Under Voltage Cut Off : 80V-210V
- Over Voltage Cut Off : 130V-300V
- Power off Time : 2S(set:1-999S)
- Max Capacity : 63A



NOT AFRAID OF HIGH CURRENT IMPACT

Built-in 16A Magnetic Relay,High Current Impact Will Not Burn



SHORT CURCUIT
PROTECT

SURGE PROTECTION

OVER VOLTAGE
PROTECTION

WIRES
PROTECTION



VOLTAGE SURGE PROTECTOR






**HOROZ ELECTRIC**

LED Night Lamp

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)**DORA****REX****BUGS****MAX****DUFFY**

	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm

**HOROZ ELECTRIC**

LED Night Lamp

**BUNNY 2CCT**

085 005 0001

PINK/BLUE/GREEN/RED




- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs

**ANDY 2CCT**

085 006 0001

PINK/BLUE/GREEN/RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs

**CCT ADJUSTABLE****CCT ADJUSTABLE**

**HORÖZ® ELECTRIC****Switch / Socket****HORÖZ® ELECTRIC****Switch
Socket**

SWITCH / SOCKET

ATOM

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)



112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDING SOCKET (16A)



112 100 0003



■ 1-GANG GROUNDING SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)

112 100 0005

■ 1-GANG GROUNDING SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)

112 100 0002

■ 2-GANG GROUNDING SOCKET (16A)





EVA


250V~



WHITE

BLACK

**NEW
COLOR**



112 001 0001

■ ONE WAY SWITCH (10A)



112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)



112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)



112 003 0001

■ SOCKET (16A)



112 003 0002

■ 2-GANG SOCKET (16A)



112 004 0001

■ GROUNDING SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDING SOCKET (16A)



**NEW
PRODUCT**

112 012 0001


■ TRIPLE SOCKET (16A)



**NEW
PRODUCT**

112 013 0001


■ GROUNDING TRIPLE SOCKET (16A)



63 mm




30 mm



104 mm




30 mm



63 mm




40 mm



104 mm




40 mm




148 mm



30 mm



148 mm



40 mm



**HOROZ ELECTRIC**

Motor Protector Box / Motor Protector

**HOROZ ELECTRIC**


Motor Protector Box
Motor Protector
Contactors
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

**SAFE**

Motor Protector Box

■ For all Motor Protectors except 114-006-2540


114 008 0001



MOTOR PROTECTOR BOX/MOTOR PROTECTOR

SAFE

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2026	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:61.5C:105

**HOROZ****ELECTRIC**

Contactor / Thermal Relay

SAFE


Contactor



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	: 9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	: 3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	: 4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116

SAFE

Thermal Relay



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	: 0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	: 3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7

**HOROZ****ELECTRIC**

Miniature Circuit Breaker

SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA

**(B)****(C)****(C)**

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2026	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm

**(C)****(C)**

MINIATURE CIRCUIT BREAKER


SAFE
RCCB Circuit Breaker


	114-003-2026	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	: 25A	40A	25A	40A	63A	80A	100A
Poles	: 2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	: AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	: 4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	: 230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	: 30	30	30	30	30	30	30
Sizes (mm)	: A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74


SAFE
MCCB Circuit Breaker


	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	: 40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	: C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	: 20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110



DIN RAIL-1

1 meter


127 001 0001

DIN RAIL-2

2 meters

127 001 0002

Thickness
0.9 mm



DIN RAIL/PIN BUSBAR

BUSBAR-P163


- 63A
- 1P
- 54 PIN
- 100 cm
- 4x9 mm

125 007 0001

BUSBAR-P380

- 80A
- 3P
- 54 PIN
- 100 cm
- 4x9 mm

125 008 0001



**HOROZ ELECTRIC**

Lamp Holder

**HOROZ ELECTRIC**

Lamp Holder



094 004 0001


10 cm.

20 cm.




094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004




094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002



094 003 0003



094 003 0004




**HOROZ ELECTRIC**

Starter / Transformer / Adhesive Tape / Nail Cable Clip Cable Tie / Coaxial Cable / Network Cable

Starter




	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-



TRANSFORMER-60

■ 220-240V / 50-60Hz
■ 12V AC

**HOROZ ELECTRIC**

Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS



■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6

**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block

IP 68 CONNECTOR

- 250V~ / 16A
- Wire Range: 0.5 – 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



IP 68 CONNECTOR-1

IP 68 CONNECTOR-2


106-004-0001

106-004-0002

Pole :

1 Pole

2 Poles



CONVERTER-1

126 001 2740



E40 lamp holder for
Torch-80 and Torch-100 to
convert E27 to E40


**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 – 4 mm²
- Transparent



SLIM CONNECTOR-2

SLIM CONNECTOR-3

SLIM CONNECTOR-5

103-002-0002

103-002-0003

103-002-0005

Pole :


2 Poles

3 Poles

5 Poles

CONNECTOR

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 – 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2

CONNECTOR-3

CONNECTOR-5

103-001-0002

103-001-0003

103-001-0005

Pole :


2 Poles

3 Poles

5 Poles

TERMINAL

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 – 4 mm²
- Spring Clamping 28-10AWG



TERMINAL-1

TERMINAL-2

TERMINAL-3

106-005-0001

106-005-0002

106-005-0003

Pole :

1 Pole

2 Poles

3 Poles

TERMINAL-24

TERMINAL-26

TERMINAL-28

106-005-0022

106-005-0023


106-005-0024

Pole :


2 Pole

3 Poles

4 Poles



WIRE SPRING



WIRE SPRING-2/1.5

WIRE SPRING-2/2.5

WIRE SPRING-2/6

WIRE SPRING-3/1.5

WIRE SPRING-3/2.5

WIRE SPRING-3/6

106-002-0015

106-002-0025

106-002-0060

106-003-0015

106-003-0025

106-003-0060

Pole :

2 Poles

2 Poles

2 Poles

3 Poles

3 Poles

3 Poles

Wire Range :

0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²

Current / Voltage :

5A/380V

10A/380V

25A/380V

5A/380V

10A/380V

25A/380V

TERMINAL BLOCK

- 60 A,
25 mm²
- 30 A,
16 mm²
- 10 A,
10 mm²
- 5 A,
6 mm²
- 3 A,
4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-shti-



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **KaçmazGrup**

www.horozelektrik.com