



E x p e r i e n c e i n L i g h t i n g



2022-2

CATALOGUE





HOROZ ELECTRIC

2022-2

C A T A L O G U E

Contents

E x p e r i e n c e i n L i g h t i n g

	ADHESIVE TAPE	159		LED SENSOR BULB	5
	ALUMINIUM BULKHEAD LAMP	101	NEW	LED SENSOR DOWNLIGHT	31
NEW	ALUMINIUM PROFILE	141		LED SOLAR CAMPING LIGHT	143
	CABLE TIE	159		LED SOLAR HOUSE NUMBER LIGHT	128
	CEILING LAMP	71		LED SOLAR LAMP	127
	COAXIAL CABLE	159		LED SOLAR PROJECTOR	88
	CONNECTOR	160	NEW	LED SOLAR SECURITY LIGHT	94
NEW	CONTACTOR	155	NEW	LED SOLAR STREET LIGHT	95
	DECORATIVE CEILING LAMP	69		LED SPOTLIGHT	49
	DESK LAMP	78	NEW	LED STREET LIGHT	99
	DIMMABLE LED BULB	4	NEW	LED STRIP	132
	DIMMABLE LED CAPSULE	10		LED SURFACE BACKLIGHT	39
	DIMMER	151	NEW	LED SURFACE LIGHT	32-41
	DOORBELL	150	NEW	LED SUSPENSION LIGHT	53
NEW	DOWNLIGHT FITTING	19		LED TORCH	146
	DRYWALL KIT	38	NEW	LED TRACK LIGHT	44
	ELECTRONIC WALL LAMP	85		LED TUBE	12
	EMERGENCY LED LANTERN	144		LED TUBE FIXTURE	84
	ENERGY SAVING LAMP	17		LED WALL LIGHT	66
	FLOOR LAMP	79		LED WATERPROOF LAMP	82
	FLUORESCENT TUBE	17		LIGHT CONTROL PHOTOSENSOR	148
	FRAME	38		LIGHTING TRACK	50
NEW	GARDEN LAMP	103		MINIATURE CIRCUIT BREAKER	156
	GLASS PENDANT LAMP	63	NEW	MOTOR PROTECTOR	154
	HALOGEN LAMP	18	NEW	MOTOR PROTECTOR BOX	154
	LAMP HOLDER	158		MOULDED CASE CIRCUIT BREAKER	157
NEW	LED 3CCT BULB	5		NAIL CABLE CLIP	159
	LED BACKLIGHT PANEL	36		NETWORK CABLE	159
NEW	LED BATTEN LIGHT	80		PENDANT LAMP	62
NEW	LED BULB	4	NEW	PORTABLE LED PROJECTOR	92
NEW	LED BULKHEAD LAMP	100		PROJECTOR STAND	93
	LED CANOPY LIGHT	93	NEW	RECESSED LAMP	129
	LED CAPSULE	10		RECESSED MONOPOINT	50
	LED CEILING LAMP	70		RECHARGEABLE LED BULB	4
	LED CHRISTMAS LIGHT & DRIVERS	142		REFLECTOR LAMP	18
	LED CRYSTAL SUSPENSION LIGHT	57		RESIDUAL CURRENT CIRCUIT BREAKER	157
	LED DECORATIVE CEILING LAMP	67		RGB AMPLIFIER	139
	LED DESK LAMP	77		RGB RF CONTROLLER	134
NEW	LED DOWNLIGHT	22		RGB SOCKET SET	134
NEW	LED DRIVER	135		SENSOR	148
	LED EMERGENCY EXIT LAMP	147		SOCKET	152
	LED FILAMENT BULB	13		SOCKET SET	134
	LED FRAME PANEL	38		SPOTLIGHT	49
NEW	LED GARDEN LAMP	109		STARTER	159
	LED HEADLIGHT	145	NEW	STRING LIGHT	61
NEW	LED HIGH BAY LAMP	87	NEW	SURFACE LIGHT	42
	LED HOUSE NUMBER LIGHT	126		SWITCH	152
NEW	LED INGROUND & RECESSED LAMP	129		TERMINAL BLOCK	160
	LED LANTERN	143		THERMAL RELAY	155
	LED LINEAR HIGH BAY LAMP	86	NEW	TIMER	151
NEW	LED LINEAR SUSPENSION LIGHT	51		TOUCH CONTROLLER	138
NEW	LED MODULE STRIP	140		TRACK CONNECTOR	50
	LED NIGHT LAMP	102	NEW	TRACK LIGHT	47
	LED PANEL	37		TRANSFORMER	159
	LED PHOTOCELL BULB	5		WIRE SPRING	160
NEW	LED PICTURE & MIRROR LAMP	73		WIRELESS LIGHTING CONTROLLER SWITCH	151
NEW	LED PROJECTOR	89			
NEW	LED PROJECTOR STAND	93			
	LED READING LAMP	76			
	LED RECESSED SENSOR LAMP	129			

**HOROZ[®] ELECTRIC****2022-2**
C A T A L O G U E

Contents

**159**

ADHESIVE TAPE

**101**


ALUMINIUM BULKHEAD LAMP

**141****NEW**


ALUMINIUM PROFILE

**159**

CABLE TIE

**71**

CEILING LAMP

**159**

COAXIAL CABLE

**160**

CONNECTOR

**155****NEW**

CONTACTOR

**69**


DECORATIVE CEILING LAMP

**78**

DESK LAMP

**04**

DIMMABLE LED BULB

**10**

DIMMABLE LED CAPSULE

**151**


DIMMER

**150**

DOORBELL

**19****NEW**

DOWNLIGHT FITTING

**38**

DRYWALL KIT

**85**


ELECTRONIC WALL LAMP

**144**

EMERGENCY LED LANTERN

**17**

ENERGY SAVING LAMP

**79**

FLOOR LAMP

**17**


FLUORESCENT TUBE

**38**

FRAME

**103****NEW**

GARDEN LAMP

**63**

GLASS PENDANT LAMP

**18**

HALOGEN LAMP

**158**

LAMP HOLDER

**05****NEW**

LED 3CCT BULB

**36**

LED BACKLIGHT PANEL

**80****NEW**

LED BATTEN LIGHT

**NEW****04**


LED BULB

**100****NEW**

LED BULKHEAD LAMP

**93**

LED CANOPY LIGHT

**10**

LED CAPSULE

**70**

LED CEILING LAMP

**142**


LED CHRISTMAS LIGHT & DRIVERS

**57**

LED CRYSTAL SUSPENSION LIGHT

**67**

LED DECORATIVE CEILING LAMP

**77**

LED DESK LAMP

**22****NEW**

LED DOWNLIGHT

**135****NEW**


LED DRIVER

**147**

LED EMERGENCY EXIT LAMP

**13**

LED FILAMENT BULB

**38**

LED FRAME PANEL

**109****NEW**

LED GARDEN LAMP

**145**

LED HEADLIGHT

**87****NEW**

LED HIGH BAY LAMP

**126**

LED HOUSE NUMBER LIGHT

**129****NEW**

LED INGROUND & RECESSED LAMP

**143**

LED LANTERN

**86**

LED LINEAR HIGH BAY LAMP

**51****NEW**


LED LINEAR SUSPENSION LAMP

**140****NEW**

LED MODULE STRIP

**102**

LED NIGHT LAMP

**37**

LED PANEL

**05**

LED PHOTOCELL BULB

**73****NEW**

LED PICTURE & MIRROR LAMP







**89****NEW**

LED PROJECTOR

**NEW****93**

LED PROJECTOR STAND



E x p e r i e n c e i n L i g h t i n g

 76 LED READING LAMP	 129 LED RECESSED SENSOR LAMP	 05 LED SENSOR BULB	 31 NEW LED SENSOR DOWNLIGHT	 143 LED SOLAR CAMPING LIGHT	 128 LED SOLAR HOUSE NUMBER LIGHT
 127 LED SOLAR LAMP	 88 LED SOLAR PROJECTOR	 94 NEW LED SOLAR SECURITY LIGHT	 95 NEW LED SOLAR STREET LIGHT	 49 LED SPOTLIGHT	 99 NEW LED STREET LIGHT
 39 LED SURFACE BACKLIGHT	 32-41 NEW LED SURFACE LIGHT	 53 NEW LED SUSPENSION LIGHT	 146 LED TORCH	 44 NEW LED TRACK LIGHT	 12 LED TUBE
 66 LED WALL LIGHT	 82 LED WATERPROOF LAMP	 148 LIGHT CONTROL PHOTOSENSOR	 50 LIGHTING TRACK	 156 MINIATURE CIRCUIT BREAKER	 154 NEW MOTOR PROTECTOR
 154 NEW MOTOR PROTECTOR BOX	 157 MOULDED CASE CIRCUIT BREAKER	 159 NAIL CABLE CLIP	 159 NETWORK CABLE	 62 PENDANT LAMP	
 92 NEW PORTABLE LED PROJECTOR	 93 PROJECTOR STAND	 129 NEW RECESSED LAMP	 50 RECESSED MONOPOINT	 04 RECHARGEABLE LED BULB	 18 REFLECTOR LAMP
 139 RGB AMPLIFIER	 134 RGB RF CONTROLLER	 134 RGB SOCKET SET	 148 SENSOR	 152 SOCKET	 134 SOCKET SET
 49 SPOTLIGHT	 159 STARTER	 61 NEW STRING LIGHT	 42 NEW SURFACE LIGHT	 152 SWITCH	 160 TERMINAL BLOCK
 155 NEW THERMAL RELAY	 151 TIMER	 138 TOUCH CONTROLLER	 50 TRACK CONNECTOR	 47 NEW TRACK LIGHT	 159 TRANSFORMER
 160 WIRE SPRING	 151 WIRELESS LIGHTING CONTROLLER SWITCH				

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G



	PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018
Power	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	500 lm	850 lm	1000 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	A: 50 B: 89	A: 60 B: 108	A: 60 B: 112	A: 60 B: 118	A: 70 B: 138	A: 80 B: 148



LED Bulb
LED Capsule
LED Tube




DURAMAX-12


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3.7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm

F A ↑ G

001 055 0012



Rechargeable
Emergency
LED
Bulb



Emergency Lighting
Duration: 3 Hours





D I M M A B L E

EXPERT-10

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K

F A ↑ G


001 021 0010




COMBO-10

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)



CCT Switchable




LED 3CCT BULB / LED PHOTOCELL BULB / LED SENSOR BULB


DARK-10

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K





Built-in
Photocell
Sensor




FORCE-10

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




**HOROZ****ELECTRIC****LED Bulb****FOX****F**
A
↑
G


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

NEW
PRODUCT**SMD**
LED

	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	: 6 W	: 9 W	: 12 W	: 15 W
Luminous Flux	: 510 lm	: 770 lm	: 1050 lm	: 1350 lm
Sizes (mm)	: A: 30 B: 100	: A: 36 B: 122	: A: 44 B: 138	: A: 50 B: 146




E27

**FONIX****F**
A
↑
G

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

SMD
LED

	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008
Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 290 lm	: 440 lm	: 610 lm



GU5.3



**HOROZ****ELECTRIC**

LED Bulb / Dimmable LED Bulb

PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K

001 075 0006




E A T G




CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**NEW
PRODUCT**

	CONVEX-8	CONVEX-10
	001-064-0008	001-064-0010
Power	: 8 W	: 10 W
Luminous Flux	: 640 lm	: 800 lm




F A T G




D I M M A B L E

VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**NEW
PRODUCT****NEW
PRODUCT**

	VISION-6	VISION-8	VISION-10
	001-022-0006	001-022-0008	001-022-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 480 lm	: 640 lm	: 800 lm




F A T G




PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PLUS-4	PLUS-6	PLUS-8	PLUS-10
	001-002-0004	001-002-0006	001-002-0008	001-002-0010
Power	: 4 W	: 6 W	: 8 W	: 10 W
Luminous Flux	: 290 lm	: 440 lm	: 610 lm	: 800 lm




F A T G




**HOROZ****ELECTRIC****LED Bulb****ULTRA**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 99	A: 38 B: 108	A: 38 B: 108

**CRAFT**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 128	A: 38 B: 141.5	A: 38 B: 141.5

**ELITE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 78	A: 45 B: 88	A: 45 B: 88

**REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


G A ↑ G**F** A ↑ G

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	4 W	6 W	10 W	12 W
Luminous Flux	260 lm	480 lm	920 lm	1150 lm
Lamp Holder	E14	E14	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




**HOROZ****ELECTRIC****LED Bulb****TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F A ↑ G



Additional E40 lamp holder included in
Torch-80 and Torch-100 to convert E27 to E40

**E27**

	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	: 30 W	: 40 W	: 50 W	: 80 W	: 100 W
Color Temperature	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 6400K	: 6400K
Lamp Holder	: E27	: E27	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3120 lm	: 4250 lm	: 5350 lm	: 8300 lm	: 10600 lm
Sizes (mm)	: A: 80 B: 140	: A: 100 B: 171	: A: 117 B: 198	: A: 137 B: 229	: A: 149 B: 258	: A: 161 B: 266 (E27)

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	: 20 W
Luminous Flux	: 1600 lm	: 2010 lm
Sizes (mm)	: A: 95 B: 136.5	: A: 120 B: 161

**E27**

LED BULB

UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

F A ↑ G**E27**


	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	: 50 W	: 70 W
Luminous Flux	: 3050 lm	: 5200 lm	: 7500 lm
Sizes (mm)	: A: 120 B: 110	: A: 150 B: 140	: A: 170 B: 170

**HOROZ****ELECTRIC**


LED Capsule / Dimmable LED Capsule

PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
	001-045-0004	001-045-0006	001-045-0008	001-045-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60



MEGA-5

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K


001 011 0005




D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K





	NANO-2	NANO-3
	001-008-0002	001-008-0003
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm
Color Temperature:	2700K/6400K	6400K



EXA-3

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K

001 047 0003







CORN

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs

F A ↑ G



	CORN-4	CORN-7
	001-062-0004	001-062-0007
Power	4 W	7 W
Luminous Flux	360 lm	760 lm
Color Temperature	2700K/4200K/6400K	6400K
Sizes (mm)	A: 30 B: 95	A: 35 B: 135





MINI

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

G A ↑ G

001 009 0002





GIGA-4

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K

F A ↑ G

001 046 0004




MIDI

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K

G A ↑ G


001 012 0002




MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K

G A ↑ G



	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A:12 B:34	A:12 B:36





TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

F A ↑ G


001 024 0002




PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K

G A ↑ G




	PIKO-2	PIKO-3
	001-007-0002	001-007-0003
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm




**HOROZ****ELECTRIC****LED Tube / LED Bulb****LED TUBE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K






	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	9 W	18 W	24 W
Luminous Flux	830 lm	1800 lm	2500 lm
Length (mm)	L: 600	L: 1200	L: 1500

**TRIO-R**



- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3800 lm
- 6400K

001 065 0036

**DAISY**



- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 061 0040



**HOROZ****ELECTRIC****LED Filament Bulb****FILAMENT CANDLE**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**FILAMENT CANDLE-4**

001-013-0004


FILAMENT CANDLE-6

001-013-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**FILAMENT FLAME-4**

001-014-0004


FILAMENT FLAME-6

001-014-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**FILAMENT GLOBE-4**

001-015-0004

FILAMENT GLOBE-6

001-015-0006

FILAMENT GLOBE-8

001-015-0008

FILAMENT GLOBE-10

001-015-0010


FILAMENT GLOBE-12

001-015-0012

FILAMENT GLOBE-15

001-015-0015

Power	:	4 W	6 W	8 W	10 W	12 W	15 W
Luminous Flux	:	450 lm	700 lm	900 lm	1200 lm	1540 lm	1750 lm
Sizes (mm)	:	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112	A: 67 B: 112	A: 70 B: 131



LED FILAMENT BULB

**HOROZ® ELECTRIC**


LED Filament Bulb

RUSTIC GLOBE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




001 030 0006

**AMBER
COLOR**

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR****RUSTIC TUBE - 6****RUSTIC TUBE - 8**

001-033-0006

001-033-0008



Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235

RUSTIC VINTAGE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




001 029 0006

**AMBER
COLOR**

**HOROZ® ELECTRIC**

LED Filament Bulb

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

FILAMENT LED**AMBER
COLOR****TITANIUM
COLOR****F**
A
↑
G2200K 4200K 6400K
2400K
☀️ ⚙️**TOLEDO**


001 049 0008

**PARADOX****PARADOX-XL**


001 052 0008

**GINZA****GINZA-XL**


001 050 0008

**ORIGAMI****ORIGAMI-XL**

001 053 0008

**ENIGMA****ENIGMA-XL**

001 051 0008

**ELLIPTIC****ELLIPTIC-XL**

001 054 0008



8W

LED FILAMENT BULB

**HOROZ****ELECTRIC****LED Bulb****FIREFLUX**


- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005

**3 Modes****Flame Mode****General Lighting Mode****Breathing Mode****PINE**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 059 0002

6400K
236 lmRED
19 lmAMBER
154 lmBLUE
32 lmGREEN
187 lmPINK
175 lm**RAINBOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



■ 105 lm



■ 34 lm



■ 68 lm



■ 12 lm




■ 120 lm

**SPECTRA**

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



■ 315 lm



■ 102 lm



■ 205 lm



■ 38 lm




■ 250 lm



**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp


- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5




	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



TUBE-8



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360 lm	740 lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter :	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174





HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K	2700K	2700K	2700K
Luminous Flux :	410 lm	550 lm	770 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146



**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs




GU10



GU5.3

	GU10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	: 50 W	50 W	50 W
Luminous Flux	: 340 lm	650 lm	550 lm
Lamp Holder	: GU10	GU5.3	GU5.3

**HOROZ ELECTRIC**

Halogen Lamp




Average Life: 2.000 Hrs




R7S

	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	: 150W	300 W / 500W	1000W
Luminous Flux	: 2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	: A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




Average Life: 2.000 Hrs



G4

	JCG4	JCG4 WHITE
	12V AC	12V AC
Power	: 20 W	20 W
Luminous Flux	: 250 lm	200 lm

Average Life: 2.000 Hrs



G9


	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	: 25 W / 40W	40W	40W
Luminous Flux	: 270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**

Reflector Lamp



220-240V / 50-60Hz
Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60
	007-001-0030	007-002-0040	007-002-0060	007-003-0060
Power	: 30 W	40 W	60 W	60 W
Luminous Flux	: 150 lm	280 lm	460 lm	400 lm
Lamp Holder	: E14	E14	E14	E27
Sizes (mm)	: A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95



E14



E27

**HOROZ ELECTRIC**

Downlight Fitting

MEYAN

■ Lamp holder not included


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001

**HOROZ ELECTRIC**

Downlight Fitting



PETUNYA

■ Lamp holder not included

**NEW
PRODUCT**

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Power	:	Max. 50 W	Max. 2x50 W	Max. 3x50 W
Cutting Size (mm)	:	93x93	93x170	93x256
Sizes (mm)	:	A: 100 B: 100 C: 32	A: 100 B: 185 C: 32	A: 100 B: 270 C: 32





KARANFİL

■ Lamp holder not included

WHITE


BLACK



NEW
PRODUCT




NEW
PRODUCT



KARANFİL-R

015-022-0050




KARANFİL-S

015-023-0050



RINGO


121 001 0001



NEW
PRODUCT

RINGA

121 002 0001



NEW
PRODUCT

BLACK

WHITE

GOLDEN

CHROME

■ Frame Ring for
KARANFİL-R

KAKTÜS


■ Lamp holder not included

WHITE

BLACK


NEW
PRODUCT

NEW
PRODUCT



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001



**HOROZ****ELECTRIC**


Downlight Fitting

SARDUNYA


■ Lamp holder not included

**WHITE****SARDUNYA-R**

015-017-0050

**SARDUNYA-S**


015-018-0050



KAMELYA

■ Lamp holder not included


015 025 0050

CHROME**MAT CHROME****BLACK****WHITE****GOLDEN**

LAVANTA

■ Lamp holder not included


015 024 0050

CHROME**MAT CHROME****BLACK****WHITE****GOLDEN**

ORKIDE

■ 220-240V / 50-60Hz
■ Max. 50W

015 007 0050

CHROME**MAT CHROME****GOLDEN****WHITE**

**HOROZ ELECTRIC**

LED Downlight



LED Downlight LED Sensor Downlight





ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K





LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available





BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



**HOROZ****ELECTRIC****LED Downlight**



LED DOWNLIGHT

MELODY

016 069 0005

**NEW
PRODUCT****MAT CHROME****WHITE****BLACK**

- 170 - 260V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K
- Linked Sets: 18 pcs

**GABRIEL**



016 029 0006

**JESSICA**

016 030 0006


**WHITE**

- 100 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K




**HOROZ****ELECTRIC****LED Downlight****NORA**


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**


	NORA-5	NORA-7	NORA-9	NORA-12
	016-053-0005	016-053-0007	016-053-0009	016-053-0012
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35

**MAYA**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	MAYA-5	MAYA-7	MAYA-9	MAYA-12
	016-054-0005	016-054-0007	016-054-0009	016-054-0012
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35




**HOROZ****ELECTRIC****LED Downlight**


LED DOWNLIGHT

PARKER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK**WHITE****NEW
PRODUCT**

	PARKER-5	PARKER-12
	016-071-0005	016-071-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 40 B: 82	A: 38 B: 148




Easy connection available
Linked Sets: Max. 18 pcs
(5w)


Easy connection available
Linked Sets: Max. 8 pcs
(12w)

**CARTER**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK**WHITE****NEW
PRODUCT**

	CARTER-5	CARTER-12
	016-072-0005	016-072-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 35 B: 82	A: 33 B: 145




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)




**HOROZ****ELECTRIC****LED Downlight****VALENTINA**

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

**NEW
PRODUCT****ADJUSTABLE
CUT HOLE**

	VALENTINA-6	VALENTINA-12	VALENTINA-24	VALENTINA-36
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	: 12 W	: 24 W	: 36 W
Luminous Flux	: 480 lm	: 960 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 50-90	: 50-105	: 50-150	: 50-205
Sizes (mm)	: A: 100 B: 25	: A: 120 B: 25	: A: 170 B: 25	: A: 220 B: 25





**HOROZ****ELECTRIC****LED Downlight**


LED DOWNLIGHT

STELLA**STELLA/SQ**



- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**NEW
PRODUCT****ADJUSTABLE
CUT HOLE**

	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19



	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19




**HOROZ****ELECTRIC**


LED Downlight

LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE

	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE

	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225




**HOROZ****ELECTRIC****LED Downlight**

LED DOWNLIGHT

ALEXA

- 200 - 265V / 50 - 60Hz
- Average Life: 70.000 Hrs
- 3000K / 4200K / 7000K




WHITE

BLACK

**NEW
PRODUCT**


	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power	: 8 W	: 12 W	: 20 W	: 24 W	: 30 W
Luminous Flux	: 600 lm	: 900 lm	: 1500 lm	: 1800 lm	: 2250 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø115	: Ø145	: Ø190
Sizes (mm)	: A: 32 B: 98	: A: 32 B: 120	: A: 32 B: 145	: A: 32 B: 180	: A: 32 B: 230



**HOROZ****ELECTRIC**

LED Downlight

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K




CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40




SLIM

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



**WHITE**

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 17 B: 190	A: 14 B: 221	A: 14,5 B: 297




SLIM / Sq

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A: 16 B: 89	A: 18 B: 113,5	A: 16 B: 146	A: 18 B: 163	A: 15 B: 194,5	A: 18 B: 219,5	A: 17 B: 292



**HOROZ****ELECTRIC**

LED Sensor Downlight



LED SENSOR DOWNLIGHT

MARTHA-18



016 060 0018

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 6400K

**NEW
PRODUCT**

WHITE

BLACK

**Recessed****Surface Mounting**

220 mm

23 mm



ADJUSTABLE

85-165 mm

**Built-in
Photocell &
PIR Sensor**

→ ☀ Day&Night motion sensor mode

☾ ← Night motion sensor mode



360°



**HOROZ ELECTRIC**


LED Surface Light

SOFIA


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power	18 W	24 W	36 W	48 W
Luminous Flux	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38





SOFIA/S


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power	18 W	24 W	36 W	48 W
Luminous Flux	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38




**HOROZ****ELECTRIC**

LED Surface Light


CARLA

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

WHITE




	CARLA-16	CARLA-24	CARLA-32
	016-058-0016	016-058-0024	016-058-0032
Power	16 W	24 W	32 W
Luminous Flux	1520 lm	2280 lm	3040 lm
Sizes (mm)	A:120 B:45	A:175 B:45	A:225 B:45




CARLA/SQ

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

WHITE



	CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32
	016-059-0016	016-059-0024	016-059-0032
Power	16 W	24 W	32 W
Luminous Flux	1520 lm	2280 lm	3040 lm
Sizes (mm)	A:125 B:45	A:172 B:45	A:225 B:45



**HOROZ****ELECTRIC**

LED Surface Light

ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE**NEW
PRODUCT**



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49

**HOROZ ELECTRIC**

LED Surface Light

LED Surface Backlight

Surface Light

**ANDREA / S**

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE**NEW
PRODUCT**



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA / S-15	ANDREA / S-20	ANDREA / S-30
	016-067-0015	016-067-0020	016-067-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



**HOROZ****ELECTRIC****LED Surface Light**

LED SURFACE LIGHT



SCARLETT-30

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 6400K

WHITE

BLACK

016 070 0030

**NEW
PRODUCT**

**HOROZ****ELECTRIC**


LED Backlight Panel

PLAZMA-45


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

WHITE

056 010 0045

**BACKLIGHT
PANEL**

Inside of Product




EUROPA-80


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K

WHITE

056 009 0080

**BACKLIGHT
PANEL**

Inside of Product



**HOROZ****ELECTRIC**

LED Panel LED Backlight Panel Frame Drywall Kit



TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE**TAURUS-36****TAURUS-48**

056-013-0036

056-013-0048

Power	:	36 W	48 W
Luminous Flux	:	3000 lm	4400 lm
Sizes (mm)	:	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32


**BACKLIGHT
PANEL**

Inside of Product




**HOROZ****ELECTRIC****LED Panel****GALAKSI-45**


056 002 0045

**WHITE**



- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K

**STAR-50**

056 001 0050

**SILVER**



- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K



LED PANEL

MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**MOON-32**

056-007-0032



MOON-40

056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

**ZODIAC**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**ZODIAC-24**

056-006-0024

ZODIAC-36

056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8








**HOROZ[®] ELECTRIC**

LED Frame Panel / Frame / Drywall Kit

CAPELLA-48

- 175 - 265V / 50 - 60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

056 012 0048


WHITE**FRAME****WHITE****DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45







**HOROZ ELECTRIC**

LED Surface Light / LED Surface Backlight



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE**ARINA****WHITE****BLACK****NEW
PRODUCT**



	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K

**PULSAR-48**

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

WHITE**BLACK****BACKLIGHT
PANEL**

Inside of Product






**HOROZ ELECTRIC**

LED Surface Backlight



PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****BLACK****BACKLIGHT PANEL**

Inside of Product



	PROTEUS-36	PROTEUS-48
	056-014-0036	056-014-0048
Power	: 36 W	: 48 W
Luminous Flux	: 3000 lm	: 4400 lm
Sizes (mm)	: A: 300 B: 600 C: 38	: A: 300 B: 1200 C: 38




**HOROZ****ELECTRIC**

LED Surface Light




LAYLA-15

016 073 0015



BLACK


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K



SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL




WHITE

BLACK




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200




**HOROZ****ELECTRIC****Surface Light****SALSA****SALSA-XL****SALSA-L****SALSA/SQ-L****NEW
PRODUCT****WHITE****BLACK**


- 220-240V / 50-60Hz
- Max. 35W

**SALSA**


015-036-0001

**SALSA-L**


015-036-0002

**SALSA-XL**

015-036-0003

**SALSA/SQ-L**

015-037-0002

**REFLEX****NEW
PRODUCT****CHROME****GOLD****RED COPPER****REFLEX**

128-001-0001

REFLEX-L

128-001-0002

REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) :

A: 60

A: 80

A: 100

A: 80


For Reflector :

Salsa

Salsa-L

Salsa-XL

Salsa/SQ-L



**HOROZ® ELECTRIC**

Surface Light




MIAMI

- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included

015 033 0001

WHITE

BLACK




SURFACE LIGHT

FREZYA

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

WHITE

BLACK




FREZYA-R

015-026-0050

FREZYA-S

015-027-0050




**HOROZ ELECTRIC**

LED Track Light

ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




WHITE

BLACK



	ARIZONA-5	ARIZONA-10
	018-027-0005	018-027-0010
Power	5 W	10 W
Luminous Flux	380 lm	730 lm
Beam Angle	52°	60°


**HOROZ ELECTRIC**

LED Track Light



VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK



	VARNA-20	VARNA-30	VARNA-36
	018-026-0020	018-026-0030	018-026-0036
Power	20 W	30 W	36 W
Luminous Flux	1600 lm	2400 lm	2880 lm
Sizes (mm)	A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180




**HOROZ****ELECTRIC**

LED Track Light

Z O O M A B L E

MONACO



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15° - 60°




WHITE

BLACK




	MONACO-15	MONACO-30
	018-019-0015	018-019-0030
Power	15 W	30 W
Luminous Flux	1125 lm	2250 lm
Sizes (mm)	A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



LED TRACK LIGHT

LYON



- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK




	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024
Power	10 W	18 W	24 W
Luminous Flux	650 lm	1170 lm	1560 lm
Sizes (mm)	A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162





BERN


018 017 0030



WHITE


BLACK

- 180 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°



DUBLIN


018 018 0035



WHITE

BLACK


- 180 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



**HOROZ****ELECTRIC**

LED Track Light / Track Light


LONDRA

**NEW
PRODUCT****WHITE****BLACK**

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



	LONDRA-12	LONDRA-15
	018-029-0012	018-029-0015
Power	: 12 W	: 15 W
Luminous Flux	: 1080 lm	: 1350 lm
Sizes (mm)	: A: 50 B: 200	: A: 60 B: 200

**HOROZ****ELECTRIC**

LED Track Light / Track Light




LED TRACK LIGHT / TRACK LIGHT

LONDRA-G

115 005 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

**NEW
PRODUCT**

**HOROZ****ELECTRIC****Track Light****TORONTO**

115 004 0001

**NEW
PRODUCT****WHITE****BLACK**

- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included

**BASEL**


115 003 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

**HOROZ****ELECTRIC****Track Light****DAKAR**


115 001 0001

**RABAT**

115 002 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



**HOROZ® ELECTRIC**

Spotlight / LED Spotlight


LOZAN

116 001 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





TOKYO

017 002 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°

**HOROZ® ELECTRIC**

Spotlight LED Spotlight



SPOTLIGHT / LED SPOTLIGHT



**HOROZ****ELECTRIC**

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK**WHITE****BLACK**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001

1 m.

097 001 0002

2 m.

097 001 0003

3 m.

**TRACK CONNECTOR****WHITE****BLACK**

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001



L Connector


096-002-0002

**HOROZ****ELECTRIC**

Lighting Track Track Connector Recessed Monopoint

**RECESSED MONOPOINT****BLACK****SILVER**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125




098 001 0001

**HOROZ ELECTRIC**

LED Linear Suspension Light

FORTUNE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available




BLACK

WHITE

**NEW
PRODUCT**

	FORTUNE3-40	FORTUNE5-40	FORTUNE10-80
	019-050-0040	019-051-0040	019-052-0080
Power	40 W	40 W	80 W
Luminous Flux	4200 lm	4200 lm	8000 lm
Width (mm)	30 mm	50 mm	100 mm

**HOROZ ELECTRIC**

LED Linear Suspension Light
LED Suspension Light
LED Crystal Suspension Light




LED LINEAR SUSPENSION LIGHT



**HOROZ****ELECTRIC**

LED Linear Suspension Light

INNOVA




- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available

BLACK

WHITE

**NEW**
PRODUCT

	INNOVA3-40	INNOVA5-40	INNOVA10-80
	019-033-0040	019-034-0040	019-049-0080
Power	: 40 W	40 W	80 W
Luminous Flux	: 3200 lm	3200 lm	6500 lm
Width (mm)	: 30 mm	50 mm	100 mm



**HOROZ****ELECTRIC**


LED Suspension Light

CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**24W****SMD LED**

2700K 4000K 6400K




CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**24W****SMD LED**

2700K 4000K 6400K



PHOENIX

019 020 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K

**38W****SMD LED**

2700K 4000K 6400K



ELECTRA

019 021 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K

**38W****SMD LED**

2700K 4000K 6400K



OPTIMA-12

019 030 0012

OPTIMA-24


019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K

**12W****24W****36W****SMD LED**

2700K 4000K 6400K



**HOROZ ELECTRIC**




LED Suspension Light

CONCORDE - 24

019 053 0024

**NEW PRODUCT****BLACK**




- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K

**24W****SMD LED****CONCORDE - 36**

019 053 0036

**NEW PRODUCT****BLACK**



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K

**36W****SMD LED****LIBERTY**

019 054 0030

**NEW PRODUCT****CHROME****BLACK**




- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**30W****SMD LED****CORNELIA**

019 055 0060

**NEW PRODUCT****CHROME****BLACK**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K

**60W****SMD LED**

**HOROZ****ELECTRIC**

LED Suspension Light


OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K




GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR

019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



**HOROZ[®] ELECTRIC**

LED Suspension Light


ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K




AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K



**HOROZ****ELECTRIC**




LED Crystal Suspension Light

AVATAR

019 039 0033

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

CHROME




LED CRYSTAL SUSPENSION LIGHT




AVIATOR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056
Power	: 24 W	: 40 W	: 56 W
Luminous Flux	: 1680 lm	: 2800 lm	: 3920 lm






**HOROZ****ELECTRIC**

LED Crystal Suspension Light




QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME****QUASAR-42****019-023-0042****Power : 42 W****Luminous Flux : 2940 lm**




NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**

PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME****NIRVANA-24****019-027-0024****NIRVANA-32****019-027-0032****NIRVANA-40****019-027-0040**

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400

**PANDORA-72****019-028-0072****PANDORA-96****019-028-0096**

Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm

**HOROZ****ELECTRIC**



LED Crystal Suspension Light

NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K






POLARIS

019 024 0046

CHROME



- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K



TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



TORNADO-30

019-025-0030

Power	:	30 W
Luminous Flux	:	2100 lm
Sizes (mm)	:	A: 800 B: 150 C: 400




**HOROZ****ELECTRIC**



LED Crystal Suspension Light

VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


**CHROME**

	VOYAGER-12	VOYAGER-18	VOYAGER-24
	019-041-0012	019-041-0018	019-041-0024
Power	: 12 W	: 18 W	: 24 W
Luminous Flux	: 840 lm	: 1260 lm	: 1680 lm
Length (mm)	: L : 410	: L : 565	: L : 815






ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**

	ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
	019-040-0019	019-040-0025	019-040-0032	019-040-0038
Power	: 19 W	: 25 W	: 32 W	: 38 W
Luminous Flux	: 1330 lm	: 1750 lm	: 2240 lm	: 2660 lm
Diameter (mm)	: Ø: 300	: Ø: 400	: Ø: 500	: Ø: 600



**HOROZ****ELECTRIC**

String Light

CARNAVAL - ROLL

022 003 0001

CUTTABLE**NEW
PRODUCT**


- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included

**CARNAVAL - F10**

022 002 0010

LINKABLE**NEW
PRODUCT**

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0.94mm²
- Total 10 Meters
- Bulb not included



STRING LIGHT

**HOROZ****ELECTRIC**


String Light

**CARNAVAL****LINKABLE**

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0.75mm ²	2*1.5mm ²



**HOROZ****ELECTRIC**

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

■ 250V~ / 4A

■ Max. 60W

100 mm

1000 mm

**HOROZ ELECTRIC**

Pendant Lamp Glass Pendant Lamp



VOLTA

021 001 0001



90 mm

1000 mm

BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~ / 4A

■ Max. 60W



NEWTON

021 010 0001




320 mm

1385 mm

KEPLER

021 011 0001




240 mm

1285 mm

MAXWELL

021 012 0001




320 mm

1500 mm

NOBEL

021 013 0001



320 mm

1385 mm

BLACK

■ 250V~ / 4A

■ Max. 60W

FOLDABLE CASE

**HOROZ****ELECTRIC**

Glass Pendant Lamp / Pendant Lamp

**GLASS PENDANT LAMP / PENDANT LAMP****DREAM**

021 020 0001

**SHARP**

021 019 0001

**RONDO**


021 018 0001

**AMBER****TITANIUM**

■ 250V~ / 4A

■ Max. 60W

■ Glass

**GLOBAL**

021 021 0001

**GLOBAL-X**


021 021 0002

**AMBER****TITANIUM**

■ 250V~ / 4A

■ Max. 60W

■ Glass

**AMPER**


021 022 0001

**COPPER**

■ 250V~ / 4A

■ Max. 60W

■ For Glass Pendant



**HOROZ ELECTRIC**

Glass Pendant Lamp

ELEMENT -1

021 015 0001



AMBER



TITANIUM

ELEMENT -2

021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V~ / 4A
- Max. 60W
- Glass



SPARK -1

021 016 0001



AMBER



TITANIUM

SPARK -2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~ / 4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~ / 4A
- Max. 60W
- Glass





LASER



021 004 0002

SPECTRUM



021 005 0001

021 005 0002



RADIAN



021 007 0002

CHROME

- 250V~ / 4A
- Max. 60W
- Glass



METEOR

021 014 0001




021 014 0002



COPPER

CHROME

- 250V~ / 4A
- Max. 60W
- Glass




**HOROZ****ELECTRIC****LED Wall Light****SİSAM**

029 006 0008

**TRUVA**

029 007 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs

**HOROZ****LED Wall Light****ERDEK**


029 001 0005

**RED**


- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs

**RODOS**


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE


	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012
Power :	3 W	6 W	12 W
Luminous Flux :	170 lm	340 lm	950 lm
Sizes (mm) :	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80

**BELÉN**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE

	BELÉN-6	BELÉN-12	BELÉN-18
	029-003-0006	029-003-0012	029-003-0018
Power :	6 W	12 W	18 W
Luminous Flux :	340 lm	950 lm	1400 lm
Sizes (mm) :	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95





**HOROZ****ELECTRIC**

LED Decorative Ceiling Lamp

ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE****ELECTRON-15****ELECTRON-24****ELECTRON-36****027-010-0015****027-010-0024****027-010-0036**

Power	:	15 W	24 W	36 W
Luminous Flux	:	911 lm	1485 lm	2228 lm
Sizes (mm)	:	A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55

**HOROZ**



LED Decorative Ceiling Lamp



LED DECORATIVE CEILING LAMP

EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



**WHITE****EPSILON-15****EPSILON-24****EPSILON-36****027-004-0015****027-004-0024****027-004-0036**

Power	:	15 W	24 W	36 W
Luminous Flux	:	1125 lm	1800 lm	2700 lm
Sizes (mm)	:	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60



SHARK-24

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

WHITE**027 001 0024**

**HOROZ****ELECTRIC**

LED Decorative Ceiling Lamp

PIXEL



PIXEL - 36

PIXEL - 48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

RADIUS



RADIUS - 36

RADIUS - 48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

WHITE

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

ETERNAL



ETERNAL - 36

ETERNAL - 48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

DISCOVERY





DISCOVERY - 36

DISCOVERY - 48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



PHANTOM - 36

PHANTOM - 48

027-002-0036

027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65

GHOST



GHOST - 36

GHOST - 48

027-003-0036

027-003-0048



Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60

WHITE

BLUE

PINK

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K



**HOROZ****ELECTRIC**

Decorative Ceiling Lamp


SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME**SARAY-3****026-005-0003**

Power : Max. 2X60 W

Sizes (mm) : A: 75 B: 285

**HOROZ****ELECTRIC**

Decorative Ceiling Lamp



ZARA

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME**ZARA-1****026-003-0001****ZARA-2****026-003-0002****ZARA-3****026-003-0003****ZARA-4****026-003-0004**

Power : Max. 60 W

Max. 2X60 W

Max. 3X60 W


Max. 60 W

Sizes (mm) : A: 90 B: 230

A: 100 B: 285

A: 130 B: 370

A: 265 B: 110 C: 150



ILGAZ

- 220-240V / 50-60Hz
- Diffuser: Glass


CHROME + MAT CHROME**ILGAZ-2****026-001-0002****ILGAZ-4****026-001-0004**

Power : Max. 60 W

Max. 60 W


Sizes (mm) : A: 90 B: 290

A: 310 B: 110 C: 160



**HOROZ ELECTRIC****LED Ceiling Lamp****HOROZ ELECTRIC****LED Ceiling Lamp
Ceiling Lamp****LIKYA**

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME

■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4










■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm



**HOROZ® ELECTRIC****Ceiling Lamp**

CEILING LAMP

KEMER

■ 220-240V / 50-60Hz

CHROME

■ KEMER-1



■ KEMER-2



■ KEMER-3




■ KEMER-4



■ KEMER-5

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W




**HOROZ****ELECTRIC****Ceiling Lamp****BODRUM**

■ 220-240V / 50-60Hz

MAT CHROME


	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W

**MANAVGAT**

■ 220-240V / 50-60Hz

CHROME

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



**HOROZ****ELECTRIC**



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

**HOROZ ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp





LED PICTURE & MIRROR LAMP

SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABIL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**NEW
PRODUCT****LEYLEK-8****LEYLEK-12**


040-016-0008

040-016-0012

Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40

**KANARYA**

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




CHROME

**KANARYA-8****KANARYA-12**

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120




ON-OFF

**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME**ANKA-8**

040-014-0008

ANKA-12


040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 52 C: 185	A: 550 B: 52 C: 185

**LED PICTURE & MIRROR LAMP**

FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME**FLAMINGO-4**

040-001-0004

FLAMINGO-6

040-001-0006

Power	:	4 W / 21 LED	6 W / 30 LED
Luminous Flux	:	360 lm	500 lm
Sizes (mm)	:	A: 405 B: 52 C: 175	A: 505 B: 52 C: 185




**HOROZ ELECTRIC**


LED Picture & Mirror Lamp / LED Reading Lamp

ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME**


	ALBATROS-4	ALBATROS-6
Power	4 W / 21 LED	6 W / 30 LED
Luminous Flux	360 lm	500 lm
Sizes (mm)	A: 407 B: 55 C: 100	A: 555 B: 55 C: 108

**KUĞU**

040 006 0003

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

**TURNA**



040 007 0003

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

**FLORYA**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**

	FLORYA-3	FLORYA-6	FLORYA-9
Power	3 W	6 W	9 W
Luminous Flux	214 lm	428 lm	640 lm



**HOROZ ELECTRIC**

LED Desk Lamp



LED DESK LAMP

EBRU


049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



With Clips



TOUCH

İREM



049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH

**HOROZ ELECTRIC**

LED Desk Lamp Desk Lamp



DİLARA



049 004 0003

BLACK

WHITE

RED

- 220-240V/50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs




ON-OFF

**HOROZ****ELECTRIC**

LED Desk Lamp / Desk Lamp

BERNA

049 006 0003




BLACK

WHITE

BLUE


RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BİLGE

049 008 0003



BLACK


WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BUDDY

048 001 0015

PINK

BLUE

YELLOW




OSCAR

048 002 0015

PINK



- 220-240V / 50-60Hz
- Max. 15W
- 500 lm
- 4500K

**Bulb included**

KITTY

048 004 0011

BLUE

GREEN




FLYER

048 008 0011


PINK

BLUE

YELLOW



- 220-240V / 50-60Hz
- Max. 11W
- 350 lm
- 4500K

**Bulb included**

**HOROZ ELECTRIC**


Desk Lamp / Floor Lamp

SİMGE

048 014 0060

**GREEN****BLUE**

- 220-240V / 50-60Hz
- Max. 60W




RANA

048 013 0060

BLACK**WHITE****RED**

- 220-240V / 50-60Hz
- Max. 60W




BİHTER

048 009 0060

BLACK**WHITE****RED****BLUE**

- 220-240V / 50-60Hz
- Max. 60W

**HOROZ ELECTRIC**

Floor Lamp



DESK LAMP

FLOOR LAMP


MERİÇ

■ 220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	:	Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	:	E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	:	White	White	White
Sizes (mm)	:	A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500



**HOROZ ELECTRIC**



LED Batten Light

DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K

LINKABLE



052 007 0120

**NEW
PRODUCT****HAVZA-60**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K

LINKABLE


052 008 0120

**NEW
PRODUCT****HOROZ ELECTRIC**


LED Batten Light
LED Waterproof Lamp
LED Tube Fixture
Electronic Wall Lamp

**GAMA**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**NEW
PRODUCT**

	GAMA-60	GAMA-80
	052-006-0120	052-006-0120
Power	: 60 W	: 80 W
Luminous Flux	: 4500 lm	: 6000 lm
Width (mm)	: A: 1200 B: 62 C: 25	: A: 1200 B: 75 C: 27




**HOROZ ELECTRIC**

LED Batten Light

TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


**TETRA-18****TETRA-36****052-003-0060****052-003-0120**

Power	:	18 W	36 W
Luminous Flux	:	1135 lm	2269 lm
Length (mm)	:	L: 600	L: 1200

**LED BATTEN LIGHT**

TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**TETRA/SQ-27****TETRA/SQ-54****TETRA/SQ-72****052-005-0060****052-005-0120****052-005-0150**

Power	:	27 W	54 W	72 W
Luminous Flux	:	1890 lm	3780 lm	5670 lm
Length (mm)	:	L: 600	L: 1200	L: 1500




**HOROZ****ELECTRIC**


LED Waterproof Lamp

IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 650	: L: 1260	: L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 652	: L: 1262	: L: 1562




OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	: 36 W	: 72 W	: 90 W
Luminous Flux	: 2880 lm	: 5760 lm	: 7200 lm
Length (mm)	: L: 632	: L: 1242	: L: 1542



**HOROZ****ELECTRIC**


LED Waterproof Lamp




LED WATERPROOF LAMP

MEDUSA

- 180-260V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	MEDUSA - 18	MEDUSA - 36	MEDUSA - 58
	059-006-0018	059-006-0036	059-006-0058
Power	: 18 W	: 36 W	: 58 W
Luminous Flux	: 1800 lm	: 3600 lm	: 5800 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500






PROMASTER

057 003 2120

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included




PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Sizes (mm)	A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65




**HOROZ ELECTRIC**


LED Batten Light / Electronic Wall Lamp LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


**LINKABLE**

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**LINKABLE**

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155



ALFA

- 220-240V / 50-60Hz



ALFA-6	ALFA-8	ALFA-28
053-001-0006	053-001-0008	053-001-0028

Power	6 W	8 W	28 W
Length (mm)	L: 267	L: 343	L: 1200





TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
061-001-0060	061-001-2060	061-001-0120	061-001-2120

Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226




**HOROZ****ELECTRIC**


LED Linear High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	4650 lm	9300 lm	13950 lm	18600 lm
Length (mm)	290	520	758	1000

**HOROZ****ELECTRIC**

LED High Bay Lamp LED Linear High Bay Lamp




**HOROZ****ELECTRIC**


LED High Bay Lamp



AGORA




- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body


**NEW
PRODUCT**

	AGORA-100	AGORA-150	AGORA-200
	063-008-0100	063-008-0150	063-008-0200
Power	100 W	150 W	200 W
Luminous Flux	11000 lm	16500 lm	22000 lm
Sizes (mm)	A:271 B: 90	A:310 B: 90	A:380.9 B: 90

ARTEMIS




- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0100	063-003-0150	063-003-0200
Power	100 W	150 W	200 W
Luminous Flux	10000 lm	15000 lm	20000 lm
Sizes (mm)	A: 270 B: 110	A: 320 B: 125	A: 370 B: 145

**HOROZ****ELECTRIC****LED Solar Projector****HOROZ****ELECTRIC**


LED Solar Projector
LED Projector
Portable LED Projector
Projector Stand
Module LED & Apparatus

**TIGER**

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK

	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100
Power	25 W	40 W	60 W	100 W
Luminous Flux	465 lm	840 lm	1040 lm	1500 lm
Battery	1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V / 12W	Polysilicon, 6V / 16W	Polysilicon, 6V / 20W	Polysilicon, 6V / 35W
Projector Sizes (mm)	A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm)	D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17





**HOROZ****ELECTRIC****LED Projector**

LED PROJECTOR

LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs

BLACK

	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 200 B: 157 C: 50	: A: 215 B: 171 C: 45	: A: 270 B: 210 C: 55	: A: 305 B: 253 C: 75	: A: 380 B: 310 C: 75	: A: 400 B: 350 C: 90	: A: 420 B: 380 C: 90	: A: 480 B: 430 C: 105





**HOROZ****ELECTRIC**

LED Projector

PUMA


- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

**BLACK**


	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm	34000 lm
Color Temperature	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K	2700K/6400K	2700K/6400K
Sizes (mm)	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95	A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**BLACK****WITH PIR SENSOR**

	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm
Sizes (mm)	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41




**HOROZ****ELECTRIC**

LED Projector


ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs

**NEW
PRODUCT**

BLACK

WHITE




	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm	23550 lm
Color Temperature	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K / GREEN	2700K/6400K	2700K/6400K
Sizes (mm)	A: 75,5 B: 93 C: 28,5	A: 105 B: 118 C: 29	A: 126 B: 136 C: 29,5	A: 161,5 B: 174 C: 32	A: 233,5 B: 245 C: 37	A: 325,5 B: 343 C: 41

LED PROJECTOR


ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**NEW
PRODUCT****WITH PIR SENSOR**

BLACK

WHITE




	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	10 W	20 W	30 W	50 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	A: 135 B: 93 C: 40	A: 161 B: 118 C: 40	A: 176 B: 135 C: 40	A: 210,5 B: 174 C: 40

**HOROZ****ELECTRIC**

Portable LED Projector


WORKSHOP




- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- 1.8M H07RN-F3G1.5mm2+VDE plug




	WORKSHOP-30	WORKSHOP-60
	068-019-0030	068-019-0060
Power	: 30 W	60 W
Luminous Flux	: 3250 lm	6500 lm
Sizes (mm)	: A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	: 1 socket+ON/OFF on back	2 socket+ON/OFF on back




PROPORT



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable



	PROPORT-20	PROPORT-45
	068-015-0020	068-015-0045
Power	: 20 W	45 W
Luminous Flux	: 2100 lm	4900 lm
Sizes (mm)	: A: 232,3 B: 146,4 C: 54	A: 298,6 B: 187 C: 52,5




**HOROZ ELECTRIC**

LED Projector Stand / Projector Stand / LED Canopy Light

TOWER

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen : 2x4300lm,
- Ra > 80 , IP54
- ON / OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage

**NEW
PRODUCT****HOROZ ELECTRIC**


LED Projector Stand / Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable

**HOROZ ELECTRIC**


LED Canopy Light



FALCON

RECESSED


069 001 0110




EAGLE

SURFACE

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs




**HOROZ****ELECTRIC**

LED Solar Security Light


ARMOR-8

072 001 0008

- 3,7V DC
- 600 lm
- 6400K
- 2x1,5Ah Li-ion Battery
- Continuous Working Time: 1,5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2,5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK

**HOROZ****ELECTRIC**

LED Solar Security Light





**HOROZ ELECTRIC**


LED Solar Street Light

COMBAT

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

**BLACK****NEW PRODUCT**

	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V/10Ah Lithium Iron Phosphate	4x3.2V/15Ah Lithium Iron Phosphate	5x3.2V/20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3.5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127

**HOROZ ELECTRIC**


LED Solar Street Light LED Street Light



POLE

130 001 0001

■ Pole for Combat

**NEW PRODUCT**

LED SOLAR STREET LIGHT


**HOROZ****ELECTRIC**

LED Solar Street Light


COMPACT

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

Built-in Photocell

BLACK**NEW
PRODUCT**

	COMPACT-10	COMPACT-20	COMPACT-30
	074-010-0010	074-010-0020	074-010-0030
Power	10 W	20 W	30 W
Luminous Flux	180 lm	230 lm	300 lm
Battery	3x3.2V3Ah Lithium Iron Phosphate	4x3.2V5Ah Lithium Iron Phosphate	5x3.2V10Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V / 3W	Polycrystalline Silicon 6V / 6W	Polycrystalline Silicon 6V / 12W
Street Lamp Sizes (mm)	A:270 B:135 C:405 D:40	A:320 B:183 C:670 D:48	A:425 B:183 C:805 D:50






GRAND

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m




BLACK



**NEW
PRODUCT**



	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	826 lm	984 lm	1198 lm	1567 lm
Battery	1x3.2V5AH Lithium Iron Phosphate	1x3.2V5AH Lithium Iron Phosphate	2x3.2V5AH Lithium Iron Phosphate	3x3.2V5AH Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/6W	Polycrystalline Silicon 6V/9W	Polycrystalline Silicon 6V/20W	Polycrystalline Silicon 6V/25W
Installation Height	3 Meters	3,5 Meters	4 Meters	5 Meters
Irradiation Area	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	A: 213 B: 312 C: 63	A: 207 B: 405 C: 65	A: 252 B: 640 C: 80	A: 252 B: 835 C: 80



Ø 45-50mm



LED SOLAR STREET LIGHT






HOROZ ELECTRIC

LED Solar Street Light

LAGUNA


BLACK



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket



	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200
Power	: 50 W	: 100 W	: 200 W
Luminous Flux	: 950 lm	: 1300 lm	: 2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	: 3 x 3.2V 5Ah Lithium Iron Phosphate	: 5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	: Polysilicon, 6V/16W	: Polysilicon, 6V/33W
Installation Height	: 3 Meters	: 3-4 Meters	: 4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	: A: 185 B: 444 C: 63	: A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	: D: 350 E: 350 F: 17	: D: 645 E: 360 F: 17




**HOROZ ELECTRIC**


LED Street Light

TEXAS

- 100 - 265V / 50 - 60 Hz
- Average Life: 20.000 Hrs
- 6400K




**BLACK****NEW
PRODUCT**

	TEXAS-30	TEXAS-50	TEXAS-100
	074-012-0030	074-012-0050	074-012-0100
Power	30 W	50 W	100 W
Luminous Flux	3400 lm	5750 lm	11680 lm
Street Lamp Sizes (mm)	A:340 B:123 C:40	A:382 B:157 C:40	A:500 B:197 C:53



ORLANDO


- 85 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK

	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power	20 W	30 W	50 W	100 W	150 W	200 W
Luminous Flux	1726 lm	2829 lm	4953 lm	8923 lm	15061 lm	17594 lm
Sizes (mm)	A: 40 B: 55 C: 315 D: 105	A: 40 B: 55 C: 355 D: 125	A: 40 B: 55 C: 405 D: 165	A: 60 B: 75 C: 620 D: 220	A: 60 B: 75 C: 690 D: 250	A: 60 B: 85 C: 740 D: 275

HECTOR-10


071 012 0010



**NEW
PRODUCT**


WHITE

- 160-265V / 50-60Hz
- 4200K
- 800 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec
Max. 5min±1min



VESPER-15

071 013 0015



**NEW
PRODUCT**


WHITE

- 160-265V / 50-60Hz
- 4200K
- 1100 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec
Max. 5min±1min



BOLKAR-20



071 014 0020



**NEW
PRODUCT**

WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP

WHITE

BLACK

■ 220 - 240V / 50 - 60Hz

NEMRUT**AYDER****TOROS****KAÇKAR****NEMRUT****AYDER****TOROS****KAÇKAR**

070-001-0060

070-012-0100

070-002-0060

070-013-0100

Power : Max.60 W

Max.100 W

Max.60 W


Max.100 W

Sizes (mm) : A:210 B:80 C:105

A:275 B:115 C:155

A:210 B:85 C:105

A:275 B:120 C:155



WHITE

BLACK

■ 220 - 240V / 50 - 60Hz

ZİGANA**MUNZUR****ARARAT****ERCIYES****ZİGANA****MUNZUR****ARARAT****ERCIYES**

070-005-0060

070-014-0100

070-006-0060

070-015-0100

Power : Max.60 W

Max.100 W

Max.60 W


Max.100 W

Sizes (mm) : A:180 B:85 C:180

A:240 B:110 C:140

A:170 B:80 C:170

A:240 B:115 C:240



**HOROZ® ELECTRIC**

LED Night Lamp

**HOROZ® ELECTRIC**

LED Night Lamp




SIMPSON

085 001 0006

WHITE

- 220 - 240V / 50 - 60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220 - 240V / 50 - 60Hz
- Average Life: 20.000 Hrs

MIX (WHITE / BLUE / GREEN / RED)

DORA

REX






BUGS

MAX

DUFFY




	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	: 0.4 W	: 0.4 W	: 0.3 W	: 0.4 W	: 0.3 W
Luminous Flux	: 25 lm	: 25 lm	: 20 lm	: 25 lm	: 20 lm



**HOROZ® ELECTRIC****Garden Lamp****HOROZ® ELECTRIC****Garden Lamp
LED Garden Lamp
LED House Number Light****NAR**

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

Power	: Max.60 W
Color	: Black/White
Sizes	: A:170 B:240 C:210

NAR-2
075-016-0002

Power	: Max.60 W
Color	: Black/White
Sizes	: A:170 B:800 C:260

NAR-3
075-016-0003

Power	: Max.60 W
Color	: Black/White
Sizes	: A:170 B:170 C:300

NAR-4
075-016-0004

Power	: Max.60 W
Color	: Black
Sizes	: A:170 B:170 C:580

NAR-5
075-016-0005

Power	: Max.60 W
Color	: Black
Sizes	: A:170 B:170 C:840

**GARDEN LAMP**

NAR-6
075-016-0006

Power	: Max. 2x60 W
Color	: Black

NAR-7
075-016-0007

Power	: Max. 3x60 W
Color	: Black


**HOROZ® ELECTRIC****Garden Lamp**

GARDEN LAMP

PALMERA / S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK

**NEW
PRODUCT**

Sizes (mm)

: A: 90 B: 90 C: 215

A: 90 B: 90 C: 300

A: 90 B: 90 C: 500

A: 90 B: 90 C: 800

PALMERA / S1

075-017-0001

PALMERA / S2

075-017-0002

PALMERA / S3

075-017-0003

PALMERA / S4

075-017-0004


**HOROZ****ELECTRIC****Garden Lamp**

GARDEN LAMP

PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK

**NEW
PRODUCT**

	PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
	075-018-0001	075-018-0002	075-018-0003	075-018-0004
Sizes (mm)	: A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800




**HOROZ ELECTRIC**

Garden Lamp

KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**KAVAK/SQ-2****075-015-0002****KAVAK/SQ-3****075-015-0003****KAVAK/SQ-4****075-015-0004****KAVAK/SQ-5****075-015-0005****Sizes (mm)**

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500


A: 90 B: 800



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**KAVAK-2****075-014-0002****KAVAK-3****075-014-0003****KAVAK-4****075-014-0004****KAVAK-5****075-014-0005****Sizes (mm)**

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130


A: 500 B: 89 C: 110

A: 800 B: 89 C: 110



**HOROZ****ELECTRIC****Garden Lamp****LADİN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W

**LADİN-1**

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120


A: 350 B: 120 C: 165

A: 500 B: 120

A: 800 B: 120

**KAYIN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W

**KAYIN-1**

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210


A: 450 B: 150

A: 800 B: 150



**HOROZ****ELECTRIC****Garden Lamp****PALMIYE****BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W

**PALMIYE-1**

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150


A: 320 B: 150 C: 230

A: 500 B: 150

A: 800 B: 150

DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W

**DEFNE-1**

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

: A: 405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110


A: 800 B: 76 C: 110

**HOROZ®****ELECTRIC**

LED Garden Lamp

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K

**NEW
PRODUCT****BLACK****DYNAMIC-1S**

076-058-1001

DYNAMIC-1

076-058-0001

DYNAMIC-2

076-058-0002

DYNAMIC-3

076-058-0003

DYNAMIC-4

076-058-0004

Sizes (mm) : A: 110 B: 300

A: 110 B: 300

A: 300 B: 300

A: 500 B: 300

A: 800 B: 300




GARDEN LAMP

**HOROZ****ELECTRIC**

LED Garden Lamp

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K

**NEW
PRODUCT****BLACK****PRESTIGE-1S**

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm) : A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500

A: 109 B: 800





**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp

BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K

**MAT CHROME****BAMBU-1**

076-016-0001

BAMBU-2

076-016-0002

BAMBU-3

076-016-0003

BAMBU-4

076-016-0004

BAMBU-5

076-016-0005

Sizes (mm)

: A: 252.2 B: 132

: A: 183 B: 148.5 C: 132

: A: 300 B: 132 C: 98

: A: 500 B: 132 C: 98

: A: 800 B: 132 C: 98



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W

**MANGO-1**


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003



LED GARDEN LAMP / GARDEN LAMP

MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass

NEW PRODUCT**NEW PRODUCT****MANOLYA-1**

075-008-0001

MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power

: Max.35W

: Max.2x35W

: Max.2x60W

Lamp Holder

: GU10

: GU10

: E27

Body

: Stainless Steel

: Stainless Steel

: Aluminium

Color

: Mat Chrome / Black

: Mat Chrome / Black

: Black

Lighting Direction

: Down

: Up&Down



: Up&Down

Sizes (mm)

: A: 116 B: 93 C: 85


: A: 160 B: 93 C: 85

: A: 300 B: 173 C: 108




**HOROZ****ELECTRIC****Garden Lamp****MAMBA**

076 066 0001

**NEW
PRODUCT****MAMBA-SQ**



076 067 0001

**BLACK**

- 220-240V / 50-60Hz
- Max. 2x35W

**REGNUM**

- 220-240V / 50-60Hz
- Aluminium Body+PC




**NEW
PRODUCT****BLACK**

REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Up	Up&Down	Up	Up&Down

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004


Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Down	Up&Down	Down	Up&Down

**HOROZ®****ELECTRIC**

LED Garden Lamp

TWIST


- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K



BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	5 W	7 W	12 W	15 W
Luminous Flux	350 lm	442 lm	821 lm	987 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	W: 85	W: 119	W: 170	W: 220




GARDEN LAMP

**HOROZ****ELECTRIC**

LED Garden Lamp

PROTON/S


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



BLACK


**NEW
PRODUCT**

	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	: 2 W	: 4 W	: 6 W	: 8 W
Luminous Flux	: 260 lm	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 73 B: 73 C: 38	: A: 80 B: 119 C: 47	: A: 80 B: 171 C: 47	: A: 80 B: 220 C: 48



PROTON


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



BLACK

**NEW
PRODUCT**

	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	: 2 W	: 4 W	: 6 W	: 8 W
Luminous Flux	: 260 lm	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 73 B: 80 C: 38	: A: 95 B: 117 C: 38	: A: 95 B: 181 C: 42	: A: 95 B: 217 C: 49



**HOROZ ELECTRIC**



LED Garden Lamp

LAGOS

- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012




**NEW
PRODUCT**

CARAT

- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012

**NEW
PRODUCT**

LED GARDEN LAMP



FACTOR-2

- 85-265V / 50-60Hz
- 4200K
- 180 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 075 0002



**NEW
PRODUCT**

BAT-6

- 85-265V 50-60Hz
- 4200K
- 540 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006


**NEW
PRODUCT**

**HOROZ ELECTRIC**



LED Garden Lamp

BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	BOLERO-4	BOLERO-6	BOLERO-8
	076-076-0004	076-076-0006	076-076-0008
Power	4W	6W	8W
Luminous Flux	360 lm	540 lm	720 lm
Sizes (mm)	A: 102 B: 48	A: 120 B: 45	A: 160 B: 48





METROPOL-12

- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs


BLACK

076 073 0012



ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power	5W	8W	11W
Luminous Flux	450 lm	720 lm	990 lm
Sizes (mm)	A: 120 B: 50	A: 160 B: 50	A: 210 B: 50




**HOROZ®****ELECTRIC**



LED Garden Lamp

KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**NEW
PRODUCT**



	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power	: 5 W	: 10 W	: 5 W	: 10 W
Luminous Flux	: 450 lm	: 900 lm	: 450 lm	: 900 lm
Sizes (mm)	: A: 95 B: 104 C: 80	: A: 95 B: 104 C: 134	: A: 95 B: 104 C: 80	: A: 95 B: 104 C: 134

BLACK**LED GARDEN LAMP**

VIPER

- 85-265V / 50-60Hz
- 4200K
- 1530 lm
- Average Life: 30.000 Hrs



076 073 0017

**NEW
PRODUCT****BLACK****WHITE**

SCADA

- 85-265V / 50-60Hz
- 4200K
- 1050 lm
- Average Life: 30.000 Hrs

076 074 0012


**NEW
PRODUCT****BLACK****WHITE**

**HOROZ® ELECTRIC**


LED Garden Lamp

LUXIA-G

076 078 0030


**NEW
PRODUCT****BLACK**

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030


**NEW
PRODUCT****BLACK**

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




MORENA

076 080 0020


**NEW
PRODUCT****BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs





PALACE

076 081 0020

**NEW
PRODUCT****BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs






MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK

BLACK&GOLDEN

076 052 0010



**NEW
PRODUCT**




OPERA-10


- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010





**NEW
PRODUCT**





**HOROZ®****ELECTRIC****LED Garden Lamp****IMPERIAL**

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK**NEW
PRODUCT**

	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	7 W	2x7 W
Luminous Flux	630 lm	1260 lm
Lighting Direction	Up	Up&Down


**IP54**

**HOROZ ELECTRIC**


LED Garden Lamp

SUPERB


076 040 0015




- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

**BLACK****LED GARDEN LAMP****ANDIZ**


076 037 0009

**BLACK****WHITE**


- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs

**SEKOYA**

076 038 0004

**BLACK****WHITE**

- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp


SAFARI

075 020 0001

**NEW
PRODUCT**

BLACK

- 220-240V / 50-60Hz
- Max. 2x35W
- Bulb not included
- Aluminium Body



SERVI


076 009 0012



BLACK


WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVI

SALKIM

ZAKKUM






MEŞE

TAFLAN

ARDIÇ



	SELVI	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
	076-007-0006	076-008-0006	076-005-0006	076-004-0012	076-006-0006	076-003-0006
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down





**HOROZ®****ELECTRIC**

LED Garden Lamp

DRAGON

- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs

076 060 0015

**NEW
PRODUCT**

BLACK&WHITE





LED GARDEN LAMP

SEGMENT

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 059 0024

**NEW
PRODUCT**

BLACK&WHITE





**HOROZ****ELECTRIC**

LED Garden Lamp

CLEMENT


- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 062 0024


**NEW
PRODUCT****BLACK&WHITE**

SWEEP

076 061 0024

**NEW
PRODUCT****BLACK**

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs





CRUZ

TANGO

BLADE

**NEW
PRODUCT****BLACK&WHITE**

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power	24 W	24 W	24 W
Luminous Flux	1800 lm	1800 lm	1800 lm



HOROZ® ELECTRIC

LED Garden Lamp


CUBE




BLACK

- 100 - 265V 50 - 60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 068 0008



**NEW
PRODUCT**




CUBE-G




BLACK

- 100 - 265V 50 - 60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 069 0008



**NEW
PRODUCT**




**HOROZ****ELECTRIC**

LED Garden Lamp / LED House Number Light




ARENA

076 033 0010



**LED
HOUSE
NUMBER**

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

BLACK



	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm

KUKA-5



- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs

076 031 0005




**HOROZ ELECTRIC**

LED Solar Lamp


SOLARIS



- 3.7V 2.6Ah Li-ion Battery
- 4000K
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002
Power	2 W	2 W
Luminous Flux	220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)

**HOROZ ELECTRIC**

LED Solar Lamp



LED SOLAR LAMP


SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs

**WITH PIR SENSOR**

	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1 W	2 W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	3.7V 1200 mAh Li-ion	3.7V 2200 mAh Li-ion
Back Light	Yes (Blue)	No




**HOROZ ELECTRIC**


LED Solar Lamp / LED Solar House Number Light

OMNIA


078 013 0003



- Li-ION Battery 3.7V
1800 mAh
- 4000K
- 4 lm
- Solar Charging Time:
4-6 Hours
- Average Life: 50.000 Hrs
- USB Charging Available
- Number and letter
stickers included
(3x1...9, 2x0, 1xA,B,C,D)



- 6400K
- 1.5 lm
- Average Life:
100.000 Hrs



VENÜS

MARS

NEPTUN







PLUTON

HALLEY

CRYSTAL



	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No




**HOROZ ELECTRIC**


LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp

DIAMOND

079 026 0002

**WHITE****BLACK****GOLD****SILVER**

- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**


LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp

**AWAX**

079 030 0001

**NEW
PRODUCT****MAT CHROME**

- 220-240V / 50-60Hz
- Max. 50W

**ZÜMRÜT**



079 001 0003

**NEW
PRODUCT****YAKUT**

079 002 0003

**NEW
PRODUCT****WHITE****MAT CHROME****BLACK**

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs




**HOROZ ELECTRIC**

LED Inground & Recessed Lamp

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

**NEW
PRODUCT****MAT CHROME**


	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1W	3W	6W	9W	18W	24W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	A: 65 B: 78	A: 80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95

ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K

İNCİ


079 004 0002

SAFİR

079 003 0002

MAT CHROME


- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs

**6400K****BLUE****6400K****BLUE**

**HOROZ ELECTRIC**

LED Inground & Recessed Lamp


- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 3 W	: 1.5 W	: 3 W	: 1.5 W	: 3 W	: 1.5 W
Luminous Flux	: 147 lm	: 106 lm	: 147 lm	: 106 lm	: 147 lm	: 106 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110





- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 3 W	: 1.5 W	: 3 W	: 1.5 W	: 3 W	: 1.5 W
Luminous Flux	: 147 lm	: 90 lm	: 147 lm	: 90 lm	: 90 lm	: 90 lm
Sizes (mm)	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVERS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVERS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	: 1.8 W	: 2.7 W	: 1.5 W	: 1.8 W	: 2.7 W
Luminous Flux	: 90 lm	: 105 lm	: 160 lm	: 90 lm	: 105 lm	: 160 lm
Width (mm)	: W: 95	: W: 140	: W: 185	: W: 95	: W: 140	: W: 185





LED Strip / RGB RF Controller / Socket Set
RGB Socket Set / LED Driver
Touch Controller / RGB Controller / RGB Amplifier
LED Module Strip / Aluminium Profile



WATERPROOF

220-240V / 50-60Hz
Average Life: 30.000 Hrs



220-240V



Can be cut each 1 meter



NEOLED/SLIM




YELLOW




2700K

RED



4200K

GREEN




6400K

BLUE

NEOLED




YELLOW




2700K

RED



4200K

GREEN



6400K

BLUE

NEOLED/RGB



RGB



	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	5,8 W/m	6 W/m	9 W/m
Luminous Flux :	520 lm/m	540 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Thickness :	15 mm	15 mm	20 mm

WATERPROOF


- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



220-240V



Can be cut each 1 meter



VOLGA








VOLGA / RGB

COLORADO

COLORADO / RGB

GANJ

GANJ / RGB



	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3.5 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	240 lm/m	-	290 lm/m	-	576 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

**HOROZ****ELECTRIC**

RGB RF Controller / Socket Set / RGB Socket Set

RGB RF CONTROLLER

■ 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm

3x1A, For Max.750W

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm

3x3A, For Max.1500W

**SOCKET SET**

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

**RGB SOCKET SET**

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

**HOROZ****ELECTRIC**


LED Strip / LED Driver

COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m

**24V DC**

Can be cut each 5 centimeters



SWAN-24



081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K

**24V DC**

Can be cut each 2.5 centimeters



CANTON-24



081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K


**24V DC**

Can be cut each 5 centimeters



VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	60 W	100 W	150 W	200 W	300 W
Output Current	2,5A	4,1A	6,25A	8,3A	12,5A
COLUMBIA-24 LED Strip	5m	9m	14m	20m	28m
CANTON-24 / SWAN-24 LED Strip	3m	5m	8m	11m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188




**HOROZ****ELECTRIC**


LED Strip / LED Driver

REN**THAMES****REN / RGB****THAMES / RGB****WATERPROOF**

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC**

3 LEDs make a group and each group can be cut or extended in terms of the length of application



	REN	REN / RGB	THAMES	THAMES / RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W / 5 m Roll	24 W / 5 m Roll	72 W / 5 m Roll	72 W / 5 m Roll
Current :	2A / 5 m Roll	2A / 5 m Roll	6A / 5 m Roll	6A / 5 m Roll
Luminous Flux :	4.8 lm / LED	4.8 lm / LED	24.7 lm / LED	24.7 lm / LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

**VESTA**

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF


	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45

**HOROZ****ELECTRIC**

LED Strip / LED Driver

NiL**AMAZON****NiL/RGB****AMAZON/RGB**


- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC****3000K****4200K****6400K**

3 LEDs make a group and each group can be cut or extended in terms of the length of application

RED**GREEN****BLUE**

8 mm




9 mm



	NiL	NiL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0,8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225




TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288

Color	:	Single	16 million
Output Power	:	144-288W	144-288W
Output Current	:	4Ax3 Channel	4A/Each Color
35x28 LED Strips	:	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	:	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	:	5	12



VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072

Output Power	:	12 W	24 W	36 W	48 W	60 W	72 W
Output Current	:	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	:	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	:	1m	1.5m	2m	3m	4m	5m
Length (mm)	:	L: 153	L: 153	L: 260	L: 290	L: 290	L: 355





**HOROZ****ELECTRIC**

RGB Controller / RGB Amplifier

RGB CONTROLLER



	RGB Controller 2A	RGB Controller 6A
	100-001-0072	100-002-0432
Output Power	72 W	216 W-432 W
Output Current	2A/Each Color	6A/Each Color
Input Voltage	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF




RGB CONTROLLER / RGB AMPLIFIER

AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



	AMPLIFIER-12A	AMPLIFIER-30A
	101-001-0144	101-001-0360
Output Power	144 W	360 W
Output Current	4A/Each Color	10A/Each Color
35x28 RGB LED Strip	30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter




**HOROZ ELECTRIC**

LED Module Strip

NELSON


081 024 0001

**NEW
PRODUCT****12V DC****WATERPROOF**

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1 set: 20 module

**NELSON / RGB**

081 024 0002




LED MODULE STRIP



**PROFILE - R1**


120 001 0001

■ Recessed Type

3m**NEW
PRODUCT****PROFILE - R2**


120 001 0002

■ Recessed Type

3m**NEW
PRODUCT****PROFILE - S1**


120 002 0001

■ Surface Type

3m**NEW
PRODUCT****PROFILE - S2**


120 002 0002

■ Surface Type

3m**NEW
PRODUCT****PROFILE - C1**

120 003 0001

■ Corner Type


3m**NEW
PRODUCT**

**HOROZ****ELECTRIC**

LED Christmas Light & Drivers

MONTANA**AG****LINKABLE****080 001 0004**

- 4.5V DC
- 4W/10m
- 335 lm/10m
- Average Life: 30.000 Hrs
- Standart Length: 1 m / 10 LED
- Package : 10m/ Roll

**Red****3000K****Green****6400K****Blue****RGB****HOROZ****ELECTRIC**


LED Christmas Light & Drivers



- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4,5V



	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:50 B:20 C:25	A:60 B:20 C:25



**HOROZ ELECTRIC**


LED Lantern / LED Solar Camping Light

VERON


084 037 0015

**CCT Adjustable**


- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K)
- 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****CRESPO**

084 036 0025



- 5V DC Micro USB
- 550 / 195 / 40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5 - 5 - 20 Hours
- Charging Time: 4 - 6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE**


LED LANTERN / LED SOLAR CAMPING LIGHT

**HOROZ ELECTRIC**

LED Lantern
LED Solar Camping Light
Emergency LED Lantern
LED Headlight
LED Torch
LED Emergency Exit Lamp

**FORLAN**


084 023 0010




- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube: 1.5 Hours
- 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****ROMARIO**

084 022 0010



- 220 - 240V / 50 - 60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hour for Strong Light
- 25 Hours for Weak Light
- Average Life: 30.000 Hrs


SOLAR**RECHARGEABLE**

**HOROZ****ELECTRIC**

Emergency LED Lantern

HENRY

084 034 0005



- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included





LED LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT-UP

**MALDINI**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included




LED LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003
Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45

**HOROZ ELECTRIC**

Emergency LED Lantern / LED Headlight

WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs





LED LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP

**MESSI**

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DESK LAMP MODE

HANGABLE
+
MOUNTABLE

	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50




LED LANTERN

RECHARGEABLE

EMERGENCY


AUTOMATIC LIGHT-UP



EMERGENCY LED LANTERN / LED HEADLIGHT



MÜLLER

084 018 0001



- RECHARGEABLE
- AUTOMATIC LIGHT-UP
- AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110°
- Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs

**BECKHAM**

LED HEADLIGHT

RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs





	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



**HOROZ****ELECTRIC****LED Torch****ZOLA**

084 038 0001



- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4 - 6 Hrs
- Average Life: 30.000 Hrs

**LED TORCH****RECHARGEABLE****PELE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 4 Hours for Weak Light 1 Hour for Strong Light





	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170

**LED TORCH****RECHARGEABLE****BEST**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 1 Hour for Strong Light 4 Hours for Weak Light





	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240

**LED TORCH****RECHARGEABLE****PUSKAS**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs





	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003
Power	0.5 W	0.9 W
Luminous Flux	25 lm	45 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	4 Hours	5 Hours
Sizes (mm)	A: 75 B: 195	A: 100 B: 210

**LED TORCH****RECHARGEABLE****MARADONA-2**

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time: 4 Hours for Strong Light 16 Hours for Weak Light
- Average Life: 30.000 Hrs

**LED TORCH****RECHARGEABLE**

**HOROZ****ELECTRIC**

LED Emergency Exit Lamp

ROBSON

084 020 0002


- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



LED EMERGENCY EXIT LAMP

ZOFF

084 019 0001


- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



**HOROZ****ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ****ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12±1m Max. (<24°C)
- Time-delay: 5 sec ~ 7±2min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec ~ 8±2 min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




**HOROZ****ELECTRIC****Sensor****FOCUS**

088 001 0001

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max.1000W
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: <10Lux - 2000Lux




360°

MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8 m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




360°

ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




360°

CORSA

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m



360°

POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec. Max. 12 min ± 1 min
- Ambient Light: <3-2000Lux (adjustable)
- Rated Load: Max.1200W
- Detection Motion Speed: 0.6-1.5 m/s



360°




Detection is possible to go through doors, panes of glass or thin walls

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)




360°

**HOROZ****ELECTRIC****Doorbell****LORD**


086 001 0001

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional

**SOLID**


086 001 0002

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional

**SOLO**


086 001 0006

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional

**ALBA**


086 001 0004

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional

**HELIX**


086 001 0003

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110°
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm
- USB Cable Included

**VIOLA**

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



**HOROZ ELECTRIC**

Wireless Lighting Controller Switch Timer / Dimmer




CONTROLLER

Wireless Lighting Controller Switch



30m-60m

- Working voltage: AC 180 - 250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
Energy saving lamp / LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)

**CONTROLLER-1**

105-001-0001

1 Channel

CONTROLLER-2


105-001-0002

2 Channels

CONTROLLER-3


105-001-0003

3 Channels



TIMER

- Working voltage: AC 220 - 240V 50Hz
- Power: 3500W
- Current: 16A




	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001
Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

HORIZON

112 006 0001

- 250V~
- DIMMER (10A)
- 400W (Incandescent)
300W (LED)



**HOROZ® ELECTRIC****Switch / Socket****ATOM**

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2 - GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003


■ 1 - GANG GROUNDED SOCKET (16A)
■ 1 - GANG ONE WAY SWITCH (10A)

112 100 0005

■ 1 - GANG GROUNDED SOCKET (16A)
■ 2 - GANG ONE WAY SWITCH (10A)

112 100 0002

■ 2 - GANG GROUNDED SOCKET (16A)

**HOROZ® ELECTRIC****Switch
Socket**



EVA

■ 250V~



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



**HOROZ ELECTRIC**

Motor Protector Box / Motor Protector

**HOROZ ELECTRIC**


Motor Protector Box
Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

**SAFE**


Motor Protector Box

■ For all Motor Protectors except 114-006-2540

114 008 0001

**NEW
PRODUCT****SAFE**

Motor Protector

**NEW
PRODUCT**


	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 121B.615C.105

**HOROZ****ELECTRIC**

Contactor / Thermal Relay

SAFE


Contactor

**NEW
PRODUCT**

	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5.5kW	7.5kW	11kW	15kW	18.5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 47 B: 76 C: 82	A: 47 B: 76 C: 82	A: 47 B: 76 C: 87	A: 57 B: 86 C: 95	A: 57 B: 86 C: 100	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116

SAFE

Thermal Relay

**NEW
PRODUCT**

	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7

**HOROZ****ELECTRIC**

Miniature Circuit Breaker

SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA

**(B)****(C)****(C)**

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm



	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm

**(C)****(C)**

**HOROZ****ELECTRIC****Residual Current Circuit Breaker / Moulded Case Circuit Breaker****SAFE****RCCB Circuit Breaker**

	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

**HOROZ[®] ELECTRIC**

Lamp Holder

**HOROZ[®] ELECTRIC**

Lamp Holder



094 004 0001

10 cm.


20 cm.

094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004




094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002




094 003 0003



094 003 0004




**HOROZ ELECTRIC****Starter / Transformer / Adhesive Tape /
Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable****Starter**

	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

■ 220-240V / 50-60Hz
■ 12V AC

**TRANSFORMER-60****TRANSFORMER-105**

093-001-0060

093-001-0105

Power : 60 W

105 W

**HOROZ ELECTRIC**
**Starter / Transformer / Adhesive Tape /
Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable**
**ADHESIVE TAPE**

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS



■ 20 YARDS

NAIL CABLE CLIP

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE

■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6COAXIAL CABLE
100m ROLL

6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP■ NETWORK CABLE
305m ROLL

UTP Cat5e



UTP Cat6

**HOROZ ELECTRIC**

Connector / Wire Spring / Terminal Block

IP 68 CONNECTOR


- 250V~ / 16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection




	IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
	106-004-0001	106-004-0002
Pole :	1 Pole	2 Poles

SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent




	SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
	103-002-0002	103-002-0003	103-002-0005
Pole :	2 Poles	3 Poles	5 Poles



CONNECTOR

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG




	CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
	103-001-0002	103-001-0003	103-001-0005
Pole :	2 Poles	3 Poles	5 Poles

**HOROZ ELECTRIC**

Connector Wire Spring Terminal Block



WIRE SPRING



	WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
	106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060
Pole :	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-ști-



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **Kaçmaz**Grup

www.horozelektrik.com

