



HOROZ[®]

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



www.horozelektrik.com

2023
CATALOGUE





HOROZ[®] ELECTRIC

2023
C A T A L O G U E

Contents

 175 ADHESIVE TAPE	 115 ALUMINIUM BULKHEAD LAMP	 158 ALUMINIUM PROFILE	 175 CABLE TIE	 81 CEILING LAMP	 175 COAXIAL CABLE	 176 CONNECTOR
 171 CONTACTOR	 79 DECORATIVE CEILING LAMP	 88 DESK LAMP	 04 DIMMABLE LED BULB	 10 DIMMABLE LED CAPSULE	 167 DIMMER	 166 DOORBELL
 19 DOWNLIGHT FITTING	 48 DRYWALL KIT	 94 ELECTRONIC WALL LAMP	 160 EMERGENCY LED LANTERN	 17 ENERGY SAVING LAMP	 88 FLOOR LAMP	 17 FLUORESCENT TUBE
 48 FRAME	 117 GARDEN LAMP	 73 GLASS PENDANT LAMP	 18 HALOGEN LAMP	 174 LAMP HOLDER	 04 LED 3CCT BULB	 46 LED BACKLIGHT PANEL
 89 NEW LED BATTEN LIGHT	 04 LED BULB	 113 NEW LED BULKHEAD LAMP	 107 LED CANOPY LIGHT	 10 LED CAPSULE	 80 LED CEILING LAMP	 66 LED CRYSTAL SUSPENSION LIGHT
 77 LED DECORATIVE CEILING LAMP	 87 LED DESK LAMP	 24 NEW LED DOWNLIGHT	 151 LED DRIVER	 163 LED EMERGENCY EXIT LAMP	 13 LED FILAMENT BULB	 48 LED FRAME PANEL
 105 NEW LED FRAMELESS PROJECTOR	 123 NEW LED GARDEN LAMP	 161 LED HEADLIGHT	 96 NEW LED HIGH BAY LAMP	 141 LED HOUSE NUMBER LIGHT	 144 NEW LED INGROUND & RECESSED LAMP	 159 LED LANTERN
 95 LED LINEAR HIGH BAY LAMP	 59 LED LINEAR SUSPENSION LIGHT	 49 NEW LED MAGNETIC LIGHT SYSTEM	 157 NEW LED MODULE STRIP	 116 LED NIGHT LAMP	 47 LED PANEL	 05 LED PHOTOCELL BULB
 83 LED PICTURE & MIRROR LAMP	 101 NEW LED PROJECTOR	 107 LED PROJECTOR STAND	 105 NEW LED RGB PROJECTOR	 86 NEW LED READING LAMP	 144 LED RECESSED SENSOR LAMP	 99 NEW LED RECHARGEABLE PROJECTOR

ADHESIVE TAPE	175	NEW LED SENSOR DOWNLIGHT	34
ALUMINIUM BULKHEAD LAMP	115	NEW LED SMART BULB	5
ALUMINIUM PROFILE	158	LED SOLAR CAMPING LIGHT	159
CABLE TIE	175	LED SOLAR HOUSE NUMBER LIGHT	143
CEILING LAMP	81	LED SOLAR LAMP	142
COAXIAL CABLE	175	NEW LED SOLAR PROJECTOR	98
CONNECTOR	176	LED SOLAR SECURITY LIGHT	98
CONTACTOR	171	NEW LED SOLAR STREET LIGHT	108
DECORATIVE CEILING LAMP	79	LED SPOTLIGHT	57
DESK LAMP	88	NEW LED STREET LIGHT	112
DIMMABLE LED BULB	4	NEW LED STRING LIGHT	70
DIMMABLE LED CAPSULE	10	NEW LED STRIP	147
DIMMER	167	LED SURFACE BACKLIGHT	40
DOORBELL	166	NEW LED SURFACE LIGHT	35
DOWNLIGHT FITTING	19	NEW LED SUSPENSION LIGHT	61
DRYWALL KIT	48	LED TORCH	162
ELECTRONIC WALL LAMP	94	NEW LED TRACK LIGHT	52
EMERGENCY LED LANTERN	160	LED TUBE	12
ENERGY SAVING LAMP	17	LED TUBE FIXTURE	93
FLOOR LAMP	88	NEW LED WALL LIGHT	75
FLUORESCENT TUBE	17	LED WATERPROOF LAMP	91
FRAME	48	LIGHT CONTROL PHOTOSENSOR	164
GARDEN LAMP	117	LIGHTING TRACK	58
GLASS PENDANT LAMP	73	MINIATURE CIRCUIT BREAKER	172
HALOGEN LAMP	18	NEW MODUL DOWNLIGHT FITTING	22
LAMP HOLDER	174	MOTOR PROTECTOR	170
LED 3CCT BULB	4	MOTOR PROTECTOR BOX	170
LED BACKLIGHT PANEL	46	MOULDED CASE CIRCUIT BREAKER	173
NEW LED BATTEN LIGHT	89	NAIL CABLE CLIP	175
LED BULB	4	NETWORK CABLE	175
NEW LED BULKHEAD LAMP	113	PENDANT LAMP	72
LED CANOPY LIGHT	107	PORTABLE LED PROJECTOR	106
LED CAPSULE	10	PROJECTOR STAND	107
LED CEILING LAMP	80	RECESSED LAMP	144
LED CRYSTAL SUSPENSION LIGHT	66	RECESSED MONOPOINT	58
LED DECORATIVE CEILING LAMP	77	RECHARGEABLE LED BULB	4
LED DESK LAMP	87	REFLECTOR LAMP	18
NEW LED DOWNLIGHT	24	RESIDUAL CURRENT CIRCUIT BREAKER	173
LED DRIVER	151	RGB AMPLIFIER	156
LED EMERGENCY EXIT LAMP	163	RGB CONTROLLER	156
LED FILAMENT BULB	13	RGB RF CONTROLLER	150
LED FRAME PANEL	48	NEW RGB LED STRIP KIT	152
NEW LED FRAMELESS PROJECTOR	105	RGB SOCKET SET	150
NEW LED GARDEN LAMP	123	SENSOR	164
LED HEADLIGHT	161	SOCKET	168
NEW LED HIGH BAY LAMP	96	NEW SOCKET SET	150
LED HOUSE NUMBER LIGHT	141	SPOTLIGHT	57
NEW LED INGROUND & RECESSED LAMP	144	STARTER	175
LED LANTERN	159	STRING LIGHT	71
LED LINEAR HIGH BAY LAMP	95	NEW SURFACE LIGHT	46
LED LINEAR SUSPENSION LIGHT	59	SWITCH	168
NEW LED MAGNETIC LIGHT SYSTEM	49	NEW TERMINAL BLOCK	176
NEW LED MODULE STRIP	157	THERMAL RELAY	171
LED NIGHT LAMP	116	TIMER	167
LED PANEL	47	TOUCH CONTROLLER	155
LED PHOTOCCELL BULB	5	TRACK CONNECTOR	58
LED PICTURE & MIRROR LAMP	83	NEW TRACK LIGHT	55
NEW LED PROJECTOR	101	TRANSFORMER	175
NEW LED RGB PROJECTOR	105	NEW WATERPROOF LED STRIP	148
LED PROJECTOR STAND	107	WIRE SPRING	176
LED READING LAMP	86	WIRELESS LIGHTING CONTROLLER SWITCH	167
LED RECESSED SENSOR LAMP	144		
NEW LED RECHARGEABLE PROJECTOR	99		
LED SENSOR BULB	5		

E x p e r i e n c e i n L i g h t i n g

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 05/2023



05

LED SENSOR BULB



34

NEW

LED SENSOR DOWNLIGHT



05

NEW

LED SMART BULB



159

LED SOLAR CAMPING LIGHT



143

LED SOLAR HOUSE NUMBER LIGHT



142

LED SOLAR LAMP



98

NEW

LED SOLAR PROJECTOR



98


LED SOLAR SECURITY LIGHT



108

NEW

LED SOLAR STREET LIGHT



57

LED SPOTLIGHT



112

LED STREET LIGHT



70

NEW


LED STRING LIGHT



147

NEW

LED STRIP



40

LED SURFACE BACKLIGHT



35

NEW

LED SURFACE LIGHT



61

NEW

LED SUSPENSION LIGHT



162


LED TORCH



52

NEW

LED TRACK LIGHT



12

LED TUBE



93

LED TUBE FIXTURE



75

NEW

LED WALL LIGHT



91

LED WATERPROOF LAMP



164

LIGHT CONTROL PHOTOSENSOR



58

LIGHTING TRACK



172

MINIATURE CIRCUIT BREAKER



22

NEW

MODUL DOWNLIGHT FITTING



170

MOTOR PROTECTOR



170

MOTOR PROTECTOR BOX



173

MOULDED CASE CIRCUIT BREAKER



175

NAIL CABLE CLIP



175

NETWORK CABLE



72

PENDANT LAMP



106

PORTABLE LED PROJECTOR



107

PROJECTOR STAND



144

RECESSED LAMP



58

RECESSED MONOPOINT



04

RECHARGEABLE LED BULB



18

REFLECTOR LAMP



173

RESIDUAL CURRENT CIRCUIT BREAKER



156

RGB AMPLIFIER



156

RGB CONTROLLER



152


NEW

RGB LED STRIP KIT



150

RGB RF CONTROLLER



150

RGB SOCKET SET



164

SENSOR



168

SOCKET



150

NEW

SOCKET SET



57

SPOTLIGHT



175

STARTER



71

STRING LIGHT



46

NEW

SURFACE LIGHT



168

SWITCH



176

NEW

TERMINAL BLOCK



171

THERMAL RELAY



167

TIMER



155

TOUCH CONTROLLER



58

TRACK CONNECTOR



55

NEW

TRACK LIGHT



175

TRANSFORMER



148


NEW

WATERPROOF LED STRIP



176

WIRE SPRING



167



WIRELESS LIGHTING CONTROLLER SWITCH

**HOROZ ELECTRIC**

LED Bulb / LED 3CCT Bulb / Rechargeable LED Bulb / Dimmable LED Bulb

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018
Power	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	500 lm	850 lm	1000 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	A:55 B:100	A:60 B:108	A:60 B:110	A:60 B:120	A:60 B:125	A:60 B:125


**HOROZ ELECTRIC**

LED Bulb
LED Capsule
LED Tube


**COMBO-10**

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)




CCT Switchable

**DURAMAX-12**


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3.7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm



001 055 0012



Rechargeable
Emergency
LED Bulb





Emergency Lighting
Duration: 3 Hours

**EXPERT-10**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K



001 021 0010





HOROZ[®] ELECTRIC

LED Smart Bulb / LED Photocell Bulb / LED Sensor Bulb


D I M M A B L E

HOROSCOPE-9

001 076 0009




- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB




DARK-10

001 068 0010




- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K

Built-in
Photocell
Sensor




FORCE-10


001 067 0010



- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec



LED SMART BULB / LED PHOTOCELL BULB / LED SENSOR BULB



**HOROZ****ELECTRIC****LED Bulb****FOX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

F **A** **G**

FOX-6	FOX-9	FOX-12	FOX-15
001-069-0006	001-069-0009	001-069-0012	001-069-0015

Power	:	6 W	9 W	12 W	15 W
Luminous Flux	:	510 lm	770 lm	1050 lm	1350 lm
Sizes (mm)	:	A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146


**FONIX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F **A** **G**

FONIX-4	FONIX-6	FONIX-8
001-001-0004	001-001-0006	001-001-0008

Power	:	4 W	6 W	8 W
Luminous Flux	:	290 lm	440 lm	610 lm
Sizes (mm)	:	A: 50 B: 51.5	A: 50 B: 51.5	A: 50 B: 56.5




**HOROZ****ELECTRIC**

LED Bulb / Dimmable LED Bulb


PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K

001 075 0006



GLASS


**NEW
PRODUCT**

GU10



CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**NEW
FAMILY**


CONVEX-8

CONVEX-10

001-064-0008

001-064-0010

Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm




GU10

D I M M A B L E

VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**NEW
FAMILY****NEW
FAMILY**

VISION-6

VISION-8


VISION-10

001-022-0006

001-022-0008

001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm




GU10

F A T G**DIMMABLE**

PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



PLUS-4

PLUS-6

PLUS-8

PLUS-10


001-002-0004

001-002-0006

001-002-0008

001-002-0010

Power	:	4 W	6 W	8 W	10 W
Luminous Flux	:	290 lm	440 lm	610 lm	800 lm




GU10

F A T G


LED BULB / DIMMABLE LED BULB

**HOROZ****ELECTRIC****LED Bulb****ULTRA**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 100	A: 37 B: 110	A: 37 B: 110

**E14****CRAFT**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 124	A: 37 B: 135	A: 37 B: 135

**E14****ELITE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F


	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 80	A: 45 B: 90	A: 45 B: 90

**E14****E27****REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


G**F**

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	4 W	6 W	10 W	12 W
Luminous Flux	260 lm	480 lm	920 lm	1150 lm
Lamp Holder	E14	E14	E27	E27
Sizes	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115


**E14****E27**

**HOROZ****ELECTRIC****LED Bulb****TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F **A** **G**



Additional E40 lamp holder included in
Torch-80 and Torch-100 to convert E27 to E40



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	: 30 W	: 40 W	: 50 W	: 80 W	: 100 W
Color Temperature	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 6400K	: 6400K
Lamp Holder	: E27	: E27	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3120 lm	: 4250 lm	: 5350 lm	: 8300 lm	: 10600 lm
Sizes (mm)	: A: 80 B: 135	: A: 100 B: 165	: A: 118 B: 190	: A: 138 B: 220	: A: 138 B: 233	: A: 160 B: 270 (E27)

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	: 20 W
Luminous Flux	: 1600 lm	: 2010 lm
Sizes (mm)	: A: 95 B: 136.5	: A: 120 B: 161



LED BULB

UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


F **A** **G**

	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	: 50 W	: 70 W
Luminous Flux	: 3050 lm	: 5200 lm	: 7500 lm
Sizes (mm)	: A: 120 B: 110	: A: 150 B: 140	: A: 170 B: 170




PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
	001-045-0004	001-045-0006	001-045-0008	001-045-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60



MEGA-5

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K



001 011 0005



D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K





	NANO-2	NANO-3
	001-008-0002	001-008-0003
Power	1,5 W	3 W
Luminous Flux	105 lm	210 lm
Color Temperature:	2700K/6400K	6400K



EXA-3

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K


001 047 0003






CORN

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs





	CORN-4	CORN-7
	001-062-0004	001-062-0007
Power	4 W	7 W
Luminous Flux	360 lm	760 lm
Color Temperature	2700K/4200K/6400K	6400K
Sizes (mm)	A: 30 B: 95	A: 35 B: 135



F A ↑ G

MINI

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K





G A ↑ G

GIGA-4

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K

001 046 0004




F A ↑ G

MIDI

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K


001 012 0002




G A ↑ G

MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A: 12 B: 34	A: 12 B: 36





G A ↑ G

TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K


001 024 0002



F A ↑ G

PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	PIKO-2	PIKO-3
	001-007-0002	001-007-0003
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm




G A ↑ G

**HOROZ****ELECTRIC****LED Tube / LED Bulb****LED TUBE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K






	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	9 W	18 W	24 W
Luminous Flux	830 lm	1800 lm	2500 lm
Length (mm)	L: 600	L: 1200	L: 1500

**TRIO-R**




- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3800 lm
- 6400K

001 065 0036

**Rotatable****DAISY**

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs



001 061 0040





FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT CANDLE-4

001-013-0004


FILAMENT CANDLE-6

001-013-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT FLAME-4

001-014-0004


FILAMENT FLAME-6

001-014-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT GLOBE-4

001-015-0004

FILAMENT GLOBE-6

001-015-0006

FILAMENT GLOBE-8

001-015-0008

FILAMENT GLOBE-10

001-015-0010


FILAMENT GLOBE-12

001-015-0012

FILAMENT GLOBE-15

001-015-0015

Power	:	4 W	6 W	8 W	10 W	12 W	15 W
Luminous Flux	:	450 lm	700 lm	900 lm	1200 lm	1540 lm	1750 lm
Sizes (mm)	:	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112	A: 67 B: 112	A: 70 B: 131



**HOROZ® ELECTRIC**



LED Filament Bulb

RUSTIC GLOBE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



001 030 0006


**AMBER
COLOR****6W****FILAMENT LED**

RUSTIC VINTAGE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




001 029 0006

**AMBER
COLOR****6W****FILAMENT LED**

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR****FILAMENT
LED****RUSTIC TUBE - 6 RUSTIC TUBE - 8****001-033-0006 001-033-0008**

Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235



LED FILAMENT BULB



**HOROZ ELECTRIC**

LED Filament Bulb

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

**AMBER
COLOR****TITANIUM
COLOR****TOLEDO**


001 049 0008

**PARADOX****PARADOX-XL**


001 052 0008

**GINZA****GINZA-XL**


001 050 0008

**ORIGAMI****ORIGAMI-XL**

001 053 0008

**ENIGMA****ENIGMA-XL**

001 051 0008

**ELLIPTIC****ELLIPTIC-XL**


001 054 0008




LED FILAMENT BULB

**HOROZ****ELECTRIC****LED Bulb****FIREFLUX**

001 048 0005



- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

**3 Modes****Flame Mode****General Lighting Mode****Breathing Mode****PINE**


001 059 0002

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

**6400K**
236 lm**RED**
19 lm**AMBER**
154 lm**BLUE**
32 lm**GREEN**
187 lm**PINK**
175 lm**RAINBOW**

001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



■ 105 lm



■ 34 lm



■ 68 lm



■ 12 lm




■ 120 lm

**SPECTRA**

001 017 0003

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



■ 315 lm



■ 102 lm



■ 205 lm



■ 38 lm




■ 250 lm



**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp


- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5




	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045 lm	1660lm	2350 lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



TUBE-8



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360 lm	740 lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter :	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174





HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K	2700K	2700K	2700K
Luminous Flux :	410 lm	550 lm	770 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146




**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs



	GU10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	50 W	50 W	50 W
Luminous Flux	340 lm	650 lm	550 lm
Lamp Holder	GU10	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp




Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




Average Life: 2.000 Hrs



	JC G4	JC G4 WHITE
	12V AC	12V AC
Power	20 W	20 W
Luminous Flux	250 lm	200 lm

Average Life: 2.000 Hrs




	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	25 W / 40W	40W	40W
Luminous Flux	270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**

Reflector Lamp



220-240V / 50-60Hz
Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60
	007-001-0030	007-002-0040	007-002-0060	007-003-0060
Power	30 W	40 W	60 W	60 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm
Lamp Holder	E14	E14	E14	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95



**HOROZ ELECTRIC**

Downlight Fitting

AZER

- Lamp holder not included
- Max. 50W



BLACK

WHITE

GOLD



AZER-1

015-039-0001




AZER-2

015-040-0001



AZER-3

015-041-0001

**HOROZ ELECTRIC**

Downlight Fitting Modul Downlight Fitting



MEYAN

- Lamp holder not included

WHITE

BLACK



MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



PETUNYA

- Lamp holder not included

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Power	:	Max. 50 W	Max. 2x50 W	Max. 3x50 W
Cutting Size (mm)	:	93x93	93x170	93x256
Sizes (mm)	:	A:100 B:100 C:32	A:100 B:185 C:32	A:100 B:270 C:32



**HOROZ ELECTRIC**


Downlight Fitting

KARANFİL


■ Lamp holder not included

WHITE

BLACK

**KARANFİL-R**

015-022-0050


**KARANFİL-S**

015-023-0050




RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME



■ Frame Ring for
KARANFİL-R

KAKTÜS


■ Lamp holder not included

WHITE

BLACK

**KAKTÜS-R**

015-034-0001

**KAKTÜS-S**

015-035-0001



**HOROZ ELECTRIC**


Downlight Fitting

SARDUNYA


■ Lamp holder not included

**WHITE****SARDUNYA-R**

015-017-0050

**SARDUNYA-S**


015-018-0050



KAMELYA

■ Lamp holder not included


015 025 0050

CHROME**MAT CHROME****BLACK****WHITE****GOLDEN**

LAVANTA

■ Lamp holder not included


015 024 0050

CHROME**MAT CHROME****BLACK****WHITE****GOLDEN**

ORKIDE

■ 220-240V / 50-60Hz
■ Max. 50W

015 007 0050

CHROME**MAT CHROME****GOLDEN****WHITE**

**HOROZ ELECTRIC**

Modul Downlight Fitting

RECESSED


■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9**WHITE****BLACK****RECESSED-R**


015-042-0001

**RECESSED-SQ1**


015-043-0001

**RECESSED-SQ2**


015-043-0002

**RECESSED-SQ3**

015-043-0003

**RECESSED-SQ4**


015-043-0004

**SURFACE**


■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9**WHITE****BLACK****SURFACE-R**


015-044-0001

**SURFACE-SQ1**


015-045-0001

**SURFACE-SQ2**


015-045-0002

**SURFACE-SQ3**

015-045-0003

**SURFACE-SQ4**

015-045-0004



MODUL-9

016 076 0009





BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K/6400K



suitable for module fitting cases



MODUL-G

128 003 0001



BLACK

GOLD

WHITE



suitable for module fitting cases

Suitable for GU10 and G5.3 led bulbs



MODUL DOWNLIGHT FITTING



**HOROZ ELECTRIC**

LED Downlight

**HOROZ ELECTRIC**

LED Downlight LED Sensor Downlight





ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K





LUNA

016 041 0003

WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available





BIANCA

016 036 0003

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K




**HOROZ****ELECTRIC****LED Downlight****MELODY**


016 069 0005

**MAT CHROME****WHITE****BLACK**

- 170 - 260V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K
- Linked Sets: 18 pcs



double spring clamp connector



LED DOWNLIGHT

GABRIEL



016 029 0006

**JESSICA**

016 030 0006

**WHITE**

- 100 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K




**HOROZ ELECTRIC**


LED Downlight

NORA PRO-5

016 053 1005



**CCT Adjustable****WHITE****BLACK**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm



NORA




- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	NORA -5	NORA -7	NORA -9	NORA -12
	016-053-0005	016-053-0007	016-053-0009	016-053-0012
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35

MAYA


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	MAYA -5	MAYA -7	MAYA -9	MAYA -12
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35

**HOROZ****ELECTRIC****LED Downlight****PARKER**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


double spring clamp connector**BLACK****WHITE**

Easy connection available
Linked Sets: Max. 18 pcs
(5w)


Easy connection available
Linked Sets: Max. 8 pcs
(12w)



	PARKER-5	PARKER-12
	016-071-0005	016-071-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 40 B: 82	A: 38 B: 148

**CARTER**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


double spring clamp connector**BLACK****WHITE**

Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)





	CARTER-5	CARTER-12
	016-072-0005	016-072-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 35 B: 82	A: 33 B: 145




**HOROZ****ELECTRIC****LED Downlight****VALENTINA**

- 165-260V / 50-60Hz
- Average Life: 25 000 Hrs
- 3000K-6500K



**2 CCT****ADJUSTABLE CUT HOLE**

	VALENTINA-6	VALENTINA-12	VALENTINA-24	VALENTINA-36
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	: 12 W	: 24 W	: 36 W
Luminous Flux	: 480 lm	: 960 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 50-90	: 50-105	: 50-150	: 50-205
Sizes (mm)	: A:100 B:25	: A:120 B:25	: A:170 B:25	: A:220 B:25




**HOROZ****ELECTRIC****LED Downlight****STELLA****STELLA/SQ**


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**ADJUSTABLE CUT HOLE**

	STELLA - 8	STELLA - 16	STELLA - 20	STELLA - 30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power :	8 W	16 W	20 W	30 W
Luminous Flux :	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm) :	55-70	55-100	55-150	55-200
Sizes (mm) :	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19



	STELLA/SQ - 8	STELLA/SQ - 16	STELLA/SQ - 20	STELLA/SQ - 30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power :	8 W	16 W	20 W	30 W
Luminous Flux :	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm) :	55-70	55-100	55-150	55-200
Sizes (mm) :	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19



LED DOWNLIGHT


**HOROZ****ELECTRIC**

LED Downlight


LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm)	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power	5 W	10 W	15 W	20 W	30 W
Luminous Flux	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm)	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225




**HOROZ****ELECTRIC****LED Downlight**

LED DOWNLIGHT

ALEXA

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K/4200K/7000K




WHITE

BLACK




	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power	: 8 W	: 12 W	: 20 W	: 24 W	: 30 W
Luminous Flux	: 600 lm	: 900 lm	: 1500 lm	: 1800 lm	: 2250 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø115	: Ø145	: Ø190
Sizes (mm)	: A: 32 B: 98	: A: 32 B: 120	: A: 32 B: 145	: A: 32 B: 180	: A: 32 B: 230



**HOROZ****ELECTRIC**

LED Downlight

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K





CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40




SLIM

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



**WHITE**

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297




SLIM / Sq

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:292





**HOROZ****ELECTRIC**


LED Downlight

HARLEY

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT

**2 CCT****WHITE****BLACK****ADJUSTABLE CUT HOLE**


	HARLEY-5	HARLEY-10	HARLEY-16	HARLEY-20
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40




LED DOWNLIGHT

VIOLET

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33




**HOROZ ELECTRIC**

LED Sensor Downlight

MARTHA PRO-18

016 060 1018

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT




WHITE

BLACK



Recessed




Surface Mounting

Built-in
Photocell &
PIR Sensor

→ Day & Night motion sensor mode

← Night motion sensor mode




360°

**MARTHA-18**


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 6400K

016 060 0018




WHITE



BLACK



Recessed



Surface Mounting

Built-in
Photocell &
PIR Sensor

→ Day & Night motion sensor mode

← Night motion sensor mode



360°




**HOROZ ELECTRIC**

LED Surface Light

SOFIA

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38

**HOROZ ELECTRIC**

LED Surface Light


LED Surface Backlight

Surface Light




SOFIA/S

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK



	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38




LED SURFACE LIGHT

**HOROZ ELECTRIC**


LED Surface Light

NORA PRO/S-5

016 078 1005


**CCT Adjustable****WHITE****BLACK**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm





CARLA

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**WHITE**


	CARLA-16	CARLA-24	CARLA-32	CARLA-48
	016-058-0016	016-058-0024	016-058-0032	016-058-0048

Power	: 16 W	: 24 W	: 32 W	: 48 W
Luminous Flux	: 1520 lm	: 2280 lm	: 3040 lm	: 4500 lm
Sizes (mm)	: A:120 B:45	: A:175 B:45	: A:225 B:45	: A:300 B:45





CARLA/SQ

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**WHITE**

	CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
	016-059-0016	016-059-0024	016-059-0032	016-059-0048

Power	: 16 W	: 24 W	: 32 W	: 48 W
Luminous Flux	: 1520 lm	: 2280 lm	: 3040 lm	: 4500 lm
Sizes (mm)	: A:125 B:45	: A:172 B:45	: A:225 B:45	: A:300 B:45



**HOROZ****ELECTRIC****LED Surface Light**


LED SURFACE LIGHT

HAZEL


- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK




	HAZEL-24	HAZEL-32	HAZEL-40
	016-077-0024	016-077-0032	016-077-0040
Power	24 W	32 W	40 W
Luminous Flux	1680 lm	2240 lm	2800 lm
Sizes (mm)	A: 300 B: 55	A: 380 B: 55	A: 450 B: 60



**HOROZ****ELECTRIC****LED Surface Light****SCARLETT - 30**


- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 6400K

016 070 0030



WHITE

BLACK



**HOROZ****ELECTRIC**

LED Surface Light

ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power	: 15 W	: 20 W	: 30 W
Luminous Flux	: 1275 lm	: 1700 lm	: 2550 lm
Sizes (mm)	: A: 220 B: 49	: A: 280 B: 49	: A: 327 B: 49



LED SURFACE LIGHT

ANDREA/S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power	: 15 W	: 20 W	: 30 W
Luminous Flux	: 1275 lm	: 1700 lm	: 2550 lm
Sizes (mm)	: A: 220 B: 49	: A: 280 B: 49	: A: 327 B: 49







**HOROZ ELECTRIC**

LED Surface Light / LED Surface Backlight



LED SURFACE LIGHT / LED SURFACE BACKLIGHT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE**ARINA****WHITE****BLACK**



	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K

PULSAR-48

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

WHITE**BLACK****BACKLIGHT PANEL**


Inside of Product






PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE

BLACK



BACKLIGHT PANEL



Inside of Product



	PROTEUS-36	PROTEUS-48
	056-014-0036	056-014-0048
Power	36 W	48 W
Luminous Flux	3000 lm	4400 lm
Sizes (mm)	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38




**HOROZ****ELECTRIC**

LED Surface Light




LAYLA-15

016 073 0015

**BLACK****WHITE**


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K




SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL

**WHITE****BLACK**


	SANDRA-5	SANDRA-5 / XL	SANDRA-10	SANDRA-10 / XL	SANDRA-15	SANDRA-15 / XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162




SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ / XL

**WHITE****BLACK**

	SANDRA-SQ10	SANDRA-SQ10 / XL	SANDRA-SQ15	SANDRA-SQ15 / XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





JOKER

- 220-240V / 50-60Hz
- Bulb not included



BLACK

WHITE



JOKER-1

015-038-0001



JOKER-2

015-038-0002



JOKER-4

015-038-0004



JOKER-3

015-038-0003



JOKER-5

015-038-0005




JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6




**HOROZ****ELECTRIC****Surface Light****SALSA****SALSA-XL****SALSA-L****SALSA/SQ-L****WHITE****BLACK**


- 220-240V / 50-60Hz
- Max. 35W

**SALSA**


015-036-0001

**SALSA-L**


015-036-0002

**SALSA-XL**

015-036-0003

**SALSA/SQ-L**

015-037-0002

**REFLEX****CHROME****GOLD****RED COPPER****REFLEX**

128-001-0001

REFLEX-L

128-001-0002

REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) :

A: 60

A: 80

A: 100

A: 80


For Reflector :

Salsa

Salsa-L

Salsa-XL

Salsa/SQ-L



**HOROZ ELECTRIC**

Surface Light



MIAMI


- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included

015 033 0001



WHITE

BLACK




SURFACE LIGHT

FREZYA

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

WHITE

BLACK




FREZYA-R

015-026-0050

FREZYA-S

015-027-0050



**HOROZ[®] ELECTRIC**


LED Backlight Panel

PLAZMA -45


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

WHITE

056 010 0045

**BACKLIGHT
PANEL**


Inside of Product

**EUROPA -80**


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K

WHITE

056 009 0080

**BACKLIGHT
PANEL**



Inside of Product

**HOROZ[®] ELECTRIC**

LED Panel LED Backlight Panel Frame Drywall Kit

**TAURUS**


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE**TAURUS-36****TAURUS-48**

056-013-0036

056-013-0048

Power	:	36 W	48 W
Luminous Flux	:	3000 lm	4400 lm
Sizes (mm)	:	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32


**BACKLIGHT
PANEL**

Inside of Product




**HOROZ****ELECTRIC****LED Panel****GALAKSI-45**


056 002 0045

**WHITE**


- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K

**STAR-50**

056 001 0050

**SILVER**



- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K



LED PANEL

MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




WHITE

MOON-32	MOON-40
056-007-0032	056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

**ZODIAC**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE

ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8






HOROZ[®] ELECTRIC

LED Frame Panel / Frame / Drywall Kit




CAPELLA-48

056 012 0048



- 175 - 265V / 50 - 60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE




FRAME

WHITE

DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm): A: 600 B: 300 C: 45 A: 1200 B: 300 C: 45 A: 400 B: 400 C: 45 A: 500 B: 500 C: 45 A: 600 B: 600 C: 45



HOROZ

ELECTRIC

LED Magnetic Light System



HOROZ

ELECTRIC

LED Magnetic Light System




LED MAGNETIC LIGHT SYSTEM

RECESSED MAGNET RAIL MAGNET-R2



129 006 0002

SURFACE MAGNET RAIL MAGNET-S2



129 007 0002

THREE INSTALLATION




48VDC

2M



THICKNESS 2mm




**HOROZ****ELECTRIC**

LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-LL1



MAGNET-LL2




MAGNET-LM1




MAGNET-LM2




	MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
	129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028
Power	: 6 W	: 12 W	: 18 W	: 24 W	: 12 W	: 20 W	: 28 W
Luminous Flux	: 540 lm	: 1080 lm	: 1620 lm	: 2160 lm	: 1260 lm	: 2220 lm	: 3180 lm
CCT	: 3000K / 4200K	: 3000K / 4200K	: 3000K / 4200K	: 3000K / 4200K	: 3000K / 4200K	: 3000K / 4200K	: 3000K / 4200K
Sizes (mm)	: L:110 W:22 H:45	: L:220 W:22 H:45	: L:330 W:22 H:45	: L:450 W:22 H:45	: L:300 W:22 H:45	: L:600 W:22 H:45	: L:900 W:22 H:45

**MAGNET**


- 48VDC
- Average Life: 40.000 Hrs



BLACK



	MAGNET-ALL1	MAGNET-ALL2
	129-003-0012	129-003-0018
Power	: 12 W	: 18 W
Luminous Flux	: 1080 lm	: 1620 lm
CCT	: 3000K / 4200K	: 3000K / 4200K
Sizes (mm)	: L:220 W:22 H:90	: L:328 W:22 H:90




**HOROZ****ELECTRIC**


LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-T1

MAGNET-T2

129-005-0020

129-005-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
CCT	:	3000K/4200K	3000K/4200K
Sizes (mm)	:	L:138 Ø:57	L:145 Ø:67



MAGNET-P1

MAGNET-P2

129-004-0020

129-004-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
CCT	:	3000K/4200K	3000K/4200K
Sizes (mm)	:	Ø:65 H:200	Ø:80 H:200

MAGNET

- 220VAC/48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-PS1

MAGNET-PS2

129-008-0001

129-008-0002

Power	:	100 W	200 W
Sizes (mm)	:	L:220 W:22 H:25	L:310 W:22 H:37



MAGNET



BLACK




MAGNET-C1



MAGNET-C2



MAGNET-SJ



MAGNET-RJ



MAGNET-H



MAGNET-RC



MAGNET-RW



MAGNET-SC



MAGNET-SW


					MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW	
					MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H
					129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001
					129-011-0001	129-012-0001	129-013-0001	129-014-0001	
Sizes (mm)	:	L:370 W:16 H:17	L:220 W:16 H:17	80*23*T2.0	L:70 W:11.5 H:T1.0	L:1000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80

**HOROZ ELECTRIC**

LED Track Light

ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



WHITE

BLACK




ARIZONA-5

ARIZONA-10

018-027-0005

018-027-0010

Power	:	5 W	10 W
Luminous Flux	:	380 lm	730 lm
Beam Angle	:	52°	60°


**HOROZ ELECTRIC**

LED Track Light



VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK



VARNA-20

VARNA-30


VARNA-36

018-026-0020

018-026-0030

018-026-0036

Power	:	20 W	30 W	36 W
Luminous Flux	:	1600 lm	2400 lm	2880 lm
Sizes (mm)	:	A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180




**HOROZ****ELECTRIC**

LED Track Light

Z O O M A B L E

MONACO



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°




WHITE

BLACK




	MONACO-15	MONACO-30
	018-019-0015	018-019-0030
Power	15 W	30 W
Luminous Flux	1125 lm	2250 lm
Sizes (mm)	A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



LED TRACK LIGHT

LYON



- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK



	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024
Power	10 W	18 W	24 W
Luminous Flux	650 lm	1170 lm	1560 lm
Sizes (mm)	A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162




**HOROZ****ELECTRIC**


LED Track Light

BERN

018 017 0030


**WHITE****BLACK**

- 180 - 240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°




FARS

018 030 0026


**BLACK****WHITE**

- 185 - 265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K




DUBLIN

018 018 0035

**WHITE****BLACK**


- 180 - 240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



**HOROZ****ELECTRIC**

LED Track Light / Track Light

LONDRA


**WHITE****BLACK**

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



LONDRA-12	LONDRA-15
018-029-0012	018-029-0015

Power	:	12 W	15 W
Luminous Flux	:	1080 lm	1350 lm
Sizes (mm)	:	A: 50 B: 200	A: 60 B: 200

**HOROZ****ELECTRIC**

LED Track Light / Track Light




LONDRA-G

115 005 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



LED TRACK LIGHT / TRACK LIGHT

**HOROZ ELECTRIC**

Track Light

TORONTO

115 004 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included



BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included


**HOROZ ELECTRIC**

Track Light



DAKAR

115 001 0001




RABAT

115 002 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



**HOROZ ELECTRIC**

Spotlight / LED Spotlight


LOZAN

116 001 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



GU10



TOKYO

017 002 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°

**HOROZ ELECTRIC**

Spotlight LED Spotlight



SPOTLIGHT / LED SPOTLIGHT



**HOROZ ELECTRIC**

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK**WHITE****BLACK**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001

1 m.

097 001 0002

2 m.

097 001 0003

3 m.



33 mm ↑

TRACK CONNECTOR**WHITE****BLACK**

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001



L Connector


096-002-0002

**HOROZ ELECTRIC**

Lighting Track Track Connector Recessed Monopoint

**RECESSED MONOPOINT****BLACK****SILVER**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125




098 001 0001

**HOROZ ELECTRIC**


LED Linear Suspension Light

FORTUNE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available

BLACK**WHITE**

	FORTUNE3-40	FORTUNE5-40	FORTUNE10-80
	019-050-0040	019-051-0040	019-052-0080
Power	40 W	40 W	80 W
Luminous Flux	4200 lm	4200 lm	8000 lm
Width (mm)	30 mm	50 mm	100 mm

**HOROZ ELECTRIC**

LED Linear Suspension Light
LED Suspension Light
LED Crystal Suspension Light



LED LINEAR SUSPENSION LIGHT




**HOROZ****ELECTRIC**

LED Linear Suspension Light

INNOVA

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available




BLACK

WHITE



	INNOVA3-40	INNOVA5-40	INNOVA10-80
	019-033-0040	019-034-0040	019-049-0080
Power	: 40 W	40 W	80 W
Luminous Flux	: 3200 lm	3200 lm	6500 lm
Width (mm)	: 30 mm	50 mm	100 mm



**HOROZ[®] ELECTRIC**


LED Suspension Light

CALIBUR-24

019 031 0024

CHROME

- 110 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




CAMEL-24

019 032 0024

CHROME

- 110 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



PHOENIX

019 020 0038

CHROME

RED COPPER

- 110 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K



ELECTRA

019 021 0038

CHROME

RED COPPER

- 110 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K



OPTIMA-12

019 030 0012

OPTIMA-24



019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K



**HOROZ ELECTRIC**




LED Suspension Light

CONCORDE - 24

019 053 0024

**BLACK**




- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K

**CONCORDE - 36**

019 053 0036

**BLACK**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K





LED SUSPENSION LIGHT

**VENEZIA**

019 057 0040

**CHROME**



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K

**TROYA**

019 058 0024

**CHROME**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K



**HOROZ ELECTRIC**

LED Suspension Light

LIBERTY

019 054 0030



CHROME

BLACK


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



30W

SMD LED

2700K 4000K 6400K



CORNELIA


019 055 0060



CHROME

BLACK


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K



60W

SMD LED

2700K 4000K 6400K



MONZA

019 059 0040



CHROME


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K



40W

SMD LED

2700K 4000K 6400K



COPERNIC

019 060 0015



CHROME


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



15W

SMD LED

2700K 4000K 6400K



LED SUSPENSION LIGHT

**HOROZ[®] ELECTRIC**

LED Suspension Light



OLYMPIC

BLACK

019 035 0045



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K





GENESIS

CHROME

019 036 0100



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



LED SUSPENSION LIGHT




CRATER

CHROME

019 037 0020



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR


CHROME

BLACK

019 056 0050



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



**HOROZ[®] ELECTRIC**

LED Suspension Light


ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT


AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K



**HOROZ****ELECTRIC**




LED Suspension Light / LED Crystal Suspension Light

CYBER

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K


CHROME

019 061 0024


**AVIATOR**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056
Power	: 24 W	: 40 W	: 56 W
Luminous Flux	: 1680 lm	: 2800 lm	: 3920 lm



**HOROZ****ELECTRIC**



LED Crystal Suspension Light





LED CRYSTAL SUSPENSION LIGHT

NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME**PANDORA**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME

	NIRVANA - 24	NIRVANA - 32	NIRVANA - 40
	019-027-0024	019-027-0032	019-027-0040
Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400



	PANDORA - 72	PANDORA - 96
	019-028-0072	019-028-0096
Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm

**HOROZ****ELECTRIC**


LED Crystal Suspension Light

NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K







TORNADO - 30

019 025 0030

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





**HOROZ****ELECTRIC**


LED Crystal Suspension Light

VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**



	VOYAGER-12	VOYAGER-18	VOYAGER-24
	019-041-0012	019-041-0018	019-041-0024
Power	: 12 W	: 18 W	: 24 W
Luminous Flux	: 840 lm	: 1260 lm	: 1680 lm
Length (mm)	: L : 410	: L : 565	: L : 815




LED CRYSTAL SUSPENSION LIGHT

ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**

	ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
	019-040-0019	019-040-0025	019-040-0032	019-040-0038
Power	: 19 W	: 25 W	: 32 W	: 38 W
Luminous Flux	: 1330 lm	: 1750 lm	: 2240 lm	: 2660 lm
Diameter (mm)	: Ø: 300	: Ø: 400	: Ø: 500	: Ø: 600



**HOROZ ELECTRIC**

LED String Light

AMBIANCE

022 004 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available



Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS available

**HOROZ ELECTRIC**

LED String Light String Light



PARADISE

022 005 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs




**HOROZ****ELECTRIC****String Light****CARNAVAL - ROLL**

022 003 0001

CUTTABLE


- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included

**CARNAVAL - F10**


022 002 0010

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0.94mm²
- Total 10 Meters
- Bulb not included

**CARNAVAL****LINKABLE**

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0.75mm ²	2*1.5mm ²

**HOROZ****ELECTRIC**

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

■ 250V~ / 4A

■ Max. 60W

100 mm

1000 mm



E27

**HOROZ****ELECTRIC**

Pendant Lamp Glass Pendant Lamp



VOLTA

021 001 0001



90 mm

1000 mm

BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~ / 4A

■ Max. 60W



E27

NEWTON

021 010 0001




320 mm

1385 mm

KEPLER

021 011 0001



240 mm

1285 mm

MAXWELL

021 012 0001




320 mm

1500 mm

NOBEL

021 013 0001



320 mm

1385 mm

BLACK

■ 250V~ / 4A

■ Max. 60W

FOLDABLE CASE

E27

**HOROZ****ELECTRIC**

Glass Pendant Lamp / Pendant Lamp

DREAM

021 020 0001

**SHARP**


021 019 0001

**RONDO**

021 018 0001

**AMBER****TITANIUM**

- 250V~ / 4A
- Max. 60W
- Glass

**GLOBAL**


021 021 0001

**GLOBAL-X**

021 021 0002

**AMBER****TITANIUM**


- 250V~ / 4A
- Max. 60W
- Glass

**AMPER**

021 022 0001

COPPER

- 250V~ / 4A
- Max. 60W
- For Glass Pendant

**ELEMENT-1**


021 015 0001

**AMBER****TITANIUM****ELEMENT-2**

021 015 0002

**CLEAR COPPER****CLEAR CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ ELECTRIC**

Glass Pendant Lamp

SPARK-1

021 016 0001


**AMBER****TITANIUM**

SPARK-2

021 016 0002

**AMBER COPPER****TITANIUM COPPER**

- 250V~ / 4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001


**AMBER****TITANIUM**

HARMONY-2

021 017 0002

**AMBER COPPER****TITANIUM COPPER**

- 250V~ / 4A
- Max. 60W
- Glass




METEOR

021 014 0001

021 014 0002

**COPPER****CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ ELECTRIC**

LED Wall Light


SISAM

029 006 0008



TRUVA

029 007 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SISAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**

LED Wall Light




ERDEK

029 001 0005


**RED**

- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




RODOS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


WHITE

	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012
Power :	3 W	6 W	12 W
Luminous Flux :	170 lm	340 lm	950 lm
Sizes (mm) :	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80




BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE

	BELEN-6	BELEN-12	BELEN-18
	029-003-0006	029-003-0012	029-003-0018
Power :	6 W	12 W	18 W
Luminous Flux :	340 lm	950 lm	1400 lm
Sizes (mm) :	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95



**HOROZ ELECTRIC**

LED Wall Light

BELEK

029 009 0003

WHITE

BLACK

- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs



150x45x50mm

NEW
PRODUCT

170 mm

70 mm




MAESTRO


029 008 0010

BLACK

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs

NEW
PRODUCT

SALDA

NEW
PRODUCT

SALDA-10

SALDA-14

029-010-0010


029-010-0014

Power	:	10 W	14 W
Luminous Flux	:	372 lm	680 lm
Sizes (mm)	:	A: 620 B: 140	A: 920 B: 140



BLACK

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs




**HOROZ ELECTRIC**

LED Decorative Ceiling Lamp


ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE

ELECTRON-15	ELECTRON-24	ELECTRON-36
027-010-0015	027-010-0024	027-010-0036

Power	:	15 W	24 W	36 W
Luminous Flux	:	911 lm	1485 lm	2228 lm
Sizes (mm)	:	A: 230 B: 260 C: 50	A: 300 B: 330 C: 52	A: 350 B: 385 C: 55


**HOROZ ELECTRIC**

LED Decorative Ceiling Lamp




EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE

EPSILON-15	EPSILON-24	EPSILON-36
027-004-0015	027-004-0024	027-004-0036

Power	:	15 W	24 W	36 W
Luminous Flux	:	1125 lm	1800 lm	2700 lm
Sizes (mm)	:	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60





SHARK-24

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

WHITE

027 001 0024





PIXEL



RADIUS



WHITE

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



PIXEL - 36

PIXEL - 48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70



RADIUS - 36

RADIUS - 48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

ETERNAL



DISCOVERY



ETERNAL - 36

ETERNAL - 48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90




DISCOVERY - 36

DISCOVERY - 48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



GHOST



WHITE

BLUE

PINK

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



PHANTOM - 36

PHANTOM - 48

027-002-0036

027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65




GHOST - 36

GHOST - 48

027-003-0036

027-003-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60




**HOROZ ELECTRIC**

Decorative Ceiling Lamp

SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME**SARAY-3****026-005-0003**

Power : Max. 2X60 W

Sizes (mm) : A: 75 B: 285


**HOROZ ELECTRIC**

Decorative Ceiling Lamp



ZARA

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME**ZARA-1****026-003-0001****ZARA-2****026-003-0002****ZARA-3****026-003-0003****ZARA-4****026-003-0004**

Power : Max. 60 W

Max. 2X60 W

Max. 3X60 W

Max. 60 W

Sizes (mm) : A: 90 B: 230


A: 100 B: 285

A: 130 B: 370

A: 265 B: 110 C: 150

ILGAZ

- 220-240V / 50-60Hz
- Diffuser: Glass

CHROME + MAT CHROME**ILGAZ-2****026-001-0002****ILGAZ-4****026-001-0004**

Power : Max. 60 W


Max. 60 W

Sizes (mm) : A: 90 B: 290

A: 310 B: 110 C: 160

**HOROZ ELECTRIC****LED Ceiling Lamp****HOROZ ELECTRIC****LED Ceiling Lamp
Ceiling Lamp****LIKYA**

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME

■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4





■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm



**HOROZ****ELECTRIC****Ceiling Lamp**

CEILING LAMP

KEMER

■ 220-240V / 50-60Hz

CHROME

■ KEMER-1



■ KEMER-2



■ KEMER-3




■ KEMER-4



■ KEMER-5

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



**HOROZ[®] ELECTRIC**

Ceiling Lamp


BODRUM

■ 220-240V / 50-60Hz

MAT CHROME



	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W




MANAVGAT

■ 220-240V / 50-60Hz

CHROME



	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

TOYGAR-12


040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

**12W****SMD LED**

2700K 4200K 6400K

IP45**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp



SUMRU-12


040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K

**12W****SMD LED**

2700K 4200K 6400K

IP45

EBABİL-12


040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K

**12W****SMD LED**

2700K 4200K 6400K


IP45

**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

LEYLEK

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**LEYLEK - 8****LEYLEK - 12**


040-016-0008

040-016-0012

Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40

**KANARYA**

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K




CHROME

**KANARYA - 8****KANARYA - 12**

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120




ON-OFF

**HOROZ****ELECTRIC**


LED Picture & Mirror Lamp

ANKA

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME


	ANKA-8	ANKA-12
	040-014-0008	040-014-0012
Power	: 8 W	: 12 W
Luminous Flux	: 570 lm	: 850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	: A: 550 B: 52 C: 185




LED PICTURE & MIRROR LAMP

FLAMINGO

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

	FLAMINGO-4	FLAMINGO-6
	040-001-0004	040-001-0006
Power	: 4 W / 21 LED	: 6 W / 30 LED
Luminous Flux	: 360 lm	: 500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	: A: 505 B: 52 C: 185




**HOROZ ELECTRIC**

LED Picture & Mirror Lamp / LED Reading Lamp


ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME**

ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	:	4 W / 21 LED	6 W / 30 LED
Luminous Flux	:	360 lm	500 lm
Sizes (mm)	:	A: 407 B: 55 C: 100	A: 555 B: 55 C: 108




KUĞU

040 006 0003

BLACK**SILVER**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K




TURNA

040 007 0003



BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**

FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	:	3 W	6 W	9 W
Luminous Flux	:	214 lm	428 lm	640 lm



**HOROZ ELECTRIC**

LED Desk Lamp



EBRU



049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



With Clips



TOUCH

İREM



049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH

**HOROZ ELECTRIC**



LED Desk Lamp Desk Lamp



BUDDY

048 001 0015

- 220-240V / 50-60Hz
- Max. 15W
- 500 lm
- 4500K

Bulb
included

G10q ON-OFF

**HOROZ ELECTRIC**


Desk Lamp / Floor Lamp

SİMGE

048 014 0060

**GREEN****BLUE**

- 220-240V / 50-60Hz
- Max. 60W




RANA

048 013 0060

**BLACK****WHITE****RED**

- 220-240V / 50-60Hz
- Max. 60W




BİHTER

048 009 0060

**BLACK****WHITE****RED****BLUE**

- 220-240V / 50-60Hz
- Max. 60W


**HOROZ ELECTRIC**

Floor Lamp



MERİÇ

■ 220-240V / 50-60Hz



	MERİÇ-1	MERİÇ-2	MERİÇ-3
	045-001-0001	045-001-0002	045-001-0003
Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	: White	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500

**HOROZ ELECTRIC**


LED Batten Light

DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K

LINKABLE


052 007 0120

**HAVZA-60**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K

LINKABLE




052 008 0120

**HOROZ ELECTRIC**

LED Batten Light
LED Waterproof Lamp
LED Tube Fixture
Electronic Wall Lamp

**GAMA**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****BLACK****NEW COLOR**


GAMA-60



GAMA-80

NEW COLOR


	GAMA-60	GAMA-80
	052-006-0120	052-006-0120
Power	60 W	80 W
Luminous Flux	4500 lm	6000 lm
Width (mm)	A: 1200 B: 62 C: 25	A: 1200 B: 75 C: 27





TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



TETRA-18

052-003-0060

TETRA-36


052-003-0120

Power	:	18 W	36 W
Luminous Flux	:	1135 lm	2269 lm
Length (mm)	:	L: 600	L: 1200



TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



TETRA/SQ-27

052-005-0060

TETRA/SQ-54

052-005-0120

TETRA/SQ-72

052-005-0150

Power	:	27 W	54 W	72 W
Luminous Flux	:	1890 lm	3780 lm	5670 lm
Length (mm)	:	L: 600	L: 1200	L: 1500




**HOROZ****ELECTRIC**


LED Waterproof Lamp

IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 650	: L: 1260	: L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 652	: L: 1262	: L: 1562



LED WATERPROOF LAMP

OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	: 36 W	: 72 W	: 90 W
Luminous Flux	: 2880 lm	: 5760 lm	: 7200 lm
Length (mm)	: L: 632	: L: 1242	: L: 1542




**HOROZ****ELECTRIC**

LED Waterproof Lamp



MEDUSA

- 180-260V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058
Power	: 18 W	: 36 W	: 58 W
Luminous Flux	: 1800 lm	: 3600 lm	: 5800 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




**HOROZ ELECTRIC****LED Tube Fixture**

LED TUBE FIXTURE

PROMASTER

057 003 2120


- 175 - 250V / 50 - 60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included

**PROFIX**

- 175 - 250V / 50 - 60Hz
- For 60 / 120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65




**HOROZ ELECTRIC**


LED Batten Light / Electronic Wall Lamp LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


**LINKABLE**

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**LINKABLE**

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155



ALFA

- 220-240V / 50-60Hz



ALFA-6	ALFA-8	ALFA-28
053-001-0006	053-001-0008	053-001-0028

Power	6 W	8 W	28 W
Length (mm)	L: 267	L: 343	L: 1200





TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
061-001-0060	061-001-2060	061-001-0120	061-001-2120

Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226





**HOROZ ELECTRIC**


LED Linear High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	4650 lm	9300 lm	13950 lm	18600 lm
Length (mm)	290	520	758	1000

**HOROZ ELECTRIC**

LED High Bay Lamp LED Linear High Bay Lamp



LED LINEAR HIGH BAY LAMP


**HOROZ****ELECTRIC**

LED High Bay Lamp




AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body





	AGORA-100	AGORA-150	AGORA-200
	063-008-0100	063-008-0150	063-008-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 11000 lm	: 16500 lm	: 22000 lm
Sizes (mm)	: A:236 B: 80	: A:271 B: 80	: A:330 B: 80




ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0100	063-003-0150	063-003-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 10000 lm	: 15000 lm	: 20000 lm
Sizes (mm)	: A: 270 B: 110	: A: 320 B: 125	: A: 370 B: 145




**HOROZ****ELECTRIC**


LED High Bay Lamp

HERKÜL

- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	100 W	150 W	200 W
Luminous Flux	15000 lm	22500 lm	30000 lm
Length (mm)	A:250 B:35 C:118 D:155	A:308 B:43 C:126 D:163	A:360 B:46 C:130 D:167



LED HIGH BAY LAMP

**HOROZ ELECTRIC**

LED Solar Security Light / LED Solar Projector



ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK




LED Solar Security Light
LED Solar Projector
LED Rechargeable Light
LED Projector
LED RGB Projector
LED Frameless Projector
Portable LED Projector
LED Projector Stand
Projector Stand
Module LED & Apparatus

**HOROZ ELECTRIC**

TIGER


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket



BLACK



	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100
Power	25 W	40 W	60 W	100 W
Luminous Flux	320 lm	400 lm	625 lm	890 lm
Battery	3.2 / 2.5Ah	3.2V / 3Ah	3.2V / 5Ah	3.2V / 10Ah
	Lithium Iron Phosphate	Lithium Iron Phosphate	Lithium Iron Phosphate	Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V / 3W	Polysilicon, 6V / 6W	Polysilicon, 6V / 8W	Polysilicon, 6V / 12W
Projector Sizes (mm)	A: 205 B: 158 C: 50	A: 250 B: 200 C: 70	A: 270 B: 223 C: 75	A: 320 B: 260 C: 90
Solar Panel Sizes (mm)	D: 220 E: 135	D: 260 E: 174	D: 350 E: 235	D: 350 E: 290




**HOROZ® ELECTRIC**

LED Solar Projector / LED Rechargeable Projector


SPIDER-16

068 021 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V

BLACK



SPARROW-16

068 022 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time: 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK




THREE MODES LIGHTING

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE




PANDA-10

068 023 0010



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery

BLACK



LED SOLAR PROJECTOR / LED RECHARGEABLE PROJECTOR

**HOROZ ELECTRIC**



LED Solar Projector

TURBO

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K - 4200K - 6400K
- Volt Range With Battery
- CRI >70

**CCT Adjustable**

	TURBO-200	TURBO-400	TURBO-800
	068-027-0200	068-027-0400	068-027-0800
Power	: 200 W	: 400 W	: 800 W
Luminous Flux	: 1466 lm	: 2391 lm	: 2733 lm
Battery	: 3.7V 4000mAh	: 3.7V 8000mAh	: 3.7V 10000mAh
Panel	: 5V 1.3W	: 5V 2.3W	: 6V 8W Solar Panel Foldable
Endurance	: Strong light 5H universal light 7H	: Strong light 5H universal light 7H	: Strong light 6H universal light 8H
Sizes (mm)	: A:183.5 B:144 C:54.3	: A:217.8 B:174.3 C:54.8	: A:277 B:244.5 C:66





**HOROZ****ELECTRIC****LED Projector**

LED PROJECTOR

LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs

BLACK

	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 2700K / 4200K / 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 200 B: 157 C: 50	: A: 215 B: 171 C: 45	: A: 270 B: 210 C: 55	: A: 305 B: 253 C: 75	: A: 380 B: 310 C: 75	: A: 400 B: 350 C: 90	: A: 420 B: 380 C: 90	: A: 480 B: 430 C: 105





**HOROZ ELECTRIC**

LED Projector

PUMA


- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

**BLACK**


	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm
Color Temperature	2700K / 6400K / GREEN	2700K / 6400K / GREEN	2700K / 6400K / GREEN	2700K / 6400K / GREEN	2700K / 6400K	2700K / 6400K
Sizes (mm)	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**BLACK****WITH PIR SENSOR**

	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm
Sizes (mm)	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41




**HOROZ ELECTRIC**

LED Projector


ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK

WHITE




	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm	23550 lm
Color Temperature	WHITE:6400K BLACK:2700K/6400K/GREEN	WHITE:6400K BLACK:2700K/6400K/GREEN	WHITE:6400K BLACK:2700K/6400K/GREEN	WHITE:6400K BLACK:2700K/6400K/GREEN	WHITE:6400K BLACK:2700K/6400K/GREEN	WHITE:6400K BLACK:2700K/6400K/GREEN
Sizes (mm)	A: 75,5 B: 93 C: 28,5	A: 105 B: 118 C: 29	A: 126 B: 136 C: 29,5	A: 161,5 B: 174 C: 32	A: 233,5 B: 245 C: 37	A: 325,5 B: 343 C: 41

LED PROJECTOR

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




BLACK

WHITE





WITH PIR SENSOR



	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	10 W	20 W	30 W	50 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	A: 135 B: 93 C: 40	A: 161 B: 118 C: 40	A: 176 B: 135 C: 40	A: 210,5 B: 174 C: 40

FELIS



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs



		FELIS-50	FELIS-100	FELIS-200	FELIS-300	FELIS-400
		068-026-0050	068-026-0100	068-026-0200	068-026-0300	068-026-0400
Power	:	50 W	100 W	200 W	300 W	400 W
Luminous Flux	:	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm
Color Temperature	:	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	:	A: 215 B: 190 C: 38	A: 260 B: 230 C: 44	A: 360 B: 300 C: 48	A: 420 B: 340 C: 44	A: 470 B: 370 C: 48

OSELO

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs



	OSEO-50	OSEO-100	OSEO-200	OSEO-300
	068-025-0050	068-025-0100	068-025-0200	068-025-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	5000 lm	10000 lm	20000 lm	30000 lm
Color Temperature	6400K	6400K	6400K	6400K
Sizes (mm)	A: 210 B: 180 C: 38	A: 240 B: 210 C: 38	A: 300 B: 270 C: 40	A: 330 B: 300 C: 42

**HOROZ ELECTRIC**


LED RGB Projector / LED Frameless Projector

REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W




	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	20 W	30 W	50 W	100 W
Luminous Flux	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A:103 B:28 C:90 D:118 E:110	A:133 B:28 C:121 D:148 E:140	A:170 B:28 C:150 D:178 E:170	A:250 B:30 C:219 D:250 E:249




LED RGB PROJECTOR / LED FRAMELESS PROJECTOR

PEGASUS

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION


	PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
	068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	A:100,6 B:91,5 C:26	A:110 B:115 C:27	A:130,5 B:144,8 C:32,8	A:165 B:180 C:35	A:214 B:239 C:44



**HOROZ[®] ELECTRIC**

Portable LED Projector


WORKSHOP




- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug




	WORKSHOP-30	WORKSHOP-60
	068-019-0030	068-019-0060
Power	: 30 W	60 W
Luminous Flux	: 3250 lm	6500 lm
Sizes (mm)	: A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	: 1 socket+ON/OFF on back	2 socket+ON/OFF on back




PROPORT



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable



	PROPORT-20	PROPORT-45
	068-015-0020	068-015-0045
Power	: 20 W	45 W
Luminous Flux	: 2100 lm	4900 lm
Sizes (mm)	: A: 232,3 B: 146,4 C: 54	A: 298,6 B: 187 C: 52,5




**HOROZ ELECTRIC**

LED Projector Stand / Projector Stand / LED Canopy Light

TOWER

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen : 2x4300lm,
- Ra > 80 , IP54
- ON / OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs



LED PROJECTOR STAND / PROJECTOR STAND

**HOROZ ELECTRIC**


LED Projector Stand Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



LED CANOPY LIGHT

**HOROZ ELECTRIC**


LED Canopy Light



FALCON

RECESSED


069 001 0110




EAGLE

SURFACE

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs





**HOROZ ELECTRIC**


LED Solar Street Light

COMBAT

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

**BLACK**

	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V/10Ah Lithium Iron Phosphate	4x3.2V/15Ah Lithium Iron Phosphate	5x3.2V/20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3.5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127

**HOROZ ELECTRIC**


LED Solar Street Light LED Street Light



POLE

130 001 0001

■ Pole for Combat






COMPACT PRO

Built-in Photocell

POLE INCLUDED




BLACK



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m




	COMPACT PRO-20	COMPACT PRO-30	COMPACT PRO-40
	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V3Ah Lithium Iron Phosphate	3.2V3Ah Lithium Iron Phosphate	3.2V3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V / 2W	Polycrystalline Silicon 5V / 3W	Polycrystalline Silicon 5V / 5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55



GRAND


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK



	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	826 lm	984 lm	1198 lm	1567 lm
Battery	1x3.2V5AH Lithium Iron Phosphate	1x3.2V5AH Lithium Iron Phosphate	2x3.2V5AH Lithium Iron Phosphate	3x3.2V5AH Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V / 6W	Polycrystalline Silicon 6V / 9W	Polycrystalline Silicon 6V / 20W	Polycrystalline Silicon 6V / 25W
Installation Height	3 Meters	3.5 Meters	4 Meters	5 Meters
Irradiation Area	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	A: 213 B: 312 C: 63	A: 207 B: 405 C: 65	A: 252 B: 640 C: 80	A: 252 B: 835 C: 80




**HOROZ ELECTRIC**

LED Solar Street Light





GRAND / XL

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m


**BLACK**

	GRAND/XL-600	GRAND/XL-900	GRAND/XL-1200
	074-009-0600	074-009-0900	074-009-1200
Power	600 W	900 W	1200 W
Luminous Flux	2092 lm	2668 lm	3066 lm
Battery	3 x 3.2V/15Ah Lithium Iron Phosphate	3 x 3.2V/20Ah Lithium Iron Phosphate	3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/18W	Polycrystalline Silicon 6V/25W	Polycrystalline Silicon 6V/30W
Installation Height	4 Meters	5 Meters	6 Meters
Irradiation Area	80 m ²	150 m ²	200 m ²
Street Lamp Sizes (mm)	A: 345 B: 450 C: 70	A: 345 B: 600 C: 75	A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	D: 340 E: 360	D: 340 E: 510	D: 340 E: 590





LAGUNA




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket

BLACK



	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200
Power	: 50 W	: 100 W	: 200 W
Luminous Flux	: 950 lm	: 1300 lm	: 2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	: 3 x 3.2V 5Ah Lithium Iron Phosphate	: 5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	: Polysilicon, 6V/16W	: Polysilicon, 6V/33W
Installation Height	: 3 Meters	: 3-4 Meters	: 4-5 Meters
Street Lamp Sizes (mm)	: A:160 B:378 C:63	: A:185 B:444 C:63	: A:230 B:575 C:75
Solar Panel Sizes (mm)	: D:340 E:290 F:17	: D:350 E:350 F:17	: D:645 E:360 F:17




**HOROZ[®] ELECTRIC**


LED Street Light

TEXAS

- 100 - 265V / 50 - 60 Hz
- Average Life: 20.000 Hrs
- 6400K


**BLACK**

	TEXAS-30	TEXAS-50	TEXAS-100
	074-012-0030	074-012-0050	074-012-0100
Power :	30 W	50 W	100 W
Luminous Flux :	3400 lm	5750 lm	11680 lm
Street Lamp Sizes (mm) :	A:340 B:123 C:40	A:382 B:157 C:40	A:500 B:197 C:53




ORLANDO

- 85 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K


BLACK

	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power :	20 W	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	1726 lm	2829 lm	4953 lm	8923 lm	15061 lm	17594 lm
Sizes (mm) :	A: 40 B: 55 C: 315 D: 105	A: 40 B: 55 C: 355 D: 125	A: 40 B: 55 C: 405 D: 165	A: 60 B: 75 C: 620 D: 220	A: 60 B: 75 C: 690 D: 250	A: 60 B: 85 C: 740 D: 275




HECTOR-10

071 012 0010




WHITE

- 160-265V / 50-60Hz
- 4200K
- 800 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec Max. 5min±1min




VESPER-15

071 013 0015




WHITE

- 160-265V / 50-60Hz
- 4200K
- 1100 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec Max. 5min±1min




BOLKAR-20

071 014 0020



WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs




**HOROZ® ELECTRIC**

LED Bulkhead Lamp

FARADAY

- 160-265V / 50-60 Hz
- Average Life: 25.000 Hrs


**WHITE**

	FARADAY-24	FARADAY-36
	071-015-0024	071-015-0036
Power	: 24 W	: 36 W
Luminous Flux	: 2400 lm	: 3600 lm
Sizes (mm)	: A: 250 B: 125 C: 38	: A: 300 B: 150 C: 35




NORTON

- 160-265V / 50-60 Hz
- Average Life: 30.000 Hrs

**WHITE**

	NORTON-24	NORTON-36
	071-016-0024	071-016-0036
Power	: 24 W	: 36 W
Luminous Flux	: 2400 lm	: 3600 lm
Sizes (mm)	: A: 200 B: 38	: A: 240 B: 35



**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP

WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT**AYDER****TOROS****KAÇKAR****NEMRUT****AYDER****TOROS****KAÇKAR**

070-001-0060

070-012-0100

070-002-0060

070-013-0100

Power : Max.60 W

Power : Max.100 W

Power : Max.60 W


Power : Max.100 W

Sizes (mm) : A:210 B:80 C:105

Sizes (mm) : A:275 B:115 C:155

Sizes (mm) : A:210 B:85 C:105

Sizes (mm) : A:275 B:120 C:155



WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA**MUNZUR****ARARAT****ERCİYES****ZİGANA****MUNZUR****ARARAT****ERCİYES**

070-005-0060

070-014-0100

070-006-0060

070-015-0100

Power : Max.60 W

Power : Max.100 W

Power : Max.60 W


Power : Max.100 W

Sizes (mm) : A:180 B:85 C:180

Sizes (mm) : A:240 B:110 C:140

Sizes (mm) : A:170 B:80 C:170

Sizes (mm) : A:240 B:115 C:240



**HOROZ® ELECTRIC**

LED Night Lamp

**HOROZ® ELECTRIC**

LED Night Lamp




SIMPSON

085 001 0006



WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE / BLUE / GREEN / RED)

DORA

REX






BUGS

MAX

DUFFY



	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	: 0.4 W	: 0.4 W	: 0.3 W	: 0.4 W	: 0.3 W
Luminous Flux	: 25 lm	: 25 lm	: 20 lm	: 25 lm	: 20 lm



**HOROZ[®] ELECTRIC**


Garden Lamp

**HOROZ[®] ELECTRIC**

Garden Lamp LED Garden Lamp LED House Number Light

**NAR**

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser




	NAR-1	NAR-2	NAR-3	NAR-4	NAR-5
	075-016-0001	075-016-0002	075-016-0003	075-016-0004	075-016-0005
Power	Max.60 W	Max.60 W	Max.60 W	Max.60 W	Max.60 W
Color	Black/White	Black/White	Black/White	Black	Black
Sizes	A:170 B:240 C:210	A:170 B:800 C:260	A:170 B:170 C:300	A:170 B:170 C:580	A:170 B:170 C:840

**GARDEN LAMP**

	NAR-6	NAR-7
	075-016-0006	075-016-0007
Power	Max. 2x60 W	Max. 3x60 W
Color	Black	Black

**HOROZ® ELECTRIC****Garden Lamp****PALMERA / S**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK


SIZES (mm)		PALMERA / S1	PALMERA / S2	PALMERA / S3	PALMERA / S4
		075-017-0001	075-017-0002	075-017-0003	075-017-0004
		A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800



PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK



PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
075-018-0001	075-018-0002	075-018-0003	075-018-0004
Sizes (mm) : A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800




**HOROZ® ELECTRIC**

Garden Lamp

KAVAK / SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



KAVAK / SQ-2
075-015-0002

KAVAK / SQ-3
075-015-0003

KAVAK / SQ-4
075-015-0004

KAVAK / SQ-5
075-015-0005

Sizes (mm) : A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500


A: 90 B: 800



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



KAVAK-2
075-014-0002

KAVAK-3
075-014-0003

KAVAK-4
075-014-0004

KAVAK-5
075-014-0005

Sizes (mm) : A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 90 C: 130


A: 800 B: 90 C: 130





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




	LADİN-1	LADİN-2	LADİN-3	LADİN-4
	075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm)	: A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm)	: A: 390 B: 150	A: 275 B: 150 C: 210	A: 450 B: 150	A: 800 B: 150




**HOROZ® ELECTRIC**

Garden Lamp

PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W

**PALMIYE-1****075-001-0001****PALMIYE-2****075-001-0002****PALMIYE-3****075-001-0003****PALMIYE-4****075-001-0004****Sizes (mm)**

: A: 350 B: 150

: A: 320 B: 150 C: 230


: A: 500 B: 150

: A: 800 B: 150



DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W

**DEFNE-1****075-004-0001****DEFNE-2****075-004-0002****DEFNE-3****075-004-0003****DEFNE-4****075-004-0004****DEFNE-5****075-004-0005****Sizes (mm)**

: A: 405 B: 76

: A: 344 B: 76 C: 142

: A: 325 B: 76 C: 110

: A: 500 B: 76 C: 110

: A: 800 B: 76 C: 110






HOROZ ELECTRIC


LED Garden Lamp

BEYOND

076 087 0001




Ambience Light / 3000K




BLACK

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life: 30.000 Hrs




DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



DYNAMIC-1S

076-058-1001

DYNAMIC-1

076-058-0001

DYNAMIC-2

076-058-0002

DYNAMIC-3

076-058-0003

DYNAMIC-4

076-058-0004

Sizes (mm)

: A: 110 B: 300

A: 110 B: 300

A: 300 B: 300

A: 500 B: 300




A: 800 B: 300

**HOROZ[®] ELECTRIC**

LED Garden Lamp

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K

**BLACK****PRESTIGE-1S**

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)

: A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500

A: 109 B: 800





**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp

BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K

**MAT CHROME****BAMBU-1**

076-016-0001

BAMBU-2

076-016-0002

BAMBU-3

076-016-0003

BAMBU-4

076-016-0004

BAMBU-5

076-016-0005

Sizes (mm)

: A: 252.2 B: 132

A: 183 B: 148.5 C: 132

A: 300 B: 132 C: 98

A: 500 B: 132 C: 98

A: 800 B: 132 C: 98



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W

**MANGO-1**


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003

**LED GARDEN LAMP / GARDEN LAMP**

MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass

**MANOLYA-1**

075-008-0001

MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power

: Max.35W

Max.2x35W

Max.2x60W

Lamp Holder

: GU10

GU10

E27

Body

: Stainless Steel

Stainless Steel

Aluminium

Color

: Mat Chrome / Black

Mat Chrome / Black

Black

Lighting Direction

: Down

Up&Down


Up&Down

Sizes (mm)

: A: 116 B: 93 C: 85

A: 160 B: 93 C: 85

A: 300 B: 173 C: 108




**HOROZ® ELECTRIC**

Garden Lamp


MAMBA

076 066 0001



MAMBA-SQ

076 067 0001



**BLACK**

- 220-240V / 50-60Hz
- Max. 2x35W



REGNUM




- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK

	REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
	075-019-0001	075-019-0002	075-019-0003	075-019-0004
Power	: Max.35W	: Max.2x35W	: Max.35W	: Max.2x35W
Lighting Direction	: Up	: Up&Down	: Up	: Up&Down

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



	GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
	075-010-0001	075-010-0002	075-010-0003	075-010-0004
Power	: Max.35W	: Max.2x35W	: Max.35W	: Max.2x35W
Lighting Direction	: Down	: Up&Down	: Down	: Up&Down


**HOROZ****ELECTRIC**

LED Garden Lamp


TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	5 W	7 W	12 W	15 W
Luminous Flux	350 lm	442 lm	821 lm	987 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	W: 85	W: 119	W: 170	W: 220




LED GARDEN LAMP


PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




**HOROZ****ELECTRIC**

LED Garden Lamp


NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK




	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	5 W	7 W	12 W	14 W
Luminous Flux	309 lm	452 lm	780 lm	973 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Sizes (mm)	A: 90 B: 100 C: 48	A: 92 B: 120 C: 50	A: 95 B: 185 C: 50	A: 95 B: 220 C: 53




PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49



**HOROZ ELECTRIC**



LED Garden Lamp

LAGOS

- 85 - 265V 50 - 60Hz
- 4200K
- 765 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012






CARAT

- 85 - 265V 50 - 60Hz
- 4200K
- 925 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012



LED GARDEN LAMP



FACTOR-2

- 85 - 265V / 50 - 60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 075 0002





BAT-6

- 85 - 265V 50 - 60Hz
- 4200K
- 335 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006




**HOROZ ELECTRIC**

LED Garden Lamp


BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009
Power	5W	7W	9W
Luminous Flux	350 lm	619 lm	865 lm
Sizes (mm)	A: 105 B: 62	A: 125 B: 62	A: 160 B: 62



BLACK



METROPOL-12

- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

076 073 0012




BLACK



ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power	5W	8W	11W
Luminous Flux	330 lm	445 lm	740 lm
Sizes (mm)	A: 125 B: 50	A: 170 B: 50	A: 214 B: 50

BLACK



**HOROZ ELECTRIC**



LED Garden Lamp

SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006





SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

076 085 0012





LED GARDEN LAMP

HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006






HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

076 084 0012





**HOROZ® ELECTRIC**

LED Garden Lamp

KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**

	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power	5 W	10 W	5 W	10 W
Luminous Flux	450 lm	900 lm	450 lm	900 lm





LED GARDEN LAMP



VIPER

- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs



076 086 0017

**BLACK****WHITE**

SCADA

- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

076 074 0012


**BLACK****WHITE**

**HOROZ ELECTRIC**


LED Garden Lamp

LUXIA-G

076 078 0030


**BLACK**

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030

**BLACK**


- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LED GARDEN LAMP

MORENA

076 080 0020


**BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020

**BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



**HOROZ ELECTRIC**



LED Garden Lamp

MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK**BLACK&GOLDEN**

076 052 0010




VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

VECTOR-6	VECTOR-12
076-083-0006	076-083-0012

Power	:	6 W	12 W
Luminous Flux	:	350 lm	728 lm
Sizes (mm)	:	A: 130 B: 70	A: 200 B: 80





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010



**HOROZ ELECTRIC**

LED Garden Lamp





LED GARDEN LAMP


IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	7 W	2x7 W
Luminous Flux	630 lm	1260 lm
Lighting Direction	Up	Up&Down




**HOROZ ELECTRIC**


LED Garden Lamp

SUPERB

076 040 0015



- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs




BLACK



ANDIZ


076 037 0009



BLACK


WHITE

- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs



SEKOYA


076 038 0004



BLACK

WHITE

- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**


Garden Lamp / LED Garden Lamp

SAFARI

075 020 0001

**BLACK**


- 220-240V / 50-60Hz
- Max. 2x35W
- Bulb not included
- Aluminium Body

**SERVI**


076 009 0012

**BLACK****WHITE**






- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs

**BLACK**

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body

**SELVİ****SALKIM****ZAKKUM****MEŞE****TAFLAN****ARDIÇ**

	SELVİ	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
	076-007-0006	076-008-0006	076-005-0006	076-004-0012	076-006-0006	076-003-0006
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down




**HOROZ[®] ELECTRIC**


LED Garden Lamp

DRAGON

076 060 0015



- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs




WHITE

BLACK




SEGMENT

076 059 0024



- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



WHITE

BLACK




**HOROZ ELECTRIC**

LED Garden Lamp

CLEMENT

076 062 0024




- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs




WHITE

BLACK




SWEEP

076 061 0024



BLACK

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



LED GARDEN LAMP

CRUZ

TANGO



BLADE



WHITE

BLACK

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power	24 W	24 W	24 W
Luminous Flux	1800 lm	1800 lm	1800 lm

**HOROZ ELECTRIC**

LED Garden Lamp



CUBE



BLACK

- 100 - 265V 50 - 60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 068 0008





CUBE-G



BLACK


- 100 - 265V 50 - 60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 069 0008



MAGMA-15


076 090 0015



WHITE

BLACK

- 170 - 265V 50 - 60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life 25.000 Hrs




**HOROZ® ELECTRIC**

LED Garden Lamp / LED House Number Light




ARENA

076 033 0010



**LED
HOUSE
NUMBER**

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

BLACK

	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm





KUKA-5



- 100-240V / 50-60Hz
- 4200K
- 350 lm
- Average Life: 30.000 Hrs

076 031 0005




**HOROZ ELECTRIC**

LED Solar Lamp


SOLARIS



- 3.7V 2.6Ah Li-ion Battery
- 4000K
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002
Power	2 W	2 W
Luminous Flux	220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)

**HOROZ ELECTRIC**


LED Solar Lamp




SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs

**WITH PIR SENSOR**

	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1 W	2 W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	3.7V 1200 mAh Li-Ion	3.7V 2200 mAh Li-Ion
Back Light	Yes (Blue)	No




**HOROZ ELECTRIC**


LED Solar Lamp / LED Solar House Number Light

OMNIA

078 013 0003




- Li-ION Battery 3.7V 1800 mAh
- 4000K
- 4 lm
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs
- USB Charging Available
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)

**LED HOUSE NUMBER**

LED SOLAR LAMP / LED SOLAR HOUSE NUMBER LIGHT

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



VENÜS

MARS

NEPTUN







PLUTON

HALLEY

CRYSTAL



	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No


**0.06W**

**HOROZ ELECTRIC**

LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp

DIAMOND


079 026 0001



- 180 - 265V / 50 - 60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK

**HOROZ ELECTRIC**

LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp


**AWAX**

079 030 0001



MAT CHROME


- 220 - 240V / 50 - 60Hz
- Max. 50W

**ZÜMRÜT**

079 001 0003

YAKUT

079 002 0003





WHITE

MAT CHROME

BLACK

- 185 - 264V / 50 - 60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs




**HOROZ ELECTRIC**

LED Inground & Recessed Lamp

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1W	3W	6W	9W	18W	24W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	A:65 B:78	A:80 B:95	A:120 B:95	A:150 B:95	A:180 B:95	A:200 B:95


ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



İNCİ

079 004 0002

SAFİR

079 003 0002

MAT CHROME

- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs




6400K

BLUE



6400K


BLUE



**HOROZ ELECTRIC**

LED Inground & Recessed Lamp


- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	106 lm	147 lm	106 lm	147 lm	106 lm
Sizes (mm)	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110






- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	90 lm	147 lm	90 lm	90 lm	90 lm
Sizes (mm)	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	W: 95	W: 140	W: 185	W: 95	W: 140	W: 185



**HOROZ****ELECTRIC****LED Strip****HOROZ****ELECTRIC**





LED Strip / RGB RF Controller / Socket Set
 RGB Socket Set / LED Driver
 Touch Controller / RGB Controller / RGB Amplifier
 LED Module Strip / Aluminium Profile

**WATERPROOF**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**NEOLED / SLIM****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED / RGB****RGB****NEOLED / SLIM**

081-010-0003

Power	: 5,8 W/m
Luminous Flux	: 520 lm/m
LED	: 120 pcs/m, 28x35
Socket Sets	: 5 sets/100 m Roll
Width	: 7 mm
Thickness	: 15 mm

NEOLED

081-010-0001

Power	: 6 W/m
Luminous Flux	: 540 lm/m
LED	: 120 pcs/m, 28x35
Socket Sets	: 5 sets/100 m Roll
Width	: 15 mm
Thickness	: 15 mm

NEOLED / RGB

081-010-0002

Power	: 9 W/m
Luminous Flux	: -
LED	: 72 pcs/m, 50x50
Socket Sets	: 3 sets/50 m Roll
Width	: 10 mm
Thickness	: 20 mm

**HOROZ****ELECTRIC**








Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**VOLGA****VOLGA / RGB****COLORADO****COLORADO / RGB****GANJ****GANJ / RGB**

	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3.5 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	240 lm/m	-	290 lm/m	-	576 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/ 50 m Roll	3 sets/ 50 m Roll	5 sets/ 50 m Roll	3 sets/ 50 m Roll	5 sets/ 50 m Roll	3 sets/ 50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

**HOROZ****ELECTRIC**

Waterproof LED Strip

NEVA

081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V**COB LED**

Can be cut each 50 centimeters



RED



GREEN



BLUE



AMBER



6400K

**NEVA**

081-026-0001

Power	:	10 W/m
Luminous Flux	:	50000 lm / 164ft.
LED	:	280 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	:	5 sets / 50 m Roll
Width	:	11.3 mm
Thickness	:	7.8 mm



WATERPROOF LED STRIP

AVON

081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V**SMD LED**

Can be cut each 1 meter



RED



GREEN



BLUE



AMBER



6400K

**AVON**

081-025-0001

Power	:	13 W/m
Luminous Flux	:	72000 lm / 164ft.
LED	:	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	:	5 sets / 50 m Roll
Diameter Ø	:	14 mm

**HOROZ ELECTRIC**

RGB RF Controller / Socket Set / RGB Socket Set

RGB RF CONTROLLER

■ 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		




VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		

**SOCKET SET**

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



- 1 pcs 8A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

NEVA SOCKET	AVON SOCKET
081-026-0011	081-025-0011
8 mm	7 mm

**RGB SOCKET SET**

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm



**HOROZ****ELECTRIC**


LED Strip / LED Driver

COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED : 320 LED / m

**24V DC**

Can be cut each 5 centimeters



SWAN-24



081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K



CANTON-24



081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K




Can be cut each 5 centimeters

24V DC**24V DC**

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	60 W	100 W	150 W	200 W	300 W
Output Current	2,5A	4,1A	6,25A	8,3A	12,5A
COLUMBIA-24 LED Strip	5m	9m	14m	20m	28m
CANTON-24 / SWAN-24 LED Strip	3m	5m	8m	11m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188



**HOROZ ELECTRIC**

RGB LED Strip Kit



DIGITAL

- 220V/12V-24V
- RGB
- Average Life: 25.000 Hrs



synchronous with environment voices/human voices

VICTORY

- 220V/12V-24V
- RGB
- Average Life: 25.000 Hrs



DIGITAL-5

081-030-0001

DIGITAL-10

081-030-0002

Power :	10W/m	10W/m
Luminous Flux :	200 lm/m	200 lm/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Size :	6x16 mm	6x16 mm



VICTORY-5

081-028-0001

VICTORY-10

081-028-0002

Power :	7 W	14 W
Luminous Flux :	200 lm/m	200 lm/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Size :	2x8 mm	2x8 mm



**HOROZ ELECTRIC**


LED Strip / LED Driver

REN**THAMES****REN/RGB****THAMES/RGB****WATERPROOF**

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC**

3 LEDs make a group and each group can be cut or extended in terms of the length of application



	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W / 5 m Roll	24 W / 5 m Roll	72 W / 5 m Roll	72 W / 5 m Roll
Current :	2A / 5 m Roll	2A / 5 m Roll	6A / 5 m Roll	6A / 5 m Roll
Luminous Flux :	4.8 lm / LED	4.8 lm / LED	24.7 lm / LED	24.7 lm / LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

**VESTA**

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF

	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45

**HOROZ****ELECTRIC**


LED Strip / LED Driver

NiL**AMAZON****NiL/RGB****AMAZON/RGB**

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12VDC**


3 LEDs make a group and each group can be cut or extended in terms of the length of application



	NiL	NiL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0.8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

**HOROZ****ELECTRIC**

Touch Controller / LED Driver


TOUCH

- Input Voltage: DC 12V ~ 24V
- Output Voltage: DC 12V ~ 24V
- 20s OFF delay
- Brightness %1-~%100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288


Color	:	Single	16 million
Output Power	:	144-288W	144-288W
Output Current	:	4Ax3 Channel	4A/Each Color
35x28 LED Strips	:	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	:	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	:	5	12



TOUCH CONTROLLER/ LED DRIVER

VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

ULTRA SLIM CASE

	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power	: 12 W	24 W	36 W	48 W	60 W	72 W
Output Current	: 1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	: 3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	: 1m	1.5m	2m	3m	4m	5m
Length (mm)	: L: 120	L: 160	L: 220	L: 280	L: 310	L: 320





**HOROZ****ELECTRIC**

RGB Controller / RGB Amplifier

RGB CONTROLLER



	RGB Controller 2A	RGB Controller 6A
	100-001-0072	100-002-0432
Output Power	72 W	216 W-432 W
Output Current	2A/Each Color	6A/Each Color
Input Voltage	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF




AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



	AMPLIFIER-12A	AMPLIFIER-30A
	101-001-0144	101-001-0360
Output Power	144 W	360 W
Output Current	4A/Each Color	10A/Each Color
35x28 RGB LED Strip	30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter




**HOROZ ELECTRIC**

LED Module Strip

NELSON

081 024 0001

**12V DC****WATERPROOF**


- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1 set: 20 module

**NELSON / RGB**

081 024 0002



RGB




LED MODULE STRIP



**PROFILE - R1**

120 001 0001

■ Recessed Type


3m

6xEnd Caps 6xMounting Clips

PROFILE - R2

120 001 0002

■ Recessed Type


3m

6xEnd Caps 6xMounting Clips

PROFILE - S1

120 002 0001

■ Surface Type

3m

6xEnd Caps 6xMounting Clips

PROFILE - S2

120 002 0002

■ Surface Type


3m

6xEnd Caps 6xMounting Clips

PROFILE - C1

120 003 0001

■ Corner Type

3m

6xEnd Caps 6xMounting Clips

**HOROZ ELECTRIC**


LED Lantern / LED Solar Camping Light

VERON


084 037 0015

**CCT Adjustable**


- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K)
- 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****CRESPO**

084 036 0025




- 5V DC Micro USB
- 550 / 195 / 40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5 - 5 - 20 Hours
- Charging Time: 4 - 6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE**

LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp

**HOROZ ELECTRIC****FORLAN**


084 023 0010




- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed - Acid Battery
- Duration Time: 1 Tube: 1.5 Hours
- 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****ROMARIO**

084 022 0010



- 220 - 240V / 50 - 60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed - Acid Battery
- Duration Time: 1 Hour for Strong Light
- 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR**RECHARGEABLE**


LED LANTERN / LED SOLAR CAMPING LIGHT

**HOROZ****ELECTRIC**

Emergency LED Lantern

HENRY

084 034 0005



- 220 - 240V / 50 - 60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




LED LANTERN


RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT - UP



EMERGENCY LED LANTERN

**MALDINI**

- 220 - 240V / 50 - 60Hz
- Average Life: 30.000 Hrs
- Stickers included




LED LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT - UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003
Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45

**HOROZ ELECTRIC**

Emergency LED Lantern / LED Headlight

WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs




LED LANTERN


RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT - UP

**MESSI**

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DESK LAMP MODE

HANGABLE
+
MOUNTABLE

	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50





LED LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT - UP

**BECKHAM**

LED HEADLIGHT

RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs





	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



**HOROZ ELECTRIC****LED Torch****ZOLA**

084 038 0001


- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

**LED TORCH****RECHARGEABLE**


OFF-1-2

PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light

**LED TORCH****RECHARGEABLE**


	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170




OFF-1-2

BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light

**LED TORCH****RECHARGEABLE**

	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240





OFF-1-2

PUSKAS

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003
Power	0.5 W	0.9 W
Luminous Flux	25 lm	45 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	4 Hours	5 Hours
Sizes (mm)	A: 75 B: 195	A: 100 B: 210



**LED TORCH****RECHARGEABLE**

ON-OFF

MARADONA-2

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs

084 003 0002

**LED TORCH****RECHARGEABLE**

OFF-1-2

**HOROZ****ELECTRIC**

LED Emergency Exit Lamp

ROBSON

084 020 0002


- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



LED EMERGENCY EXIT LAMP

**ZOFF**

084 019 0001


- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor

Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)



Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)



Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer



TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s



CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12±1m Max. (<24°C)
- Time-delay: 5 sec ~ 7±2min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W



LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec ~ 8±2 min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




**HOROZ****ELECTRIC****Sensor****FOCUS**

088 001 0001

**WHITE****BLACK**


- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max.1000W
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec ~ 10±2 min.
- Ambient Light: <10Lux ~ 2000Lux

**MONDEO**

088 001 0010

**WHITE**


- Detection Range: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**ROVER**

088 001 0011

**WHITE**


- Detection Angle: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**CORSA**

088 001 0006

**WHITE**

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m

**POLO**

088 001 0007

**WHITE**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max.1200W
- Detection Motion Speed: 0.6-1.5 m/s




Detection is possible to go through doors, panes of glass or thin walls

SMART

088 001 0005

**WHITE**


- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



**HOROZ****ELECTRIC****Doorbell****LORD**


086 001 0001

- Power Source: Emitter - 12V DC (Battery included)
- Receiving: 3V / DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional

**SOLID**


086 001 0002

- Power Source: Emitter - 12V DC (Battery included)
- Receiving: 4.5V / DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional

**SOLO**


086 001 0006

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional

**ALBA**


086 001 0004

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional

**HELIX**


086 001 0003

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong,
- Hello, Welcome + Alarm
- USB Cable Included

**VIOLA**

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional






CONTROLLER

Wireless Lighting Controller Switch



- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m~60m in 360 degree (in open area)
- Tungsten filament lamp≤1000W
Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)



CONTROLLER-1

105-001-0001

1 Channel



CONTROLLER-2

105-001-0002

2 Channels



CONTROLLER-3

105-001-0003

3 Channels




TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



TIMER-1	TIMER-2	TIMER-3
108-001-0001	108-002-0001	108-003-0001


Type	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	24	20	48
Minimum Setting	30 Minutes	1 Minute	15 Minutes
Power Reserve	No	Yes	Yes



HORIZON

112 006 0001

- 250V~
- DIMMER (10A)
- 400W (Incandescent)
300W (LED)



**HOROZ[®] ELECTRIC****Switch / Socket****ATOM**

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003


■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)

112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)

112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)

**HOROZ[®] ELECTRIC****Switch
Socket**



EVA

■ 250V~



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



**HOROZ ELECTRIC**

Motor Protector Box / Motor Protector

**HOROZ ELECTRIC**


Motor Protector Box
Motor Protector
Contactors
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

**SAFE**


Motor Protector Box

■ For all Motor Protectors except 114-006-2540

114 008 0001

**SAFE**

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:61.5C:105

**HOROZ****ELECTRIC**

Contactors / Thermal Relay

SAFE


Contactors



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main+1NO	3 Main+1NO	3 Main+1NO	3 Main+1NO	3 Main+1NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5.5kW	7.5kW	11kW	15kW	18.5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47B:76C:82	A:47B:76C:82	A:47B:76C:87	A:57B:86C:95	A:57B:86C:100	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116

SAFE

Thermal Relay



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:65.5B:91C:43.8	A:78.7B:92C:54.1	A:79.2B:115.7C:69.7

**HOROZ****ELECTRIC**

Miniature Circuit Breaker

SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA

**(B)****(C)****(C)**

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm


**(C)****(C)**


SAFE


RCCB Circuit Breaker



	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74


SAFE

MCCB Circuit Breaker



	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

**HOROZ ELECTRIC**

Lamp Holder

**HOROZ ELECTRIC**


Lamp Holder



094 004 0001


10 cm.

20 cm.




094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004




094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002



094 003 0003




094 003 0004




**HOROZ ELECTRIC****Starter / Transformer / Adhesive Tape /
Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable****Starter**

	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

**TRANSFORMER-60**

■ 220-240V / 50-60Hz
■ 12V AC

**HOROZ ELECTRIC**

**Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable**

**ADHESIVE TAPE**

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS



■ 20 YARDS

NAIL CABLE CLIP

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE

■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6


STARTER / TRANSFORMER / ADHESIVE TAPE / NAIL CABLE CLIP / CABLE TIE / COAXIAL CABLE / NETWORK CABLE

**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block

IP 68 CONNECTOR

- 250V~ / 16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



IP 68 CONNECTOR-1

IP 68 CONNECTOR-2

106-004-0001

106-004-0002

Pole : 1 Pole 2 Poles


**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent



SLIM CONNECTOR-2

SLIM CONNECTOR-3

SLIM CONNECTOR-5

103-002-0002


103-002-0003

103-002-0005

Pole : 2 Poles 3 Poles 5 Poles

CONNECTOR

- 400V/4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2

CONNECTOR-3

CONNECTOR-5

103-001-0002


103-001-0003

103-001-0005

Pole : 2 Poles 3 Poles 5 Poles

TERMINAL

- 400V/4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



TERMINAL-1

TERMINAL-2

TERMINAL-3

106-005-0001

106-005-0002

106-005-0003

Pole : 1 Pole 2 Poles 3 Poles

TERMINAL-24

TERMINAL-26

TERMINAL-28

106-005-0022


106-005-0023

106-005-0024

Pole : 2 Pole 3 Poles 4 Poles



WIRE SPRING



WIRE SPRING-2/1.5

WIRE SPRING-2/2.5

WIRE SPRING-2/6

WIRE SPRING-3/1.5

WIRE SPRING-3/2.5

WIRE SPRING-3/6

106-002-0015

106-002-0025

106-002-0060

106-003-0015

106-003-0025

106-003-0060

Pole	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-ști-



E x p e r i e n c e i n L i g h t i n g



TÜRKİYE CUMHURİYETİ 100. YAŞINDA

100TH ANNIVERSARY OF THE REPUBLIC OF TURKEY

100 ЛЕТ ТУРЕЦКОЙ РЕСПУБЛИКЕ



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



KaçmazGrup

www.horozelektrik.com