



HOROZ®

ELECTRIC

E x p e r i e n c e i n L i g h t i n g






2024-4

CATALOGUE



www.horozelektrik.com



	ADHESIVE TAPE	215		NEW	LED SOLAR SECURITY LIGHT	116
	ALUMINIUM BULKHEAD LAMP	141		NEW	LED SOLAR STREET LIGHT	130
NEW	ALUMINIUM PROFILE	193			LED SOLAR WALL & GROUND LAMP	173
	CABLE TIE	215		NEW	LED SPOTLIGHT	69
	CEILING LAMP	90		NEW	LED STREET LIGHT	135
	COAXIAL CABLE	215		NEW	LED STRING LIGHT	79
	CONNECTOR	216			LED STRIP	179
	CONTACTOR	211		NEW	LED SURFACE BACKLIGHT	46
	DESK LAMP	96		NEW	LED SURFACE LIGHT	40
	DIMMABLE LED BULB	4		NEW	LED SUSPENSION LIGHT	74
	DIMMABLE LED CAPSULE	11		NEW	LED TABLE LAMP	98
NEW	DIMMER	207			LED TORCH	199
NEW	DOORBELL	205		NEW	LED TRACK LIGHT	63
NEW	DOWNLIGHT FITTING	19			LED TUBE	12
	DRYWALL KIT	55			LED TUBE FIXTURE	108
	ELECTRONIC WALL LAMP	109		NEW	LED UFO HIGH BAY LAMP	115
NEW	EMERGENCY LED LANTERN	197		NEW	LED WALL LIGHT	84
	ENERGY SAVING LAMP	17			LED WATERPROOF LAMP	103
	FLUORESCENT TUBE	17		NEW	LED WORKLIGHT	126
	FRAME	55			LIGHT CONTROL PHOTOSENSOR	202
NEW	GARDEN LAMP	143			LIGHTING TRACK	70
	GLASS PENDANT LAMP	82			MINIATURE CIRCUIT BREAKER	212
	HALOGEN LAMP	18		NEW	MODUL DOWNLIGHT FITTING	24
	LAMP HOLDER	214			MOTOR PROTECTOR	210
	LED 3CCT BULB	4			MOTOR PROTECTOR BOX	210
NEW	LED BACKLIGHT PANEL	52			MOULDED CASE CIRCUIT BREAKER	213
NEW	LED BATTEN LIGHT	100			NAIL CABLE CLIP	215
	LED BULB	4			NETWORK CABLE	215
NEW	LED BULKHEAD LAMP	138		NEW	PENDANT LAMP	67
	LED CANOPY LIGHT	129		NEW	PORTABLE LED PROJECTOR	127
NEW	LED CAPSULE	10		NEW	PORTABLE LED STAND	128
	LED CEILING LAMP	89			PROJECTOR STAND	129
NEW	LED COLOUR BULB	16			RECESSED LAMP	175
	LED CRYSTAL SUSPENSION LIGHT	78			RECESSED MONOPOINT	70
	LED DECORATIVE CEILING LAMP	86		NEW	RECHARGEABLE LED BULB	4
NEW	LED DESK LAMP	97			REFLECTOR LAMP	18
NEW	LED DOWNLIGHT	26			RESIDUAL CURRENT CIRCUIT BREAKER	213
NEW	LED DRIVER	184			RGB AMPLIFIER	191
	LED EMERGENCY EXIT LAMP	201			RGB CONTROLLER	191
NEW	LED FILAMENT BULB	13		NEW	RGB LED STRIP KIT	185
	LED FRAME PANEL	55			RGB RF CONTROLLER	183
NEW	LED FRAMELESS PROJECTOR	125			RGB SOCKET SET	183
NEW	LED GARDEN LAMP	151		NEW	SENSOR	202
	LED HEADLIGHT	198			SOCKET	208
NEW	LED HIGH BAY LAMP	112		NEW	SOCKET SET	183
	LED HOUSE NUMBER LIGHT	171		NEW	SPOTLIGHT	68
NEW	LED INGROUND & RECESSED LAMP	175			STARTER	215
	LED LANTERN	196			STRING LIGHT	80
NEW	LED LINEAR HIGH BAY LAMP	110			SURFACE LIGHT	49
NEW	LED LINEAR SUSPENSION LIGHT	71			SWITCH	208
NEW	LED LINEER TRACK LIGHT	62			TERMINAL	216
NEW	LED MAGNETIC LIGHT SYSTEM	56		NEW	TERMINAL BLOCK	216
	LED MODULE STRIP	192		NEW	THERMAL RELAY	211
NEW	LED NIGHT LAMP	142			TIMER	207
NEW	LED PANEL	53			TOUCH CONTROLLER	190
	LED PHOTOCELL BULB	5			TRACK CONNECTOR	70
NEW	LED PICTURE & MIRROR LAMP	92		NEW	TRACK LIGHT	66
NEW	LED PROJECTOR	119		NEW	TRACK SUSPENSION	70
	LED PROJECTOR STAND	129			TRANSFORMER	215
NEW	LED READING LAMP	95		NEW	WATERPROOF LED STRING LIGHT	187
NEW	LED RECESSED SENSOR LAMP	175		NEW	WATERPROOF LED STRIP	180
NEW	LED RECHARGEABLE PROJECTOR	117			WIRE SPRING	216
NEW	LED RGB PROJECTOR	125		NEW	WIRELESS LIGHTING CONTROLLER SWITCH	207
	LED SENSOR BULB	5				
NEW	LED SENSOR DECORATIVE CEILING LAMP	87				
NEW	LED SENSOR DOWNLIGHT	39				
NEW	LED SLIM MAGNETIC LIGHT SYSTEM	59				
NEW	LED SMART BULB	5				
	LED SOLAR CAMPING LIGHT	196				
	LED SOLAR LAMP	173				
NEW	LED SOLAR PROJECTOR	116				

**HOROZ[®] ELECTRIC****2024-4**
C A T A L O G U E**Contents****215**
ADHESIVE TAPE**141**
ALUMINIUM BULKHEAD LAMP**NEW****193**
ALUMINIUM PROFILE**215**
CABLE TIE**90**
CEILING LAMP**215**
COAXIAL CABLE**216**
CONNECTOR**211**
CONTACTOR**96**
DESK LAMP**04**
DIMMABLE LED BULB**11**
DIMMABLE LED CAPSULE**207**
DIMMER**NEW****205**
DOORBELL**NEW****19**
DOWNLIGHT FITTING**55**
DRYWALL KIT**109**
ELECTRONIC WALL LAMP**NEW****197**
EMERGENCY LED LANTERN**17**
ENERGY SAVING LAMP**17**
FLUORESCENT TUBE**55**
FRAME**NEW****172**
GARDEN LAMP**82**
GLASS PENDANT LAMP**18**
HALOGEN LAMP**04**
LED 3CCT BULB**52**
LED BACKLIGHT PANEL**100** **NEW**
LED BATTEN LIGHT**04**
LED BULB**NEW****138**
LED BULKHEAD LAMP**129**
LED CANOPY LIGHT**NEW****10**
LED CAPSULE**89**
LED CEILING LAMP**NEW****16**
LED COLOUR BULB**78**
LED CRYSTAL SUSPENSION LIGHT**86**
LED DECORATIVE CEILING LAMP**NEW****97**
LED DESK LAMP**NEW****26**
LED DOWNLIGHT**NEW****189**
LED DRIVER**201**
LED EMERGENCY EXIT LAMP**NEW****13**
LED FILAMENT BULB**NEW****125**
LED FRAMELESS PROJECTOR**NEW****151**
LED GARDEN LAMP**198**
LED HEADLIGHT**NEW****112**
LED HIGH BAY LAMP**171**

LED HOUSE NUMBER LIGHT

**NEW****175**
LED INGROUND & RECESSED LAMP**196**
LED LANTERN**NEW****110**
LED LINEAR HIGH BAY LAMP**NEW****71**
LED LINEAR SUSPENSION LIGHT**NEW****62**
LED LINEAR TRACK LIGHT**NEW****56**
LED MAGNETIC LIGHT SYSTEM**192**
LED MODULE STRIP**NEW****142**
LED NIGHT LAMP**NEW****53**
LED PANEL**05**
LED PHOTOCELL BULB**NEW****92**
LED PICTURE & MIRROR LAMP**NEW****119**
LED PROJECTOR**129**
LED PROJECTOR STAND**95**
LED READING LAMP**NEW****175**
LED RECESSED SENSOR LAMP**NEW****117**
LED RECHARGEABLE PROJECTOR**NEW****125**
LED RGB PROJECTOR**05**
LED SENSOR BULB**NEW****87**
LED SENSOR DECORATIVE CEILING LAMP**NEW****39**
LED SENSOR DOWNLIGHT**NEW****59**
LED SLIM MAGNETIC LIGHT SYSTEM

E x p e r i e n c e i n L i g h t i n g

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 08/2024





**HOROZ ELECTRIC**

LED Bulb / LED 3CCT Bulb / Rechargeable LED Bulb Dimmable LED Bulb

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A G

	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018
Power	5 W	7 W	9 W	12 W	15 W	18 W
Luminous Flux	500 lm	760 lm	900 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	A: 55 B: 100	A: 55 B: 100	A: 60 B: 108	A: 60 B: 111	A: 60 B: 121	A: 66 B: 134



**HOROZ ELECTRIC**

LED Bulb / LED Capsule LED Tube

**COMBO-10 3 CCT**



001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)

**CCT ADJUSTABLE****F A G****D I M M A B L E****EXPERT-10**


001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K

**F A G****DURAMAX-12**


001 055 0012

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3.7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm

**Rechargeable
Emergency
LED
Bulb**Emergency Lighting
Duration: 3 Hours**F A G****DURALITE-12**

001 092 0012

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm / 6400K
- Emergency Lighting Duration: 6 Hours
- 3.7V 1200mAh2 Li-ion Battery
- Emergency Work: 5W - 550 lm

DC MODE: FIRST ON-OFF IS HIGH MODE
DC MODE: SECOND ON-OFF IS ECO MODE
DC MODE: THIRD ON-OFF IS FLASH MODEEmergency Lighting
Duration: 6 Hours**F A G****NEW
PRODUCT****Rechargeable
Emergency
LED
Bulb**



HOROZ ELECTRIC

LED Smart Bulb / LED Photocell Bulb / LED Sensor Bulb

D I M M A B L E

HOROSCOPE-9


001 084 0009



- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB




RGB Multicolor
2700K 6500K




DARK-10

001 068 0010



- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K

Built-in
Photocell
Sensor




DUSK TO DAWN

Turn on
< 15 Lux


Turn off
> 25-30 Lux

FORCE-10

001 067 0010




- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




LED SMART BULB / LED PHOTOCELL BULB / LED SENSOR BULB

**HOROZ****ELECTRIC****LED Bulb****FOX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

F 


	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	: 6 W	: 9 W	: 12 W	: 15 W
Luminous Flux	: 510 lm	: 820 lm	: 1155 lm	: 1500 lm
Sizes (mm)	: A:30 B:100	: A:36 B:122	: A:44 B:138	: A:50 B:146




E27

**FONIX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F 

	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008
Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 290 lm	: 440 lm	: 610 lm
Sizes (mm)	: A:50 B:51.5	: A:50 B:51.5	: A:50 B:56.5



GU5.3

**HOROZ****ELECTRIC**

LED Bulb / Dimmable LED Bulb

ZELDA 3 CCT



- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 400 lm
- 3CCT

016 091 0005





CCT ADJUSTABLE

CCT Selectable by DIP Switch



CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



CONVEX-8	CONVEX-10
001-064-0008	001-064-0010



Power	: 8 W	10 W
Luminous Flux	: 640 lm	800 lm



PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571 lm
- 4200K/6400K


001 075 0006



D I M M A B L E


VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 480 lm	640 lm	800 lm




PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




PLUS-4	PLUS-6	PLUS-8	PLUS-10
001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 290 lm	440 lm	610 lm	800 lm




**HOROZ****ELECTRIC****LED Bulb****ULTRA**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 100	A: 37 B: 107	A: 37 B: 110

**CRAFT**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 124	A: 37 B: 135	A: 37 B: 135

**ELITE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G


	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 80	A: 45 B: 90	A: 45 B: 90

**REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


G A ↑ G**F** A ↑ G

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	4 W	6 W	10 W	12 W
Luminous Flux	260 lm	480 lm	920 lm	1150 lm
Lamp Holder	E14	E14	E27	E27
Sizes	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




**HOROZ****ELECTRIC****LED Bulb****TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F A ↑ G



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	: 30 W	: 40 W	: 50 W	: 80 W	: 100 W
Color Temperature	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 6400K	: 6400K
Lamp Holder	: E27	: E27	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3120 lm	: 4250 lm	: 5350 lm	: 8300 lm	: 10600 lm
Sizes (mm)	: A: 80 B: 135	: A: 100 B: 165	: A: 118 B: 190	: A: 138 B: 220	: A: 127 B: 232	: A: 138 B: 230 (E27)



LED BULB

GLOBE


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	: 20 W
Luminous Flux	: 1600 lm	: 2010 lm
Sizes (mm)	: A: 95 B: 136.5	: A: 120 B: 161

**UFO PRO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


F A ↑ G

	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	: 50 W	: 70 W
Luminous Flux	: 3050 lm	: 5200 lm	: 7500 lm
Sizes (mm)	: A: 120 B: 110	: A: 150 B: 140	: A: 170 B: 170




**HOROZ****ELECTRIC****LED Capsule****PETA**


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10	PETA-12
	001-045-0004	001-045-0006	001-045-0008	001-045-0010	001-045-0012
Power	4 W	6 W	8 W	10 W	12 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63	A: 18 B: 62

**DECO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60


**MEGA-5**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K


001 011 0005

**POND**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	POND-3	POND-6
	001-086-0003	001-086-0006
Power	3 W	6 W
Luminous Flux	260 lm	520 lm
Sizes (mm)	A: 16 B: 50	A: 16 B: 55

**MINI**


- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

001 009 0002


**MIDI**

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K


001 012 0002

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A: 12 B: 34	A: 12 B: 36






CORN

- 220-265V / 50-60Hz
- Average Life: 20.000 Hrs



CORN-4	CORN-7
001-062-0004	001-062-0007



Power :	4 W	7 W
Luminous Flux :	360 lm	760 lm
Color Temperature:	2700K/4200K/6400K	6400K
Sizes (mm) :	A: 30 B: 95	A: 35 B: 135



TERA-2



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

001 024 0002



GIGA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs




GIGA-4	GIGA-6
001-046-0004	001-046-0006

Power :	4 W	6 W
Luminous Flux :	360 lm	520 lm
Sizes (mm) :	A: 26 B: 54	A: 26 B: 58


MAKRO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K





MAKRO-2	MAKRO-3
001-090-0002	001-090-0003

Power :	1.5 W	3 W
Luminous Flux :	160 lm	280 lm
Sizes (mm) :	A: 10 B: 33	A: 13 B: 37



EXA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




EXA-4	EXA-6
001-047-0004	001-047-0006

Power :	4 W	6 W
Luminous Flux :	400 lm	600 lm
Sizes (mm) :	A: 13.3 B: 48	A: 13.3 B: 60

MULTI

- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K



MULTI-2	MULTI-3
001-091-0002	001-091-0003



Power :	1.5 W	3 W
Luminous Flux :	175 lm	280 lm
Sizes (mm) :	A: 10 B: 33	A: 13 B: 37



D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K





NANO-2	NANO-3
001-008-0002	001-008-0003

Power :	1.5 W	3 W
Luminous Flux :	105 lm	210 lm
Color Temperature:	2700K/6400K	

D I M M A B L E

PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




PIKO-2	PIKO-3
001-007-0002	001-007-0003

Power :	1.5 W	3 W
Luminous Flux :	105 lm	210 lm
Color Temperature:	2700K/6400K	

**HOROZ****ELECTRIC****LED Tube / LED Bulb****LED TUBE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	: 9 W	: 18 W	: 24 W
Luminous Flux	: 830 lm	: 1800 lm	: 2500 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500

**DAISY**

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs



001 061 0040




**FOLDABLE**

**HOROZ****ELECTRIC**

LED Filament Bulb

FILAMENT BALL



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power	: 4 W	: 4 W	: 6 W	: 6 W
Luminous Flux	: 450 lm	: 450 lm	: 700 lm	: 700 lm
Lamp Holder	: E14	: E27	: E14	: E27
Sizes	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78

FILAMENT CANDLE


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0004	001-013-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT FLAME


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0004	001-014-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015
Power	: 4 W	: 6 W	: 8 W	: 10 W	: 12 W	: 15 W
Luminous Flux	: 450 lm	: 700 lm	: 900 lm	: 1200 lm	: 1540 lm	: 1750 lm
Sizes (mm)	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 67 B: 112	: A: 70 B: 131





**HOROZ ELECTRIC**

LED Filament Bulb



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

FILAMENT LED**AMBER
COLOR****TITANIUM
COLOR****F**
A
↑
G2200K 4200K 6400K
2400K**TOLEDO**


001 049 0008

**PARADOX****PARADOX-XL**



001 052 0008

**GINZA****GINZA-XL**



001 050 0008

**ORIGAMI****ORIGAMI-XL**

001 053 0008

**ENIGMA****ENIGMA-XL**

001 051 0008

**ELLIPTIC****ELLIPTIC-XL**

001 054 0008

8W

E27



**HOROZ****ELECTRIC**

LED Filament Bulb / LED Bulb

RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006



**FILAMENT**

F A ↑ G

RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 029 0006

**FILAMENT**

F A ↑ G

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K


**RUSTICTUBE - 6**

001-033-0006

RUSTICTUBE - 8

001-033-0008

Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235





F A ↑ G

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K


001 048 0005

**SMD LED****3 Modes****Flame Mode****General Lighting Mode****Breathing Mode**

**HOROZ****ELECTRIC****LED Colour Bulb****FANTASY RGB**

001 088 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
■ 50 lm**FANTASY**


001 088 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

Yellow
■ 110 lmRed
■ 44 lmGreen
■ 78 lmBlue
■ 32 lmOrange
■ 96 lmPurple
■ 30 lmPink
■ 46 lmWhite
■ 140 lm**COMFORT RGB**

001 087 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
■ 35 lm**COMFORT**


001 087 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

Yellow
■ 90 lmRed
■ 33 lmGreen
■ 60 lmBlue
■ 25 lmOrange
■ 75 lmPurple
■ 23 lmPink
■ 38 lmWhite
■ 100 lm**RAINBOW**


001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

Yellow
■ 105 lmRed
■ 34 lmGreen
■ 68 lmBlue
■ 12 lmWhite
■ 120 lm**SPECTRA**

001 017 0003


- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

Yellow
■ 315 lmRed
■ 102 lmGreen
■ 205 lmBlue
■ 38 lmWhite
■ 250 lm

**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp


- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5




	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



TUBE-8



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360lm	740lm	975lm	2400lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter :	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174





HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K	2700K	2700K	2700K
Luminous Flux :	410 lm	550 lm	770 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146



**HOROZ****ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs




GU10



GU5.3

	GU10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	: 50 W	50 W	50 W
Luminous Flux	: 340 lm	650 lm	550 lm
Lamp Holder	: GU10	GU5.3	GU5.3

**HOROZ****ELECTRIC**

Halogen Lamp




Average Life: 2.000 Hrs



R7S


	78 mm	118 mm	189 mm
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	: 150W	300 W / 500W	1000W
Luminous Flux	: 2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	: A: 10 B: 78	A: 13 B: 118	A: 13 B: 189



Average Life: 2.000 Hrs



G4




	JCG4	JCG4 WHITE
	12V AC	12V AC
Power	: 20 W	20 W
Luminous Flux	: 250 lm	200 lm

Average Life: 2.000 Hrs



G9




	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power	: 25 W / 40W	40W	40W
Luminous Flux	: 270 lm / 500 lm	500 lm	500 lm

**HOROZ****ELECTRIC**

Reflector Lamp



220-240V / 50-60Hz
Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60
	007-001-0030	007-002-0040	007-002-0060	007-003-0060
Power	: 30 W	40 W	60 W	60 W
Luminous Flux	: 150 lm	280 lm	460 lm	400 lm
Lamp Holder	: E14	E14	E14	E27
Sizes (mm)	: A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95



E14

E27

**HOROZ ELECTRIC**

Downlight Fitting

AZER

- Lamp holder not included
- Max. 10W LED

BLACK

WHITE

GOLD



AZER-1

015-039-0001




AZER-2

015-040-0001



AZER-3

015-041-0001

**HOROZ ELECTRIC**

Downlight Fitting Modul Downlight Fitting



MEYAN

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Cutting Size (mm)	:	90x81	166x90	252x90
Sizes (mm)	:	A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45



**HOROZ****ELECTRIC**

Downlight Fitting

BEGONVİL

015 059 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE

**FİRÜZE**

015 058 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE

**KADİFE**

015 060 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE

**NANE**

015 061 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE






KARANFİL

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KARANFİL-R

015-022-0050



KARANFİL-S


015-023-0050



GU10


RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME

- Frame Ring for KARANFİL-R


DOWNLIGHT FITTING

KAKTÜS

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001



GU10



LAVİNYA

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK




LAVİNYA-R

015-050-0001



LAVİNYA-S

015-051-0001



SARDUNYA

- Lamp holder not included
- Max. 10W LED




WHITE




SARDUNYA-R

015-017-0050



SARDUNYA-S

015-018-0050



KAMELYA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 025 0050

- Lamp holder not included
- Max. 10W LED



LAVANTA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 024 0050

- Lamp holder not included
- Max. 10W LED



ORKİDE

CHROME


MAT CHROME

GOLDEN

WHITE

015 007 0050

- 220-240V / 50-60Hz
- Max. 10W LED





AZELYA


- Lamp holder not included
- Max. 10W LED



WHITE

BLACK

WHITE-BLACK



	AZELYA-1	AZELYA-2	AZELYA-3	AZELYA-4
	015-048-0001	015-048-0002	015-048-0003	015-048-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 85 B: 85 C: 40	: A: 92 B: 92 C: 42	: A: 92 B: 172 C: 42	: A: 92 B: 252 C: 42



GU10

DOWNLIGHT FITTING

ANEMON

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



	ANEMON-1	ANEMON-2	ANEMON-3	ANEMON-4
	015-049-0001	015-049-0002	015-049-0003	015-049-0004
Cutting Size (mm)	: 85	: 85	: 85x160	: 85x245
Sizes (mm)	: A: 95 B: 95 C: 35	: A: 92 B: 92 C: 35	: A: 92 B: 175 C: 35	: A: 92 B: 253 C: 35



GU10



RECESSED

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	RECESSED-R	RECESSED-SQ1	RECESSED-SQ2	RECESSED-SQ3	RECESSED-SQ4
	015-042-0001	015-043-0001	015-043-0002	015-043-0003	015-043-0004
Cutting Size (mm)	: 80	80	160	240	160
Sizes (mm)	: A: 85 B: 85 C: 30	A: 88 B: 88 C: 35	A: 168 B: 88 C: 35	A: 248 B: 88 C: 35	A: 168 B: 168 C: 35



SURFACE

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	SURFACE-R	SURFACE-SQ1	SURFACE-SQ2	SURFACE-SQ3	SURFACE-SQ4
	015-044-0001	015-045-0001	015-045-0002	015-045-0003	015-045-0004
Sizes (mm)	: A: 90 B: 90 C: 110	A: 105 B: 105 C: 110	A: 110 B: 205 C: 110	A: 115 B: 300 C: 110	A: 205 B: 205 C: 110



MODUL-9

016 076 0009





BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K / 6400K



suitable for module fitting cases



MODUL-G

128 003 0001



BLACK

GOLD


WHITE

- Max. 10W LED



suitable for module fitting cases

Suitable for GU10 and G5.3 led bulbs



MODUL DOWNLIGHT FITTING



**HOROZ ELECTRIC**

LED Downlight

**HOROZ ELECTRIC**

LED Downlight LED Sensor Downlight





ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K





LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available





BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



**HOROZ****ELECTRIC**

LED Downlight


LOGAN 3 CCT

016 085 0005

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT

F A G

CCT ADJUSTABLE

CCT Selectable
by DIP Switch



3000K

4000K

6500K

BLACK

WHITE



MELODY

016 069 0005



- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs

F A G

MAT CHROME

WHITE

BLACK



double spring clamp connector




**HOROZ****ELECTRIC****LED Downlight****NORA PRO-5**



016 053 1005

**WHITE****BLACK**


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

**CCT ADJUSTABLE****AMARA**

016 079 0006

**WHITE&BLACK****BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K



**HOROZ****ELECTRIC****LED Downlight**

LED DOWNLIGHT


PARKER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

double spring clamp connector

BLACK

WHITE




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)



	PARKER-5	PARKER-12
	016-071-0005	016-071-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 40 B: 82	A: 38 B: 148


**CARTER**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

double spring clamp connector

BLACK

WHITE




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)








	CARTER-5	CARTER-12
	016-072-0005	016-072-0012
Power	5 W	12 W
Luminous Flux	350 lm	1000 lm
Cutting Diameter (mm)	Ø68	Ø130
Sizes (mm)	A: 35 B: 82	A: 33 B: 145



**HOROZ****ELECTRIC****LED Downlight****STELLA****STELLA/SQ****WHITE**

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**ADJUSTABLE
CUT HOLE****FRAMELESS**

	STELLA - 8	STELLA - 16	STELLA - 20	STELLA - 30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19



	STELLA / SQ - 8	STELLA / SQ - 16	STELLA / SQ - 20	STELLA / SQ - 30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19

**HOROZ****ELECTRIC**


LED Downlight

ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK



	ALEXIS-6 3CCT	ALEXIS-9 3CCT	ALEXIS-12 3CCT	ALEXIS-18 3CCT	ALEXIS-24 3CCT	ALEXIS-30 3CCT
	016-087-0006	016-087-0009	016-087-0012	016-087-0018	016-087-0024	016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter :	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300



LED DOWNLIGHT

ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK



	ALEXIS/SQ-9 3CCT	ALEXIS/SQ-12 3CCT	ALEXIS/SQ-18 3CCT	ALEXIS/SQ-24 3CCT	ALEXIS/SQ-30 3CCT
	016-088-0009	016-088-0012	016-088-0018	016-088-0024	016-088-0030
Power :	9W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300




**HOROZ****ELECTRIC**

LED Downlight


LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225




**HOROZ****ELECTRIC**

LED Downlight

ALEXA

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K / 4200K / 7000K




WHITE

BLACK



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power	8 W	12 W	20 W	24 W	30 W
Luminous Flux	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230



ALEXA 3CCT

- 100-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3CCT




CCT ADJUSTABLE




WHITE

BLACK




	ALEXA-8 3CCT	ALEXA-12 3CCT	ALEXA-20 3CCT	ALEXA-24 3CCT	ALEXA-30 3CCT
	016-048-1008	016-048-1012	016-048-1020	016-048-1024	016-048-1030
Power	8 W	12 W	20 W	24 W	30 W
Luminous Flux	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230



**HOROZ****ELECTRIC**

LED Downlight

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K




CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40




SLIM

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K


**WHITE**

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297




SLIM / Sq

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:292





**HOROZ****ELECTRIC**


LED Downlight

HARLEY 2 CCT

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT

**2 CCT****WHITE****BLACK****ADJUSTABLE CUT HOLE**


	HARLEY-5 2 CCT	HARLEY-10 2 CCT	HARLEY-16 2 CCT	HARLEY-20 2 CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40




LED DOWNLIGHT

VIOLET

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



**WHITE**

	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33




**HOROZ****ELECTRIC****LED Downlight****VALENTINA 2 CCT**

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

WHITE**ADJUSTABLE
CUT HOLE**

	VALENTINA - 6 2 CCT	VALENTINA - 12 2 CCT	VALENTINA - 24 2 CCT	VALENTINA - 36 2 CCT
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	12 W	24 W	36 W
Luminous Flux	: 480 lm	960 lm	1920 lm	2880 lm
Cutting Diameter (mm)	: 50-90	50-105	50-150	50-205
Sizes (mm)	: A: 100 B: 25	A: 120 B: 25	A: 170 B: 25	A: 220 B: 25




**HOROZ****ELECTRIC****LED Downlight**

LED DOWNLIGHT

ALESYA

- 85-265V / 50-60Hz
- Average Life:30.000 Hrs
- 6400K




WHITE

BLACK

**NEW
PRODUCT**

	ALESYA-10	ALESYA-15	ALESYA-20	ALESYA-25	ALESYA-30	ALESYA-40
	016-089-0010	016-089-0015	016-089-0020	016-089-0025	016-089-0030	016-089-0040
Power	10 W	15 W	20 W	25 W	30 W	40 W
Luminous Flux	800 lm	1200 lm	1600 lm	2000 lm	2400 lm	3200 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø110	Ø145	Ø200	Ø200
Sizes (mm)	A: 30.5 B: 90	A: 33 B: 120	A: 35 B: 140	A: 39 B: 170	A: 220 B: 44	A: 220 B: 44



**HOROZ****ELECTRIC**

LED Downlight

MATILDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch

3000K




4000K



6500K

WHITE


BLACK



Recessed



Surface Mounting



MATILDA-12 3CCT

MATILDA-18 3CCT

016-090-0012

016-090-0018

Power	:	12 W	18 W
Luminous Flux	:	1200 lm	1800 lm
Cutting Diameter (mm)	:	60-130	60-180
Sizes (mm)	:	A: 170 B: 18	A: 220 B: 18



**HOROZ****ELECTRIC**

LED Sensor Downlight

MARTHA-18 3 CCT

016 060 1018

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT


**CCT ADJUSTABLE**

CCT Selectable by DIP Switch



WHITE

BLACK

**Built-in
Photocell &
PIR Sensor**

→ ☀ Day&Night motion sensor mode

☾ ← Night motion sensor mode
















































































































































































































































































































**HOROZ[®] ELECTRIC**

LED Surface Light

SOFIA

- 100 - 265V / 50 - 60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38

**HOROZ[®] ELECTRIC**

LED Surface Light


LED Surface Backlight

Surface Light




SOFIA / S

- 100 - 265V / 50 - 60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK



	SOFIA / S-18	SOFIA / S-24	SOFIA / S-36	SOFIA / S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38



**HOROZ****ELECTRIC**

LED Surface Light

SELENA 3CCT




CCT ADJUSTABLE

**BLACK****WHITE**

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



	SELENA-12 3CCT	SELENA-18 3CCT	SELENA-24 3CCT	SELENA-36 3CCT
	016-084-0012	016-084-0018	016-084-0024	016-084-0036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1660 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 140 B: 32	: A: 173 B: 32	: A: 218 B: 32	: A: 290 B: 32



MILENA 3CCT




CCT ADJUSTABLE

**BLACK****WHITE**

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



	MILENA-12 3CCT	MILENA-18 3CCT	MILENA-24 3CCT	MILENA-36 3CCT
	016-083-0012	016-083-0018	016-083-0024	016-083-0036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1660 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 140 B: 32	: A: 173 B: 32	: A: 220 B: 32	: A: 290 B: 32



**HOROZ ELECTRIC**


LED Surface Light

NORA PRO/S-5




016 078 1005

CCT ADJUSTABLE**WHITE****BLACK**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

**CARLA**




- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**WHITE**

	CARLA-16	CARLA-24	CARLA-32	CARLA-48
	016-058-0016	016-058-0024	016-058-0032	016-058-0048
Power	16 W	24 W	32 W	48 W
Luminous Flux	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	A:120 B:45	A:175 B:45	A:225 B:45	A:300 B:45

CARLA/SQ

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**WHITE**


	CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
	016-059-0016	016-059-0024	016-059-0032	016-059-0048
Power	16 W	24 W	32 W	48 W
Luminous Flux	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	A:125 B:45	A:172 B:45	A:225 B:45	A:300 B:45

**HOROZ****ELECTRIC**

LED Surface Light


VALENTINA / S 2 CCT

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 2CCT

**2 CCT****WHITE**

VALENTINA / S-12 2 CCT	VALENTINA / S-24 2 CCT	VALENTINA / S-36 2 CCT
016-086-0012	016-086-0024	016-086-0036


Power	:	12 W	24 W	36 W
Luminous Flux	:	960 lm	1920 lm	2880 lm
Sizes (mm)	:	A: 120 B: 46	A: 172 B: 46	A: 225 B: 46



LED SURFACE LIGHT


HAZEL

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**WHITE****BLACK**

HAZEL-24	HAZEL-32	HAZEL-40
016-077-0024	016-077-0032	016-077-0040

Power	:	24 W	32 W	40 W
Luminous Flux	:	1680 lm	2240 lm	2800 lm
Sizes (mm)	:	A: 300 B: 55	A: 380 B: 55	A: 450 B: 60



**HOROZ****ELECTRIC**

LED Surface Light

SCARLETT -30 3CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT


016 070 1030

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch**3000K****4200K****6400K****WHITE****BLACK**

Linkable / Fast Connector





Release the bracket through push or pull the plastic button

**SCARLETT -30**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 6400K

016 070 0030

**WHITE****BLACK**

**HOROZ****ELECTRIC**

LED Surface Light

ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



LED SURFACE LIGHT

ANDREA/S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49






**HOROZ****ELECTRIC**

LED Surface Light / LED Surface Backlight



LED SURFACE LIGHT / LED SURFACE BACKLIGHT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K




CAROLINE**ARINA****WHITE****BLACK**

	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K / 4200K / 6400K	White 3000K / 4200K / 6400K	White 3000K / 4200K / 6400K	White 3000K / 4200K / 6400K	White 3000K / 4200K / 6400K	White 3000K / 4200K / 6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K


**PULSAR-48**

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048

**WHITE****BLACK****BACKLIGHT
PANEL**

Inside of Product



**HOROZ****ELECTRIC**


LED Surface Backlight



LED SURFACE BACKLIGHT


PROTEUS

- 175 - 265V / 50 - 60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE

BLACK



BACKLIGHT PANEL



Inside of Product



	PROTEUS-36	PROTEUS-48
Power	36 W	48 W
Luminous Flux	3000 lm	4400 lm
Sizes (mm)	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38




**HOROZ****ELECTRIC**

LED Surface Light




LAYLA-15

016 073 0015

**BLACK****WHITE**


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K




SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL

**WHITE****BLACK**


	SANDRA-5	SANDRA-5 / XL	SANDRA-10	SANDRA-10 / XL	SANDRA-15	SANDRA-15 / XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux:	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162




SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ / XL

**WHITE****BLACK**

	SANDRA-SQ10	SANDRA-SQ10 / XL	SANDRA-SQ15	SANDRA-SQ15 / XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux:	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





HOROZ ELECTRIC

Surface Light

JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED



BLACK

WHITE



JOKER-1

015-038-0001



JOKER-2

015-038-0002



JOKER-4

015-038-0004



JOKER-3

015-038-0003



JOKER-5

015-038-0005




JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6




**HOROZ****ELECTRIC****Surface Light****SALSA****SALSA-XL****SALSA-L****SALSA/SQ-L**

WHITE


BLACK

**SALSA**


015-036-0001

**SALSA-L**


015-036-0002

**SALSA-XL**

015-036-0003

**SALSA/SQ-L**

015-037-0002

**REFLEX**

CHROME

GOLD

RED COPPER

**REFLEX**

128-001-0001

REFLEX-L

128-001-0002

REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) :

A: 60

A: 80

A: 100

A: 80



For Reflector :

Salsa

Salsa-L

Salsa-XL

Salsa/SQ-L






MIAMI

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

WHITE

BLACK

015 033 0001




FREZYA

- Bulb not included


WHITE

BLACK



FREZYA-R

015-026-0050



FREZYA-S

015-027-0050





**HOROZ****ELECTRIC**

LED Backlight Panel

PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K


056 010 0045

**WHITE**

BACKLIGHT PANEL




Inside of Product



EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K


056 009 0080

**WHITE**

BACKLIGHT PANEL



Inside of Product


**HOROZ****ELECTRIC**

LED Panel LED Backlight Panel Frame Drywall Kit



TAURUS


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****TAURUS-36****TAURUS-48**

056-013-0036

056-013-0048

Power	:	36 W	48 W
Luminous Flux	:	3000 lm	4400 lm
Sizes (mm)	:	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL



Inside of Product



**HOROZ****ELECTRIC****LED Panel****ANDROMEDA 3CCT****WHITE**



056 017 0050

**CCT ADJUSTABLE**



3000K

4500K

6500K

**SUPERNOVA 3 CCT****SILVER**



056 018 0050

**CCT ADJUSTABLE**

3000K

4500K


6500K




LED PANEL

**HOROZ****ELECTRIC****LED Panel****GALAKSİ-45**


056 002 0045

**WHITE**


- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K

**STAR-50**



056 001 0050

**SILVER**




- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K

**MOON**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**ZODIAC**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**MOON-32**

056-007-0032

MOON-40

056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

**ZODIAC-24**

056-006-0024

ZODIAC-36

056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8







**HOROZ[®] ELECTRIC**

LED Frame Panel / Frame / Drywall Kit

CAPELLA-48

- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

056 012 0048


**WHITE**

LED FRAME PANEL / FRAME / DRYWALL KIT

FRAME**WHITE****DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For LED Panels




FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm): A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45



HOROZ

ELECTRIC

LED Magnetic Light System



HOROZ

ELECTRIC

LED Magnetic Light System LED Slim Magnetic Light System



RECESSED MAGNET RAIL MAGNET-R2



129 006 0002

SURFACE MAGNET RAIL MAGNET-S2



129 007 0002

THREE INSTALLATION





48VDC

2M



THICKNESS 2mm




**HOROZ****ELECTRIC**

LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-LL1



MAGNET-LL2



MAGNET-LM1




MAGNET-LM2




MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028


Power	:	6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	:	540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
CCT	:	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K
Sizes (mm)	:	L:110 W:22 H:45	L:220 W:22 H:45	L:330 W:22 H:45	L:450 W:22 H:45	L:300 W:22 H:45	L:600 W:22 H:45	L:900 W:22 H:45

**MAGNET**

- 48VDC
- Average Life: 40.000 Hrs




BLACK



MAGNET-ALL1	MAGNET-ALL2
129-003-0012	129-003-0018

Power	:	12 W	18 W
Luminous Flux	:	1080 lm	1620 lm
CCT	:	3000K/4200K	3000K/4200K
Sizes (mm)	:	L:220 W:22 H:90	L:328 W:22 H:90




**HOROZ****ELECTRIC**


LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



	MAGNET-T1	MAGNET-T2
	129-005-0020	129-005-0030
Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
CCT	: 3000K / 4200K	3000K / 4200K
Sizes (mm)	: L:138 Ø:57	L:145 Ø:67



	MAGNET-P1	MAGNET-P2
	129-004-0020	129-004-0030
Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
CCT	: 3000K / 4200K	3000K / 4200K
Sizes (mm)	: Ø:65 H:200	Ø:80 H:200

MAGNET

- 220VAC / 48VDC
- Average Life: 40.000 Hrs




BLACK



MAGNET-PS1	MAGNET-PS2
129-008-0001	129-008-0002

Power	: 100 W	200 W
Sizes (mm)	: L:220 W:22 H:25	L:310 W:22 H:37



MAGNET




BLACK



MAGNET-C1



MAGNET-C2



MAGNET-SJ



MAGNET-RJ



MAGNET-H



MAGNET-RC



MAGNET-RW



MAGNET-SC



MAGNET-SW

	MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H	MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW
	129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001	129-011-0001	129-012-0001	129-013-0001	129-014-0001
Sizes (mm)	: L:370 W:16 H:17	L:220 W:16 H:17	80*23*2 T:0	L:70 W:11.5 H:T:10	L:1000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80



HOROZ

ELECTRIC

LED Slim Magnetic Light System



HOROZ

ELECTRIC

LED Magnetic Light System LED Slim Magnetic Light System



LED SLIM MAGNETIC LIGHT SYSTEM



SURFACE SLIM MAGNET RAIL SLIM MAGNET-S2

129 107 0002

48VDC


2M



TWO INSTALLATION

Hanging

Surface




**HOROZ****ELECTRIC**

LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



SLIM MAGNET-LL1



MAGNET-LL2




MAGNET-LM1




MAGNET-LM2



	SLIM MAGNET-LL1	SLIM MAGNET-LL2	SLIM MAGNET-LL3	SLIM MAGNET-LM1	SLIM MAGNET-LM2
	129-102-0012	129-102-0018	129-102-0024	129-101-0010	129-101-0020
Power	: 12 W	18 W	24 W	10 W	20W
Luminous Flux	: 1080 lm	1620 lm	2160 lm	1050 lm	2220 lm
Sizes (mm)	: L:218 W:27 H:28	L:326 W:27 H:28	L:435 W:27 H:28	L:304 W:27 H:28	L:605 W:27 H:28

**SLIM MAGNET**


- 48VDC
- Average Life: 40.000 Hrs




BLACK



	SLIM MAGNET-ALL1	SLIM MAGNET-ALL2
	129-103-0012	129-103-0018
Power	: 12 W	18 W
Luminous Flux	: 1080 lm	1620 lm
Sizes (mm)	: L:229 W:27 H:39	L:337 W:27 H:39

**SLIM MAGNET**


- 48VDC
- Average Life: 40.000 Hrs



BLACK



	SLIM MAGNET-T1	SLIM MAGNET-T2	SLIM MAGNET-T3
	129-105-0012	129-105-0015	129-105-0020
Power	: 12 W	15 W	20 W
Luminous Flux	: 978 lm	1223 lm	1630 lm
Sizes (mm)	: L:110 Ø:47	L:143 Ø:57	L:150 Ø:67




**HOROZ****ELECTRIC**


LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



	SLIM MAGNET-P1	SLIM MAGNET-P3	SLIM MAGNET-P5
	129-104-0010	129-104-0020	129-104-0007
Power	: 10 W	: 20 W	: 7 W
Luminous Flux	: 780 lm	: 1630 lm	: 560 lm
Sizes (mm)	: L:1500 Ø:40	: L:1500 Ø:60	: L:1254 Ø:70



SLIM MAGNET

BLACK




SLIM MAGNET-CL



SLIM MAGNET-CI



SLIM MAGNET-CT



SLIM MAGNET-CX



SLIM MAGNET-CC

	SLIM MAGNET-CL	SLIM MAGNET-CI	SLIM MAGNET-CT	SLIM MAGNET-CX	SLIM MAGNET-CC
	129-109-0001	129-110-0001	129-111-0001	129-112-0001	129-113-0001
Sizes (mm)	: W:47 H:47	: W:27 H:47	: W:47 H:67	: W:67 H:67	: W:47 H:67



SLIM MAGNET

- 220VAC / 48VDC
- Average Life: 40.000 Hrs

BLACK



	SLIM MAGNET-PS1	SLIM MAGNET-PS2
	129-108-0001	129-108-0002
Power	: 100 W	: 200 W
Sizes (mm)	: L:195 W:21 H:2.3	: L:300 W:21 H:3.2



**HOROZ ELECTRIC**


LED Linear Track Light

PARMA

- 160-265V
- Average Life: 40.000 Hrs

WHITE&BLACK

BLACK

**Rotatable** Body


PARMA-20

PARMA-30

018-032-0020

018-032-0030

Power	:	20 W	30 W
Luminous Flux	:	1600 lm	2400 lm
Sizes (mm)	:	L:351 W:34 H:57	L:486 W:34 H:57

**HOROZ ELECTRIC**


LED Linear Track Light



SPLIT

- 160-265V
- Average Life: 30.000 Hrs
- 4200K

BLACK




SPLIT-12

SPLIT-18

018-034-0012

018-034-0018

Power	:	12 W	18 W
Luminous Flux	:	840 lm	1260 lm
Sizes (mm)	:	A:85 B:28 C:305 D:107	A:85 B:28 C:603 D:107




CENOVA

- 160-265V
- Average Life: 40.000 Hrs
- 4200K

WHITE

BLACK

**Rotatable** Body


CENOVA-20

CENOVA-30

018-033-0020

018-033-0030

Power	:	20 W	30 W
Luminous Flux	:	2050 lm	3160 lm
Sizes (mm)	:	L:351 W:34 H:57	L:486 W:34 H:57



**HOROZ****ELECTRIC**

LED Track Light

BREMEN 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT




CCT ADJUSTABLE



WHITE

BLACK



	BREMEN-10 3 CCT	BREMEN-20 3 CCT	BREMEN-30 3 CCT	BREMEN-40 3 CCT
	018-031-1010	018-031-1020	018-031-1030	018-031-1040
Power	: 10 W	: 20 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1700 lm	: 2400 lm	: 3000 lm
Sizes (mm)	: A: 54 B: 126 C: 138	: A: 63 B: 156 C: 146	: A: 76 B: 180 C: 171	: A: 88 B: 180 C: 181

**HOROZ****ELECTRIC**

LED Track Light




LED TRACK LIGHT



**HOROZ****ELECTRIC**

LED Track Light


VARNA



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°

WHITE

BLACK




VARNA-20	VARNA-30	VARNA-36
018-026-0020	018-026-0030	018-026-0036

Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180




LYON



- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°

WHITE

BLACK



LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024


Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162



Z O O M A B L E

MONACO-30


018 019 0030



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- 2250 lm
- Beam Angle: 15°-60°

WHITE


BLACK



**HOROZ****ELECTRIC**

LED Track Light


LONDRA



	LONDRA-12	LONDRA-15
	018-029-0012	018-029-0015
Power	: 12 W	: 15 W
Luminous Flux	: 1080 lm	: 1350 lm
Sizes (mm)	: A: 50 B: 200	: A: 60 B: 200


WHITE**BLACK**

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K




FARS

018 030 0026

**BLACK****WHITE**

- 185-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K



**HOROZ****ELECTRIC****TrackLight****LONDRA-G**

115 005 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**HOROZ****ELECTRIC****TrackLight****TORONTO**

115 004 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**BASEL**

115 003 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



**HOROZ****ELECTRIC****Pendant Lamp**

PENDANT LAMP

VERTEX


021 024 0001

**WHITE****BLACK**

■ 220 - 240V

■ Max. 10W LED

Ø55 mm



GU10

**HOROZ****ELECTRIC**

Track Light / Spotlight

**VERSAY**

115 006 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max.10W LED
- Bulb not included

**HOROZ****ELECTRIC**

TrackLight / Spotlight

**VERONA**

116 002 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included




**HOROZ****ELECTRIC**


Track Light / LED Spotlight / Spotlight

DAKAR

115 001 0001

**RABAT**

115 002 0001

**WHITE****BLACK**



- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



TRACKLIGHT / LED SPOTLIGHT / SPOTLIGHT

TOKYO


017 002 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°

**LOZAN**

116 001 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



**HOROZ ELECTRIC**

Track Suspension / Lighting Track / Track Connector Recessed Monopoint

TRACK SUSPENSION

096 001 0006

1.5 m.

- 1.5M SUSPENSION SET FOR TRACK RAIL
- 220-240V / 50-60Hz
- Max. 16A

**LIGHTING TRACK**

097 001 0001

1 m.

WHITE**BLACK**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0002

2 m.

097 001 0003

3 m.



33 mm ↓

TRACK CONNECTOR**WHITE****BLACK**

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001



L Connector

096-002-0002

**HOROZ ELECTRIC**


Track Suspension Lighting Track Track Connector Recessed Monopoint

**RECESSED MONOPOINT**

098 001 0001

BLACK**SILVER**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125

**HOROZ****ELECTRIC**

LED Linear Suspension Light

AVENUE 3 CCT


019 066 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available



BLACK

WHITE

**CCT ADJUSTABLE**

CCT Selectable by DIP Switch

3000K

4000K


6500K

**HOROZ****ELECTRIC**

LED Linear Suspension Light

LED Suspension Light

LED Crystal Suspension Light

**FORTUNE**

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available




BLACK

WHITE



	FORTUNE3-40	FORTUNE10-80
Power	40 W	80 W
Luminous Flux	4200 lm	8000 lm
Width (mm)	30 mm	100 mm



**HOROZ****ELECTRIC**

LED Linear Suspension Light


FORTUNE 3CCT

019 051 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

BLACK

WHITE

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch

3000K



4000K



6500K

**DESTINY 3CCT**

019 067 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4600 lm
- Surface mounting also available

BLACK

WHITE

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch

3000K



4000K



6500K



**HOROZ****ELECTRIC**

LED Linear Suspension Light


INNOVA 3 CCT

019 034 1040


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

BLACK


WHITE

**CCT ADJUSTABLE**

CCT Selectable by DIP Switch



3000K




4500K



6000K



LED LINEAR SUSPENSION LIGHT

INNOVA


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available

BLACK

WHITE



	INNOVA3-40	INNOVA10-80
Power	40 W	80 W
Luminous Flux	3200 lm	6500 lm
Width (mm)	30 mm	100 mm



**HOROZ****ELECTRIC**




LED Suspension Light

CONCORDE - 24

019 053 0024

**BLACK**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K




**24W****SMD LED**

CONCORDE - 36

019 053 0036

**BLACK**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K



**36W****SMD LED**

VENEZIA

019 057 0040

**CHROME**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K



**40W****SMD LED**

TROYA

019 058 0024

**CHROME**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

**24W****SMD LED**



HOROZ ELECTRIC

LED Suspension Light

LIBERTY

019 054 0030



CHROME

BLACK


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



30W

SMD LED

2700K 4000K 6400K



CORNELIA


019 055 0060



CHROME

BLACK


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K



60W

SMD LED

2700K 4000K 6400K



LED SUSPENSION LIGHT

MONZA

019 059 0040



CHROME



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K



40W

SMD LED

2700K 4000K 6400K



COPERNIC

019 060 0015



CHROME



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



15W

SMD LED

2700K 4000K 6400K





HOROZ ELECTRIC

LED Suspension Light


OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K




GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR

019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



**HOROZ****ELECTRIC**

LED Suspension Light



ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K

**16W**




ORION

019 017 0030




CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K

**30W**

CYBER


019 061 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

**24W**

CHROME





AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K

**35W**




GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K

**45W**

**HOROZ ELECTRIC**


LED Suspension Light / LED Crystal Suspension Light

CALIBUR-24

019 031 0024

CHROME


- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**CAMEL-24**

019 032 0024

CHROME


- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**PHOENIX**

019 020 0038

CHROME**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K

**ELECTRA**

019 021 0038

CHROME**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K



**HOROZ[®] ELECTRIC**

LED String Light

AMBIANCE

022 004 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available



Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS available



LED STRING LIGHT



**HOROZ[®] ELECTRIC**

LED String Light String Light

**PARADISE**

022 005 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs



**HOROZ****ELECTRIC**


String Light

CARNAVAL - ROLL

022 003 0001

CUTTABLE

- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included




CARNAVAL - F10

022 002 0010

LINKABLE


- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0.94mm²
- Total 10 Meters
- Bulb not included



CARNAVAL

LINKABLE


- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max.1500W
Cable :	2*0.75mm ²	2*1.5mm ²

**HOROZ****ELECTRIC****Pendant Lamp****VOLTA**

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~/14A
■ Max. 60W**HOROZ****ELECTRIC****Pendant Lamp****EDISON**

021 002 0001

**TESLA**

021 003 0001

**WEBER**

021 008 0001

**GAUSS**

021 009 0001




RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE


CHROME

■ 250V~/14A
■ Max. 60W**NEWTON**

021 010 0001

**KEPLER**


021 011 0001

**MAXWELL**

021 012 0001

**NOBEL**

021 013 0001



BLACK

■ 250V~/14A
■ Max. 60W**FOLDABLE CASE**

**HOROZ****ELECTRIC**

Glass Pendant Lamp / Pendant Lamp

DREAM

021 020 0001

**SHARP**


021 019 0001

**RONDO**

021 018 0001

**AMBER****TITANIUM**

- 250V~ / 4A
- Max. 60W
- Glass

**GLOBAL**


021 021 0001

**GLOBAL-X**

021 021 0002

**AMBER****TITANIUM**


- 250V~ / 4A
- Max. 60W
- Glass

**AMPER**

021 022 0001

**COPPER**

- 250V~ / 4A
- Max. 60W
- For Glass Pendant

**ELEMENT-1**


021 015 0001

**AMBER****TITANIUM****ELEMENT-2**

021 015 0002

**CLEAR COPPER****CLEAR CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ****ELECTRIC**

Glass Pendant Lamp

SPARK -1

021 016 0001


**AMBER****TITANIUM**

SPARK -2

021 016 0002

**AMBER COPPER****TITANIUM COPPER**

- 250V~ / 4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001


**AMBER****TITANIUM**

HARMONY-2

021 017 0002

**AMBER COPPER****TITANIUM COPPER**

- 250V~ / 4A
- Max. 60W
- Glass



METEOR


021 014 0001



021 014 0002

**COPPER****CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ ELECTRIC**

LED Wall Light

BELEK

029 009 0003


WHITE

BLACK

- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs



150x45x50mm


NEW
PRODUCT

MAESTRO

029 008 0010

BLACK

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs

NEW
PRODUCT**HOROZ ELECTRIC**

LED Wall Light



CUNDA


029 011 0003

NEW
PRODUCT2 USB
TYPE-C

WHITE

BLACK

- 180-240V / 50-60Hz
- 700 lm
- 4200K
- Average Life: 20.000 Hrs





ERDEK

029 001 0005

RED


- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

LED Wall Light



SALDA

**SALDA-10****SALDA-14**

029-010-0010


029-010-0014

Power	:	10 W	14 W
Luminous Flux	:	372 lm	680 lm
Sizes (mm)	:	A: 620 B: 140	A: 920 B: 140





BLACK

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



SİSAM

029 006 0008



TRUVA


029 007 0008



WHITE

BLACK


- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs



RODOS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE


**RODOS-3****RODOS-6****RODOS-12**

029-004-0003

029-004-0006

029-004-0012


Power	:	3 W	6 W	12 W
Luminous Flux	:	170 lm	340 lm	950 lm
Sizes (mm)	:	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE


**BELEN-6****BELEN-12****BELEN-18**

029-003-0006

029-003-0012

029-003-0018

Power	:	6 W	12 W	18 W
Luminous Flux	:	340 lm	950 lm	1400 lm
Sizes (mm)	:	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95



**HOROZ****ELECTRIC**



LED Decorative Ceiling Lamp

SHARK-24

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

WHITE

027 001 0024


**HOROZ**

LED Decorative Ceiling Lamp



ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE**ELECTRON-15****ELECTRON-24****ELECTRON-36**

027-010-0015

027-010-0024


027-010-0036

Power	:	15 W	24 W	36 W
Luminous Flux	:	911 lm	1485 lm	2228 lm
Sizes (mm)	:	A: 230 B: 260 C: 50	A: 300 B: 330 C: 52	A: 350 B: 385 C: 55



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE**EPSILON-15****EPSILON-24****EPSILON-36**

027-004-0015

027-004-0024

027-004-0036

Power	:	15 W	24 W	36 W
Luminous Flux	:	1125 lm	1800 lm	2700 lm
Sizes (mm)	:	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




**HOROZ ELECTRIC**

LED Sensor Decorative Ceiling Lamp

CRAMER


027 015 0020



- 180 - 260V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 4200K / 6400K
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec - 3min (adjustable)
- Detection moving speed: 0.6 - 1.5m / S
- Relative humidity: <93%R
- Working temperature: -20 - +40°C
- Installation height: 2.2m - 3.5m





WHITE



CRAMER 3 CCT

027 015 1020

- 180 - 260V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec - 3min (adjustable)
- Detection moving speed: 0.6 - 1.5m / S
- Relative humidity: <93%R
- Working temperature: -20 - +40°C
- Installation height: 2.2m - 3.5m



WHITE



CCT ADJUSTABLE



3000K



4500K



6000K



**HOROZ****ELECTRIC**

LED Decorative Ceiling Lamp

PIXEL



PIXEL-36

PIXEL-48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

RADIUS



RADIUS-36

RADIUS-48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

WHITE

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

ETERNAL



ETERNAL-36

ETERNAL-48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

DISCOVERY




DISCOVERY-36

DISCOVERY-48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



PHANTOM-36

PHANTOM-48

027-002-0036

027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65

GHOST



GHOST-36

GHOST-48

027-003-0036

027-003-0048



Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60

WHITE

BLUE

PINK

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




**HOROZ ELECTRIC****LED Ceiling Lamp****HOROZ ELECTRIC****LED Ceiling Lamp
Ceiling Lamp**

CEILING LAMP

LİKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME

■ LİKYA-1



■ LİKYA-2



■ LİKYA-3



■ LİKYA-4









■ LİKYA-5



■ LİKYA-6



	LİKYA-1	LİKYA-2	LİKYA-3	LİKYA-4	LİKYA-5	LİKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm



**HOROZ****ELECTRIC****Ceiling Lamp****KEMER**

■ 220-240V / 50-60Hz

CHROME

■ KEMER-1



■ KEMER-2



■ KEMER-3



■ KEMER-4



■ KEMER-5

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



G9


**HOROZ****ELECTRIC****Ceiling Lamp****BODRUM**

■ 220-240V / 50-60Hz

MAT CHROME



	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W


**MANAVGAT**

■ 220-240V / 50-60Hz

CHROME



	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



**HOROZ****ELECTRIC**



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

**HOROZ ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp





SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABIL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

LEYLEK

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**LEYLEK-8****LEYLEK-12**

040-016-0008

040-016-0012


Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40



LED PICTURE & MIRROR LAMP

KANARYA

- 100 - 250V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**KANARYA-8****KANARYA-12**

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120



**HOROZ****ELECTRIC**


LED Picture & Mirror Lamp

KARTAL

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




KARTAL-8

KARTAL-12

040-017-0008

040-017-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50




ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




ANKA-8

ANKA-12

040-014-0008

040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




FLAMINGO-8

FLAMINGO-12

040-001-0008

040-001-0012

Power	:	8 W	12 W
Luminous Flux	:	450 lm	750 lm
Sizes (mm)	:	A: 400 B: 45 C: 185	A: 550 B: 45 C: 185



**HOROZ ELECTRIC**

LED Picture & Mirror Lamp / LED Reading Lamp


KUĞU

040 006 0003

BLACK

SILVER

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K




TURNA

040 007 0003



BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME

FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	:	3 W	6 W	9 W
Luminous Flux	:	214 lm	428 lm	640 lm




**HOROZ****ELECTRIC**

Desk Lamp


SİMGE

048 014 0060

**GREEN****BLUE**■ 220-240V / 50-60Hz
■ Max. 60W


RANA

048 013 0060

BLACK**WHITE****RED**■ 220-240V / 50-60Hz
■ Max. 60W

BİHTER

048 009 0060

BLACK**WHITE****RED****BLUE**■ 220-240V / 50-60Hz
■ Max. 60W

**HOROZ ELECTRIC**

LED Desk Lamp

BESTE**G**

049 037 0005

**RED****WHITE****BLACK**


- 100-240V AC/5VDC
- 380 lm
- 4500K
- Average Life: 30.000 Hrs

**EBRU**

049 010 0010

BLACK**WHITE****SILVER**


- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs

**İREM**

049 011 0005

RED**WHITE****BLACK**

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

LED Desk Lamp Desk Lamp

**BUDDY**

048 001 0015

- 220-240V/50-60Hz
- Max. 15W
- 500 lm
- 4500K

**PINK****BLUE****YELLOW****Bulb included**

**HOROZ ELECTRIC**

LED Table Lamp

MERIDA 3 CCT

050 001 0001

- 100-240V AC/5VDC
- 80 lm
- Duration Time:8-12 Hours
- Charging Time:4 Hours
- Average Life: 30.000 Hrs



BLACK


WHITE

PINK

GOLD

LIGHT BLUE

LIGHT GREEN



TOUCH


CCT ADJUSTABLE

CCT Selectable by DIP Switch

3000K

4500K

6000K

**HOROZ ELECTRIC**

LED Table Lamp

**PRONTO 3CCT**

050 002 0001


- 100-240V AC/5VDC
- 60 lm
- 3 CCT
- Duration Time:8-12 Hours
- Charging Time:4 Hours
- Average Life: 30.000 Hrs



GOLD

SILVER

ROSE GOLD



TOUCH

CCT ADJUSTABLE

CCT Selectable by DIP Switch

3000K

4500K

6000K



**HOROZ****ELECTRIC**



LED Table Lamp

AVIVA 3CCT

050 003 0001





- 100-240V AC/5VDC
- 60 lm
- 3 CCT
- Duration Time: 8-12 Hours
- Charging Time: 4 Hours
- Average Life: 30.000 Hrs

**CCT ADJUSTABLE****GOLD****SILVER****ROSE GOLD****INTER 3CCT**

050 004 0001





- 100-240V AC/5VDC
- 30 lm
- 3 CCT
- Duration Time: 8-12 Hours
- Charging Time: 4 Hours
- Average Life: 30.000 Hrs

**CCT ADJUSTABLE****WANDA 3CCT**

050 005 0001



- 100-240V AC/5VDC
- 30 lm
- 3 CCT
- Duration Time: 8-12 Hours
- Charging Time: 4 Hours
- Average Life: 30.000 Hrs

**CCT ADJUSTABLE**

**HOROZ ELECTRIC**



LED Batten Light

DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K
- Max. 7 Product

LINKABLE

052 007 0120





HAVZA-60

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K
- Max. 4 Product

LINKABLE

052 008 0120

**HOROZ ELECTRIC**

LED Batten Light

LED Waterproof Lamp



LED Tube Fixture

Electronic Wall Lamp



GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****BLACK**

GAMA-30




GAMA-60



GAMA-80



	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150
Power	: 30 W	: 60 W	: 80 W
Luminous Flux	: 2250 lm	: 4500 lm	: 6000 lm
Length (mm)	: A: 600 B: 75 C: 25	: A: 1200 B: 75 C: 25	: A: 1500 B: 75 C: 25




**HOROZ ELECTRIC**

LED Batten Light

GAMA-X

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE



BLACK




GAMA-30X

GAMA-60X

GAMA-80X



	GAMA-30X	GAMA-60X	GAMA-80X
	052-006-2060	052-006-2120	052-006-2150
Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 80 C: 30	A: 1200 B: 80 C: 30	A: 1500 B: 80 C: 30



LED BATTEN LIGHT





**HOROZ ELECTRIC**


LED Batten Light

TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




	TETRA-18	TETRA-36	TETRA-72
	052-003-0060	052-003-0120	052-003-0150
Power	: 18 W	: 36 W	: 72 W
Luminous Flux	: 1135 lm	: 2269 lm	: 5300 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



WHITE

BLACK



	TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
	052-005-0060	052-005-0120	052-005-0150
Power	: 27 W	: 54 W	: 72 W
Luminous Flux	: 1890 lm	: 3780 lm	: 5670 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




**HOROZ****ELECTRIC**

LED Waterproof Lamp

IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	18 W	36 W	45 W
Luminous Flux	1440 lm	2880 lm	3600 lm
Length (mm)	L: 650	L: 1260	L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	18 W	36 W	45 W
Luminous Flux	1440 lm	2880 lm	3600 lm
Length (mm)	L: 652	L: 1262	L: 1562




LED WATERPROOF LAMP

OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	36 W	72 W	90 W
Luminous Flux	2880 lm	5760 lm	7200 lm
Length (mm)	L: 632	L: 1242	L: 1542





SAILOR 3 CCT

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 3CCT



	SAILOR-18 3CCT	SAILOR-36 3CCT	SAILOR-45 3CCT
	059-010-0018	059-010-0036	059-010-0045
Power	: 18 W	36 W	45 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 595	L: 1195	L: 1495



**HOROZ****ELECTRIC**


LED Waterproof Lamp




LED WATERPROOF LAMP

MEDUSA

- 180-260V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	MEDUSA - 18	MEDUSA - 36	MEDUSA - 58
	059-006-0018	059-006-0036	059-006-0058
Power	: 18 W	36 W	58 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 600	L: 1200	L: 1500




**HOROZ[®] ELECTRIC**

LED Waterproof Lamp



NAVIGATOR

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K




	NAVIGATOR - 18	NAVIGATOR - 36	NAVIGATOR - 45
	059-011-0018	059-011-0036	059-011-0045
Power	: 18 W	36 W	45 W
Luminous Flux	: 1800 lm	3600 lm	4500 lm
Length (mm)	: L: 600	L: 1200	L: 1500






NAVIGATOR / XL

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	NAVIGATOR / XL-20	NAVIGATOR / XL-40	NAVIGATOR / XL-54
	059-011-2020	059-011-2040	059-011-2054
Power	: 20 W	40 W	54 W
Luminous Flux	: 2000 lm	4000 lm	5400 lm
Length (mm)	: L: 600	L: 1200	L: 1500






PROMASTER

057 003 2120

- 175 - 250V / 50 - 60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included




PROFIX

- 175 - 250V / 50 - 60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 88 C: 62	A: 1280 B: 65 C: 65	A: 1280 B: 88 C: 62




**HOROZ ELECTRIC**


LED Batten Light / Electronic Wall Lamp LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


LINKABLE

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226




LED BATTEN LIGHT / ELECTRONIC WALL LAMP / LED TUBE FIXTURE

**HOROZ ELECTRIC**

LED Linear High Bay Lamp


PYRAMID




- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable



Hangable



	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	6500 lm	13000 lm	19500 lm	26000 lm
Length (mm)	266	519	772	1025

**HOROZ ELECTRIC**

LED High Bay Lamp LED Linear High Bay Lamp




**HOROZ****ELECTRIC**


LED Linear High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body




Mountable



Hangable



	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000



**HOROZ****ELECTRIC**


LED High Bay Lamp




LED HIGH BAY LAMP

AGORA

- 100 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	AGORA-100	AGORA-150	AGORA-200	AGORA-300
	063-008-0100	063-008-0150	063-008-0200	063-008-0300
Power	: 100 W	: 150 W	: 200 W	: 300 W
Luminous Flux	: 13000 lm	: 19500 lm	: 26000 lm	: 39000 lm
Sizes (mm)	: A:270 B: 91	: A:300 B: 96.5	: A:330 B: 103	: A:372 B: 108



**HOROZ****ELECTRIC**

LED High Bay Lamp


ARTEMIS



- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
	063-003-0100	063-003-0150	063-003-0200	063-003-0300
Power	100 W	150 W	200 W	300 W
Luminous Flux	15000 lm	22500 lm	30000 lm	45000 lm
Sizes (mm)	A: 265 B: 148.4	A: 290.4 B: 151	A: 347.2 B: 157	A: 396 B: 177





**HOROZ****ELECTRIC**

LED High Bay Lamp

HERKÜL

- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 15000 lm	: 22500 lm	: 30000 lm
Length (mm)	: A:245 B:28 C:98 D:133	: A:300 B:29 C:100 D:136	: A:350 B:36 C:106 D:142





HOROZ[®] ELECTRIC

LED Ufo High Bay Lamp


MYRA-200 3CCT

063 011 0200



- 100-265V / 50-60Hz
- 30.000 lm
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE



LED UFO HIGH BAY LAMP

**HOROZ ELECTRIC**

LED Solar Security Light / LED Solar Projector



ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK




LED Solar Security Light
LED Solar Projector
LED Rechargeable Light
LED Projector
LED RGB Projector
LED Frameless Projector
Portable LED Projector
LED Projector Stand
Projector Stand
Module LED & Apparatus


**HOROZ ELECTRIC**

TIGER

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket




	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100
Power	25 W	40 W	60 W	100 W
Luminous Flux	320 lm	400 lm	625 lm	890 lm
Battery	2x(3.2 / 2.5Ah) Lithium Iron Phosphate	2x(3.2V / 3Ah) Lithium Iron Phosphate	2x(3.2V / 5Ah) Lithium Iron Phosphate	2x(3.2V / 10Ah) Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V / 3W	Polysilicon, 6V / 6W	Polysilicon, 6V / 8W	Polysilicon, 6V / 12W
Projector Sizes (mm)	A: 205 B: 158 C: 50	A: 250 B: 200 C: 70	A: 270 B: 223 C: 75	A: 320 B: 260 C: 90
Solar Panel Sizes (mm)	D: 220 E: 135	D: 260 E: 174	D: 350 E: 235	D: 350 E: 290




SPIDER-16

068 021 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V

BLACK



SPARROW-16

068 022 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time: 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK




THREE MODES LIGHTING

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE




PANDA-10

068 023 0010



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery

BLACK



**HOROZ****ELECTRIC**

LED Solar Projector


TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K - 4200K - 6400K

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K





4500K



6000K



	TURBO-200 3CCT	TURBO-400 3CCT	TURBO-800 3CCT
	068-027-0200	068-027-0400	068-027-0800
Power	: 200 W	: 400 W	: 800 W
Luminous Flux	: 1466 lm	: 2391 lm	: 2733 lm
Battery	: 3.7V 4000mAh	: 3.7V 8000mAh	: 3.7V 10000mAh
Panel	: 5V 1.3W	: 5V 2.3W	: 6V 8W Solar Panel Foldable
Endurance	: Strong light 5H universal light 7H	: Strong light 5H universal light 7H	: Strong light 6H universal light 8H
Sizes (mm)	: A:183.5 B:144 C:54.3	: A:217.8 B:174.3 C:54.8	: A:277 B:244.5 C:66





**HOROZ****ELECTRIC****LED Projector**

LED PROJECTOR

LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs



BLACK

	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	30 W	50 W	100 W	150 W	200 W	300 W	400 W
Luminous Flux	: 1785 lm	2685 lm	4500 lm	8500 lm	13200 lm	19000 lm	25500 lm	34000 lm
Color Temperature	: 2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	6400K	6400K	6400K
Sizes (mm)	: A:200 B:157 C:50	A:215 B:171 C:45	A:270 B:210 C:55	A:305 B:253 C:75	A:380 B:310 C:75	A:400 B:350 C:90	A:420 B:380 C:90	A:480 B:430 C:105



**HOROZ ELECTRIC****LED Projector****PARDUS**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	PARDUS-10	PARDUS-20	PARDUS-30	PARDUS-50	PARDUS-100	PARDUS-200	PARDUS-300
	068-028-0010	068-028-0020	068-028-0030	068-028-0050	068-028-0100	068-028-0200	068-028-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 900 lm	: 1800 lm	: 2700 lm	: 4500 lm	: 9000 lm	: 18000 lm	: 27000 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 68.8 B: 105 C: 21	: A: 88 B: 127 C: 28	: A: 110 B: 164 C: 29	: A: 141 B: 185 C: 29	: A: 185 B: 255 C: 32	: A: 289 B: 407 C: 34	: A: 399 B: 498 C: 48




**HOROZ ELECTRIC**

LED Projector


PALLAS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**


PALLAS-50	PALLAS-100	PALLAS-200	PALLAS-300
068-030-0050	068-030-0100	068-030-0200	068-030-0300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Color Temperature	: 6400K	6400K	6400K	6400K
Sizes (mm)	: A:191 B:165 C:26	A:236 B:203 C:26	A:312 B:266 C:31	A:406.3 B:320.8 C:415




MARGAY

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**GRAY**

MARGAY-50	MARGAY-100	MARGAY-200	MARGAY-300
068-031-0050	068-031-0100	068-031-0200	068-031-0300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Color Temperature	: 6400K	6400K	6400K	6400K
Sizes (mm)	: A:100 B:202 C:31	A:221 B:262 C:34	A:283 B:345 C:38	A:330 B:400 C:49





**HOROZ ELECTRIC**

LED Projector

ASLAN


- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK****WHITE**


	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200	ASLAN-300
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200	068-010-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm	23550 lm	31740 lm
Color Temperature	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K/GREEN	BLACK: 2700K/6400K/GREEN	BLACK: 6400K
Sizes (mm)	A: 66 B: 72 C: 22	A: 86 B: 102 C: 26	A: 103 B: 116 C: 26	A: 134 B: 160 C: 25	A: 192 B: 225 C: 28	A: 312 B: 280 C: 28	A: 336 B: 378 C: 33

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WITH PIR SENSOR****BLACK****WHITE**


	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	10 W	20 W	30 W	50 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	A: 126 B: 72 C: 40	A: 142 B: 102 C: 40	A: 176 B: 135 C: 40	A: 184 B: 160 C: 40






PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK




	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm
Color Temperature	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	A: 87 B: 91 C: 24	A: 102 B: 113 C: 24	A: 118 B: 131 C: 30	A: 136 B: 153 C: 30	A: 206 B: 240 C: 31	A: 290 B: 353 C: 34




**HOROZ****ELECTRIC****LED Projector****BORNEO**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	BORNEO-50	BORNEO-100	BORNEO-200	BORNEO-300	BORNEO-400	BORNEO-500	BORNEO-600
	068-033-0050	068-033-0100	068-033-0200	068-033-0300	068-033-0400	068-033-0500	068-033-0600
Power	50 W	100 W	200 W	300 W	400 W	500 W	600 W
Luminous Flux	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm	60000 lm	72000 lm
Sizes (mm)	A: 210 B: 190 C: 41	A: 280 B: 240 C: 45	A: 360 B: 325 C: 65	A: 425 B: 445 C: 68	A: 445 B: 445 C: 68	A: 600 B: 510 C: 71	A: 600 B: 510 C: 71



**HOROZ****ELECTRIC**


LED RGB Projector / LED Frameless Projector

REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W




	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	20 W	30 W	50 W	100 W
Luminous Flux	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A: 103 B: 28 C: 90 D: 118 E: 110	A: 133 B: 28 C: 121 D: 148 E: 140	A: 170 B: 28 C: 150 D: 178 E: 170	A: 250 B: 30 C: 219 D: 250 E: 249




LED RGB PROJECTOR / LED FRAMELESS PROJECTOR

PEGASUS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


FRAMELESS FLOODLIGHT NO DARK AREA EDITION

	PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
	068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	A: 81.9 B: 94.6 C: 35.2	A: 101.7 B: 117.5 C: 36.3	A: 133.2 B: 165.2 C: 38.3	A: 164 B: 200.8 C: 45	A: 203 B: 251.8 C: 49.5




**HOROZ ELECTRIC****LED Worklight****PEGASUS /W**

- 100 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT**NO DARK AREA EDITION****E**
A
t
G

	PEGASUS /W-50	PEGASUS /W-100
	068-032-0050	068-032-0100
Power	50 W	100 W
Luminous Flux	5750 lm	11700 lm
Sizes (mm)	A: 178.6 B: 155.8 C: 78.1	A: 223.3 B: 194.8 C: 80.4






HOROZ ELECTRIC

Portable LED Projector


PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable

F A ↑ G



	PROPORT-20	PROPORT-45
	068-015-0020	068-015-0045
Power	: 20 W	: 45 W
Luminous Flux	: 2100 lm	: 4900 lm
Sizes (mm)	: A: 232.3 B: 146.4 C: 54	: A: 298.6 B: 187 C: 52.5



PORTABLE LED PROJECTOR




**HOROZ****ELECTRIC**


Portable LED Stand / Portable LED Projector

TELESCOPE


107 003 0040



- 170-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- 4300lm
- 1.6M H05RNF
- 3X0.5mm2 VDE PLUG



WORKSHOP




- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug



WORKSHOP-30	WORKSHOP-60
068-019-0030	068-019-0060

Power	:	30 W	60 W
Luminous Flux	:	3250 lm	6500 lm
Sizes (mm)	:	A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	:	1 socket+ON/OFF on back	2 socket+ON/OFF on back






**HOROZ ELECTRIC**

LED Projector Stand / Projector Stand / LED Canopy Light

TOWER

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen : 2x4355 lm,
- Ra > 80 , IP54
- ON / OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs



LED PROJECTOR STAND / PROJECTOR STAND

**HOROZ ELECTRIC**


LED Projector Stand Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



LED CANOPY LIGHT

**HOROZ ELECTRIC**



LED Canopy Light



FALCON

RECESSED

069 001 0110





**HOROZ ELECTRIC**


LED Solar Street Light

COMBAT

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

**BLACK**

	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V/10Ah Lithium Iron Phosphate	4x3.2V/15Ah Lithium Iron Phosphate	5x3.2V/20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3,5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127

**HOROZ ELECTRIC**


LED Solar Street Light LED Street Light



POLE

130 001 0001

■ Pole for Combat






COMPACT PRO

Built-in Photocell


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

POLE INCLUDED

BLACK




	COMPACT PRO-20	COMPACT PRO-30	COMPACT PRO-40
	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V3Ah Lithium Iron Phosphate	3.2V3.6Ah Lithium Iron Phosphate	3.2V3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55





GRAND




BLACK

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	826 lm	984 lm	1198 lm	1567 lm
Battery	1x3.2V5AH Lithium Iron Phosphate	1x3.2V5AH Lithium Iron Phosphate	2x3.2V5AH Lithium Iron Phosphate	3x3.2V5AH Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V / 6W	Polycrystalline Silicon 6V / 9W	Polycrystalline Silicon 6V / 20W	Polycrystalline Silicon 6V / 25W
Installation Height	3 Meters	3.5 Meters	4 Meters	5 Meters
Irradiation Area	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	A: 213 B: 312 C: 63	A: 207 B: 405 C: 65	A: 252 B: 640 C: 80	A: 252 B: 835 C: 80




Ø 45-50mm







GRAND / XL

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK


	GRAND / XL-600	GRAND / XL-900	GRAND / XL-1200
	074-009-0600	074-009-0900	074-009-1200
Power	: 600 W	: 900 W	: 1200 W
Luminous Flux	: 2092 lm	: 2668 lm	: 3066 lm
Battery	: 3 x 3.2V/15Ah Lithium Iron Phosphate	: 3 x 3.2V/20Ah Lithium Iron Phosphate	: 3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V /18W	: Polycrystalline Silicon 6V / 25W	: Polycrystalline Silicon 6V / 30W
Installation Height	: 4 Meters	: 5 Meters	: 6 Meters
Irradiation Area	: 80 m ²	: 150 m ²	: 200 m ²
Street Lamp Sizes (mm)	: A: 345 B: 450 C: 70	: A: 345 B: 600 C: 75	: A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 360	: D: 340 E: 510	: D: 340 E: 590





LAGUNA




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12 - 15 Hours
- Charge & Discharge: >1500 times
- Charging Time: 4 - 6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket

BLACK



	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200
Power	50 W	100 W	200 W
Luminous Flux	950 lm	1300 lm	2050 lm
Battery	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	3 Meters	3 - 4 Meters	4 - 5 Meters
Street Lamp Sizes (mm)	A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17





ROCKET



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



Adjustable
Pole Angle

D

BLACK



	ROCKET-30	ROCKET-50	ROCKET-100
	074-015-0030	074-015-0050	074-015-0100
Power	30 W	50 W	100 W
Luminous Flux	3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm)	D: 74	D: 74	D: 74
Pole Diameter (Ø)	60	60	60
Sizes (mm)	A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15






**HOROZ ELECTRIC**

LED Street Light

FLORIDA

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K

**Adjustable
Pole Angle****A
T
G****GRAY**

	FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
	074-014-0030	074-014-0050	074-014-0100	074-014-0150	074-014-0200
Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3400 lm	5800 lm	11700 lm	17600 lm	23550 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 364 B: 125 C: 77	A: 411 B: 152 C: 77	A: 483 B: 186 C: 84	A: 553 B: 212 C: 84	A: 640 B: 236 C: 84




**HOROZ ELECTRIC**


LED Street Light

VEGAS

- 100 - 265V / 50 - 60Hz
- Average Life: 20.000 Hrs
- 6400K

**BLACK**

	VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
	074-013-0050	074-013-0100	074-013-0150	074-013-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	5750 lm	11680 lm	17600 lm	23550 lm
Sizes (mm)	A: 411 B: 139	A: 462 B: 151	A: 541 B: 189	A: 654 B: 213



LED STREET LIGHT



**HOROZ ELECTRIC**




LED Bulkhead Lamp

SORENTO 3 CCT

071 017 0020



CCT ADJUSTABLE

**WHITE****BLACK**

- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50 / 60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s

**HOROZ ELECTRIC**

LED Bulkhead Lamp







PALERMO 3 CCT

071 018 0015



CCT ADJUSTABLE

**WHITE****BLACK**

- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50 / 60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



HOROZ[®] ELECTRIC


LED Bulkhead Lamp



LED BULKHEAD LAMP

BOLKAR-20

071 014 0020





**AUTOMATIC
SENSOR**



WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs
- Works only at night with PIR sensor




**HOROZ[®] ELECTRIC**

LED Bulkhead Lamp

FARADAY

- 160-265V / 50-60 Hz
- Average Life: 25.000 Hrs


**WHITE****FARADAY-24****FARADAY-36****071-015-0024****071-015-0036**

Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 250 B: 125 C: 38	A: 300 B: 150 C: 35




NORTON

- 160-265V / 50-60 Hz
- Average Life: 30.000 Hrs

**WHITE****NORTON-24****NORTON-36****071-016-0024****071-016-0036**

Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 200 B: 38	A: 240 B: 35



**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ****ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP


WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT**AYDER****TOROS****KAÇKAR**

	NEMRUT	AYDER	TOROS	KAÇKAR
	070-001-0060	070-012-0100	070-002-0060	070-013-0100
Power	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	A:210 B:80 C:105	A:275 B:115 C:155	A:210 B:85 C:105	A:275 B:120 C:155




WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA**MUNZUR****ARARAT****ERCIYES**

	ZİGANA	MUNZUR	ARARAT	ERCIYES
	070-005-0060	070-014-0100	070-006-0060	070-015-0100
Power	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	A:180 B:85 C:180	A:240 B:110 C:140	A:170 B:80 C:170	A:240 B:115 C:240








**HOROZ ELECTRIC**

LED Night Lamp

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE / BLUE / GREEN / RED)**DORA****REX****BUGS****MAX****DUFFY**

	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm

**HOROZ ELECTRIC**

LED Night Lamp

**BUNNY 2CCT**

085 005 0001

PINK / BLUE / GREEN / RED




- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs

**ANDY 2CCT**

085 006 0001


PINK / BLUE / GREEN / RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs

**CCT ADJUSTABLE****CCT ADJUSTABLE**

**HOROZ ELECTRIC****Garden Lamp****HOROZ ELECTRIC****Garden Lamp
LED Garden Lamp
LED House Number Light****NAR**

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 240 C: 210

NAR-2
075-016-0002

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 800 C: 260

NAR-3
075-016-0003

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 170 C: 300

NAR-4
075-016-0004

Power :	Max.18W LED
Color :	Black
Sizes :	A: 170 B: 170 C: 580

NAR-5
075-016-0005

Power :	Max.18W LED
Color :	Black
Sizes :	A: 170 B: 170 C: 840

**GARDEN LAMP**

NAR-6
075-016-0006


Power :	Max.2x18W LED
Color :	Black

NAR-7
075-016-0007

Power :	Max.3x18W LED
Color :	Black

**HOROZ****ELECTRIC****Garden Lamp****PALMERA / S**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK**PALMERA / S1****075-017-0001****PALMERA / S2****075-017-0002****PALMERA / S3****075-017-0003****PALMERA / S4****075-017-0004****Sizes (mm)**

: A: 90 B: 90 C: 215

A: 90 B: 90 C: 300

A: 90 B: 90 C: 500

A: 90 B: 90 C: 800




**HOROZ****ELECTRIC****Garden Lamp**

GARDEN LAMP

PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK**PALMERA-1**

075-018-0001

PALMERA-2

075-018-0002

PALMERA-3

075-018-0003

PALMERA-4

075-018-0004

Sizes (mm)

: A: 90 B: 215

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800




**HOROZ ELECTRIC**

Garden Lamp

KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK/SQ-2**

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm)

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500


A: 90 B: 800



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK-2**

075-014-0002

KAVAK-3

075-014-0003

KAVAK-4

075-014-0004

KAVAK-5

075-014-0005

Sizes (mm)

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 90 C: 130

A: 800 B: 90 C: 130



**HOROZ****ELECTRIC****Garden Lamp****LADİN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**LADİN-1**

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004


Sizes (mm)

: A: 335 B: 120

A: 350 B: 120 C: 165

A: 500 B: 120

A: 800 B: 120




GARDEN LAMP



**HOROZ****ELECTRIC****Garden Lamp****KAYIN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED




	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm)	A: 390 B: 150	A: 275 B: 150 C: 210	A: 450 B: 150	A: 800 B: 150



**HOROZ****ELECTRIC****Garden Lamp****PALMIYE****BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**PALMIYE-1**

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004


Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230



A: 500 B: 150

A: 800 B: 150

**LED GARDEN LAMP**

**HOROZ****ELECTRIC****Garden Lamp****DEFNE**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

:

A:405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110


A: 800 B: 76 C: 110





**HOROZ****ELECTRIC**

LED Garden Lamp

PRESTIGE



- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K

**BLACK****PRESTIGE-1S**

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)

: A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500

A: 109 B: 800






**HOROZ****ELECTRIC**

LED Garden Lamp

DEXTER

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K

**BLACK**

	DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
	076-115-0001	076-115-0002	076-115-0003	076-115-0004
Sizes (mm)	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150





**HOROZ****ELECTRIC**

LED Garden Lamp

CALEX

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK

	CALEX-1	CALEX-2	CALEX-3
	076-116-0030	076-116-0060	076-116-0090
Power	: 10 W	20 W	30 W
Luminous Flux	: 667 lm	1247 lm	2101 lm
Sizes (mm)	: A: 30 B: 8 C: 2.8	A: 60 B: 8 C: 2.8	A: 90 B: 8 C: 2.8



LED GARDEN LAMP




HOROZ ELECTRIC

LED Garden Lamp

BEYOND

076 087 0001




Ambience Light / 3000K




BLACK

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life: 30.000 Hrs




DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



DYNAMIC-1S

076-058-1001

DYNAMIC-1

076-058-0001

DYNAMIC-2

076-058-0002

DYNAMIC-3

076-058-0003

DYNAMIC-4

076-058-0004

Sizes (mm)

A: 110 B: 300

A: 110 B: 300

A: 300 B: 300

A: 500 B: 300

A: 800 B: 300

**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED

**MANGO-1**


075-009-0001

**MANGO-2**

075-009-0002

**MANGO-3**

075-009-0003



LED GARDEN LAMP / GARDEN LAMP

MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass

**MANOLYA-1**

075-008-0001



MANOLYA-2

075-008-0002

MANOLYA-3


075-008-0003

Power	: Max. 10W LED	Max. 2x10W LED	Max. 2x18W LED
Lamp Holder	: GU10	GU10	E27
Body	: Stainless Steel	Stainless Steel	Aluminium
Color	: Mat Chrome / Black	Mat Chrome / Black	Black
Lighting Direction	: Down	Up&Down	Up&Down
Sizes (mm)	: A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108




**HOROZ****ELECTRIC****Garden Lamp****MAMBA**

076 066 0001

**MAMBA-SQ**


076 067 0001

**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED


**REGNUM**

- 220-240V / 50-60Hz
- Aluminium Body+PC



BLACK

REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Up	Up&Down	Up	Up&Down


**GARDENYA**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Down	Up&Down	Down	Up&Down




**HOROZ****ELECTRIC**

LED Garden Lamp


TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	5 W	7 W	12 W	15 W
Luminous Flux	350 lm	442 lm	821 lm	987 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	W: 85	W: 119	W: 170	W: 220




LED GARDEN LAMP


PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




**HOROZ****ELECTRIC**

LED Garden Lamp


NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK




	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	5 W	7 W	12 W	14 W
Luminous Flux	309 lm	452 lm	780 lm	973 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Sizes (mm)	A: 90 B: 100 C: 48	A: 92 B: 120 C: 50	A: 95 B: 185 C: 50	A: 95 B: 220 C: 53




PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49



**HOROZ ELECTRIC**



LED Garden Lamp

LAGOS

- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012





CARAT

- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012



LED GARDEN LAMP



FACTOR-2

- 85-265V / 50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 075 0002





BAT-6

- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006




**HOROZ ELECTRIC**


LED Garden Lamp

BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**



	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009
Power	: 5W	: 7W	: 9W
Luminous Flux	: 350 lm	: 619 lm	: 865 lm
Sizes (mm)	: A: 105 B: 62	: A: 125 B: 62	: A: 160 B: 62



METROPOL-12


- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

076 073 0012

**BLACK**

ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**

	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power	: 5W	: 8W	: 11W
Luminous Flux	: 330 lm	: 445 lm	: 740 lm
Sizes (mm)	: A: 125 B: 50	: A: 170 B: 50	: A: 214 B: 50



**HOROZ ELECTRIC**



LED Garden Lamp

SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006





SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

076 085 0012





LED GARDEN LAMP

HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006






HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

076 084 0012





**HOROZ ELECTRIC**

LED Garden Lamp

KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**



	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power	5 W	10 W	5 W	10 W
Luminous Flux	450 lm	900 lm	450 lm	900 lm



VIPER

- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs



076 086 0017

**BLACK****WHITE**

SCADA

- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

076 074 0012


**BLACK****WHITE**

**HOROZ ELECTRIC**

LED Garden Lamp


LUXIA-G

076 078 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030



BLACK


- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs



LED GARDEN LAMP


MORENA

076 080 0020




BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



**HOROZ® ELECTRIC**



LED Garden Lamp

MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK**BLACK&GOLDEN**

076 052 0010




VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	VECTOR-6	VECTOR-12
Power	6 W	12 W
Luminous Flux	350 lm	728 lm
Sizes (mm)	A: 130 B: 70	A: 200 B: 80





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010





**HOROZ****ELECTRIC****LED Garden Lamp**



LED GARDEN LAMP

IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	: 7 W	: 2x7 W
Luminous Flux	: 630 lm	: 1260 lm
Lighting Direction	: Up	: Up&Down




**HOROZ ELECTRIC**


LED Garden Lamp

SUPERB

076 040 0015



- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs




BLACK



ANDIZ


076 037 0009



BLACK


WHITE

- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs



SEKOYA


076 038 0004



BLACK

WHITE

- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp


SAFARI

075 020 0001



BLACK

- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



SERVI


076 009 0012



BLACK


WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVİ

SALKIM

ZAKKUM







MEŞE

TAFLAN

ARDIÇ



	SELVİ	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
	076-007-0006	076-008-0006	076-005-0006	076-004-0012	076-006-0006	076-003-0006
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down




**HOROZ****ELECTRIC**


LED Garden Lamp

DRAGON

076 060 0015



- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs




WHITE

BLACK




SEGMENT

076 059 0024



- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



WHITE

BLACK




**HOROZ****ELECTRIC**

LED Garden Lamp

CLEMENT

076 062 0024




- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs




WHITE

BLACK




SWEEP

076 061 0024



BLACK

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



CRUZ

TANGO



BLADE



WHITE

BLACK

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power	24 W	24 W	24W
Luminous Flux	1800 lm	1800 lm	1800 lm

**HOROZ ELECTRIC**

LED Garden Lamp



CUBE



BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 068 0008





CUBE-G



BLACK


- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 069 0008



MAGMA-15


076 090 0015



WHITE

BLACK

- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life: 25.000 Hrs





**HOROZ****ELECTRIC**

LED Garden Lamp / LED House Number Light

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

12W**BLACK**


SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux : 1000 lm	700 lm	900 lm	650 lm




LED GARDEN LAMP / LED HOUSE NUMBER LIGHT

ARENA

076 033 0010



- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1..9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp


OPTIC

BLACK

- 85-265V / 50-60Hz
- AMBER/GREEN/6400K
- Average Life: 30.000 Hrs



Suitable for floor installation



	OPTIC-7L	OPTIC-12L	OPTIC-15L
	076-117-0007	076-117-0012	076-117-0015
Power	: 7W	: 12W	: 15W
Luminous Flux	: 490 lm	: 840 lm	: 1050 lm
Diameter (Ø)	: Ø 55	: Ø 63	: Ø 73
Sizes (mm)	: A: 268	: A: 276	: A: 286



OPTIC-X


- 220-240V / 50-60Hz
- Max.10W LED

BLACK

075 021 0001



Suitable for floor installation



OPTIC-G


- 220-240V / 50-60Hz
- Max.10W LED

BLACK

075 022 0001



Suitable for floor installation




**HOROZ ELECTRIC**


LED Solar Wall & Ground Lamp / LED Solar Lamp

OZMO

078 015 0003



- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs / Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs



ON-OFF

Outdoor Solar Landscape Lights



12 LED



IP 44

2-in 1
FunctionSolar
PoweredEnergy
SavingEasy
Installation

LED SOLAR LAMP WALL & GROUND LAMP / LED SOLAR LAMP

**HOROZ ELECTRIC**


LED Solar Wall & Ground Lamp LED Solar Lamp




SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs



	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1W	2W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	3.7V 1200 mAh Li-ion	3.7V 2200 mAh Li-ion
Back Light	Yes (Blue)	No



WITH PIR SENSOR




ON-OFF









**HOROZ****ELECTRIC**

LED Solar Lamp

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs

**VENÜS****MARS****NEPTUN****PLUTON****HALLEY****CRYSTAL**

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF:	Yes	Yes	No	No	No	No




**HOROZ ELECTRIC**

LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp

DIAMOND


079 026 0001



- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK

**HOROZ ELECTRIC**

LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp


**AWAX**

079 030 0001



MAT CHROME

- 220-240V / 50-60Hz
- Max. 10W LED



LED RECESSED SENSOR LAMP / RECESSED LAMP / LED INGROUND & RECESSED LAMP

**HOROZ****ELECTRIC**

LED Inground & Recessed Lamp

ICON-R

079 031 0003






ICON-S

079 032 0003

WHITE

BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



LED INGROUND & RECESSED LAMP




YOGA

WHITE




BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



YOGA-V1	YOGA-V2	YOGA-H1
079-033-0001	079-033-0002	079-034-0001

Power	:	3 W	3 W	3 W
Luminous Flux	:	58 lm	58 lm	58 lm




**HOROZ****ELECTRIC**

LED Inground & Recessed Lamp

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1W	3W	6W	9W	18W	24W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	A: 65 B: 78	A: 80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95


ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



İNCİ

079 004 0002

SAFİR

079 003 0002

MAT CHROME

- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs




6400K

BLUE



6400K


BLUE



**HOROZ ELECTRIC**

LED Inground & Recessed Lamp


- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	106 lm	147 lm	106 lm	147 lm	106 lm
Sizes (mm)	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110





- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	90 lm	147 lm	90 lm	90 lm	90 lm
Sizes (mm)	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	W: 95	W: 140	W: 185	W: 95	W: 140	W: 185



**HOROZ****ELECTRIC****LED Strip****HOROZ****ELECTRIC**

LED Strip / RGB RF Controller / Socket Set

RGB Socket Set / LED Driver

Touch Controller / RGB Controller / RGB Amplifier


LED Module Strip / Aluminium Profile

**WATERPROOF**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**NEOLED / SLIM****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED / RGB****RGB****NEOLED / SLIM**

081-010-0003

Power	:	5,8 W/m
Luminous Flux	:	465 lm/m
LED	:	120 pcs / m, 28x35
Socket Sets	:	5 sets /100 m Roll
Width	:	7 mm
Thickness	:	15 mm

NEOLED

081-010-0001

Power	:	6 W/m
Luminous Flux	:	490 lm/m
LED	:	120 pcs / m, 28x35
Socket Sets	:	5 sets /100 m Roll
Width	:	15 mm
Thickness	:	15 mm

NEOLED / RGB

081-010-0002

Power	:	9 W/m
Luminous Flux	:	-
LED	:	72 pcs / m, 50x50
Socket Sets	:	3 sets /50 m Roll
Width	:	10 mm
Thickness	:	20 mm

**HOROZ****ELECTRIC**

Waterproof LED Strip

NEOFLEX



081 033 0001

- 240V
- Average Life: 30.000 Hrs

220-240V**2700K****4200K****6400K****RED****GREEN****BLUE**

Can be cut each 10 centimeters

**NEOFLEX**

081-033-0001

Power :	10 W/m
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/100 m Roll
Width :	11.3 mm
Thickness :	10 mm



**HOROZ®****ELECTRIC**







Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**VOLGA****VOLGA / RGB****COLORADO****COLORADO / RGB****GANJ****GANJ / RGB**

	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	235 lm/m	-	290 lm/m	-	520 lm/m	-
LED :	60 pcs / m, 50x50, Three Chips, Single Row	60 pcs / m, 50x50, Three Chips, Single Row	156 pcs / m, 28x35, Single Chip, Double Row	108 pcs / m, 28x35, Single Chip, Double Row	180 pcs / m, 28x35, Single Chip, Triple Row	180 pcs / m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets / 50 m Roll	3 sets / 50 m Roll	5 sets / 50 m Roll	3 sets / 50 m Roll	5 sets / 50 m Roll	3 sets / 50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

**HOROZ****ELECTRIC**

Waterproof LED Strip

NEVA

081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V

Can be cut each 50 centimeters

NEVA


081-026-0001

Power	: 10 W/m
Luminous Flux	: 50000 lm / 164ft.
LED	: 280 pcs / m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets / 100 m Roll
Width	: 11.3 mm
Thickness	: 10 mm

**AVON**

081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V

Can be cut each 1 meter

AVON

081-025-0001

Power	: 13 W/m
Luminous Flux	: 1300lm / m 164ft.
LED	: 240 pcs / m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets / 50 m Roll
Diameter Ø	: 14 mm

**HOROZ****ELECTRIC**

RGB RF Controller / Socket Set / RGB Socket Set

RGB RF CONTROLLER

■ 220V / 50-60Hz




VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		

**SOCKET SET**

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips

- 1 pcs 8A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED /SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

NEVA SOCKET	AVON SOCKET
081-026-0011	081-025-0011
8 mm	7 mm

**RGB SOCKET SET**

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm



**HOROZ****ELECTRIC**

LED Strip / LED Driver

COLUMBIA-24

A
G F

081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m

**24V DC**

Can be cut each 5 centimeters



SWAN-24

A
G F

081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K



Can be cut each 2,5 centimeters

24V DC

CANTON-24

A
G F

081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K




Can be cut each 5 centimeters

24V DC

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V




	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	: 60 W	: 100 W	: 150 W	: 200 W	: 300 W
Output Current	: 2,5A	: 4,1A	: 6,25A	: 8,3A	: 12,5A
COLUMBIA-24 LED Strip	: 5m	: 9m	: 14m	: 20m	: 28m
CANTON-24 / SWAN-24 LED Strip	: 3m	: 5m	: 8m	: 11m	: 16m
Sizes (mm)	: A: 40 B: 30 C: 70	: A: 57 B: 34 C: 85	: A: 40 B: 32 C: 160	: A: 46 B: 35 C: 188	: A: 46 B: 35 C: 188



**HOROZ ELECTRIC**

RGB LED Strip Kit



RGB LED STRIP KIT

DIGITAL



- 220V/12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

synchronous with environment voices/human voices

**12V DC****24V DC****DIGITAL-5****DIGITAL-10**

081-030-0001

081-030-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm



VICTORY

- 220V/12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

**12V DC****24V DC****VICTORY-5****VICTORY-10**

081-028-0001

081-028-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm



**HOROZ****ELECTRIC****RGB LED Strip Kit****Indoor and Outdoor LED Strip Lights used****CAPITAL**

- 220V/5V (With Adapter)
- RGB
- Average Life: 30.000 Hrs

5V DC

Can be cut each 3 centimeters



synchronous with environment voices/human voices

**SILICONE LED Neon Light**

Create the shape in your mind


**CAPITAL-5**

081-032-0001

CAPITAL-10

081-032-0002

Power :	5W / m	6W / m
LED :	30 pcs / m 39x39 SMD LED	30 pcs / m 39x39 SMD LED
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Cut Distance :	30 mm	30 mm
Size :	7x15 mm	7x15 mm



**HOROZ****ELECTRIC**


Waterproof LED String Light

FAIRY**5V DC**

Each LED can be cut

WATERPROOF

- Average Life: 30.000 Hrs
- 100-240VAC/5VDC with adaptor
- LED View Angle: 180°

AMBER**7000K****"LotuslampX" APP**

	FAIRY-10	FAIRY-20	FAIRY-40
	080-002-0010	080-002-0020	080-002-0040
Power :	3W/m	3W/m	3W/m
LED :	10 pcs/m, 28x35	10 pcs/m, 28x35	10 pcs/m, 28x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m	40 m

**FAIRY / RGB****WATERPROOF**

- 100-240VAC/5VDC with adaptor
- Average Life: 30.000 Hrs
- LED View Angle: 180°

**5V DC**

Each LED can be cut

**"LotuslampX" APP**

	FAIRY-10 RGB	FAIRY-20 RGB	FAIRY-40 RGB
	080-003-0010	080-003-0020	080-003-0040
Power :	2W/m	2W/m	2W/m
LED :	10 pcs/m, 39x39	10 pcs/m, 39x39	10 pcs/m, 39x39
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m	40 m

RGB

WATERPROOF LED STRING LIGHT

**HOROZ****ELECTRIC**


LED Strip / LED Driver

REN**THAMES****REN / RGB****THAMES / RGB****WATERPROOF**

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC**

3 LEDs make a group and each group can be cut or extended in terms of the length of application



	REN	REN / RGB	THAMES	THAMES / RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W / 5 m Roll	24 W / 5 m Roll	72 W / 5 m Roll	72 W / 5 m Roll
Current :	2A / 5 m Roll	2A / 5 m Roll	6A / 5 m Roll	6A / 5 m Roll
Luminous Flux :	4.8 lm / LED	4.8 lm / LED	24.7 lm / LED	24.7 lm / LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

**VESTA**

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF

	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45



NİL



AMAZON



NİL/RGB

AMAZON/RGB


- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self - adhesive backing for easy installation



12V DC




3 LEDs make a group and each group can be cut or extended in terms of the length of application



	NİL	NİL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VESPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-250	VESPA-360
	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0250	082-004-0360
Output Power	60 W	100 W	150 W	200 W	250 W	360 W
Output Current	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 35 B: 23 C: 150	A: 48 B: 24 C: 146	A: 48 B: 24 C: 183	A: 63 B: 25 C: 208	A: 63 B: 25 C: 208	A: 63 B: 25 C: 227




**HOROZ****ELECTRIC**

Touch Controller / LED Driver

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current	0.8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power	12 W	24 W	36 W	48 W	60 W	72 W
Output Current	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	1m	1.5m	2m	3m	4m	5m
Length (mm)	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320




TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1- %100
- 2 Brightness can be saved



	TOUCH	TOUCH-RGB
	100-003-0288	100-004-0288
Color	Single	16 million
Output Power	144-288W	144-288W
Output Current	4Ax3 Channel	4A/ Each Color
35x28 LED Strips	30 Meters with 60 Leds/ Meter	30 Meters with 60 Leds/ Meter
50x50 LED Strips	10 Meters with 60 Leds/ Meter	10 Meters with 60 Leds/ Meter
Function	5	12



**HOROZ****ELECTRIC**



RGB Controller / RGB Amplifier

RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432

Output Power	: 72 W	216 W - 432 W
Output Current	: 2A / Each Color	6A / Each Color
Input Voltage	: DC 12V - DC 24V	DC 12V - DC 24V
Output Voltage	: DC 12V - DC 24V	DC 12V - DC 24V
35x28 RGB LED Strip	: 15 Meters with 60 Leds / Meter	45 Meters with 60 Leds / Meter
50x50 RGB LED Strip	: 5 Meters with 60 Leds / Meter	15 Meters with 60 Leds / Meter
Type	: IR	RF



RGB CONTROLLER / RGB AMPLIFIER


AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



AMPLIFIER-12A	AMPLIFIER-30A
101-001-0144	101-001-0360

Output Power	: 144 W	360 W
Output Current	: 4A / Each Color	10A / Each Color
35x28 RGB LED Strip	: 30 Meters with 60 Leds / Meter	75 Meters with 60 Leds / Meter
50x50 RGB LED Strip	: 10 Meters with 60 Leds / Meter	25 Meters with 60 Leds / Meter



**HOROZ ELECTRIC**

LED Module Strip

NELSON

081 024 0001

**12V DC****WATERPROOF**


- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1 set: 20 module

**NELSON / RGB**

081 024 0002



RGB



LED MODULE STRIP









PROFILE

RECESSED TYPE

0.7mm








PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013

Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE

RECESSED TYPE

0.7mm



PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017





Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



PROFILE

SURFACE TYPE

0.7mm







	PROFILE-S1	PROFILE-S1	PROFILE-B51	PROFILE-S2	PROFILE-S2	PROFILE-B52	PROFILE-S3	PROFILE-S3	PROFILE-B53
	120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE

SURFACE TYPE

0.7mm



	PROFILE-S4	PROFILE-S4	PROFILE-B54	PROFILE-S5	PROFILE-S5	PROFILE-B55
	120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK





PROFILE

0.7mm

CORNER TYPE



FILEXIBLE TYPE



	PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1
	120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



**HOROZ ELECTRIC**


LED Lantern / LED Solar Camping Light

VERON


084 037 0015

**CCT Adjustable**


- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K)
- 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****CRESPO**


084 036 0025



- 5V DC Micro USB
- 550 / 195 / 40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****LED Lantern****LED Solar Camping Light****Emergency LED Lantern****LED Headlight****LED Torch****LED Emergency Exit Lamp****HOROZ ELECTRIC****FORLAN**


084 023 0010




- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube: 1.5 Hours
- 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****ROMARIO**

084 022 0010



- 220-240V / 50-60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hour for Strong Light
- 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR**RECHARGEABLE**

**HOROZ****ELECTRIC**


Emergency LED Lantern

KANU



084 043 0008



- 220-240V / 50-60Hz
- 6000K
- 280 lm
- 3.7V 2400mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Duration Time: 3 Hours
- Stickers included

Recessed+Surface
Mounting Available


- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP





HENRY

084 034 0005

- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




MALDINI

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included



- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003
Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45

**HOROZ ELECTRIC**

Emergency LED Lantern / LED Headlight

WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs




LED LANTERN

RECHARGEABLE

EMERGENCY


AUTOMATIC LIGHT-UP



1-OFF-2

**MESSI**

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs

**DIMMABLE****DESK LAMP MODE****HANGABLE
+
MOUNTABLE**

	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50




LED LANTERN


RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



ON-OFF

BECKHAM

LED HEADLIGHT

RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs



1-OFF-2



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96

**HOROZ****ELECTRIC**

Emergency LED Lantern / LED Torch

ALVES



- 220-240V / 50-60Hz
- Wall-Mounted
- Charging Time: 20-24 Hrs
- Duration Time:
 - 1.5 Hours for 2 Tube
 - 3 Hours for 1 Tube
- Average Life: 30.000 Hrs



	ALVES-1	ALVES-2
	084-047-0024	084-047-0044
Power	24 W	44 W
Luminous Flux	190 lm	350 lm
Battery	4V 1.6Ah Rechargeable Lead-Acid Battery	2x4V 1.6Ah Rechargeable Lead-Acid Battery
Sizes (mm)	A: 266 B: 70 C: 54	A: 450 B: 70 C: 55





LED LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



1-OFF-2

TORRES



- 220V AC / 4.2V DC Adaptor
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Charging Time: 4-6 Hours
- Average Life: 30.000 Hrs





	TORRES-1	TORRES-2
	084-046-0001	084-046-0003
Power	1 W	3 W
Luminous Flux	80 lm	240 lm
Duration Time	Strong Light: 4 Hours Weak Light: 16 Hours	Strong Light: 2.5 Hours Weak Light: 13.5 Hours
Sizes (mm)	A: 40 B: 145	A: 50 B: 190



RECHARGEABLE

LED TORCH



1-OFF-2


EMERGENCY LED LANTERN / LED TORCH

WEAH

084 045 0011





- 220-240V / 50-60Hz
- 3W: 150 lm
- 8W: 230 lm
- 4V 1.6Ah Rechargeable Lead-Acid Battery
- Duration Time:
 - Lantern: 1 Hour
 - Torch: 2 Hours
- Average Life: 30.000 Hrs



LED LANTERN

RECHARGEABLE

LED TORCH





1-OFF-2


**HOROZ****ELECTRIC****LED Torch****ZOLA**

084 038 0001


- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE****PELE**


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 4 Hours for Strong Light 1 Hour for Strong Light

LED TORCH**RECHARGEABLE**


	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170

**BEST**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 1 Hour for Strong Light 4 Hours for Weak Light


LED TORCH**RECHARGEABLE**

	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240

**MARADONA-2**

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time: 4 Hours for Strong Light 16 Hours for Weak Light
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**


**HOROZ****ELECTRIC**

LED Emergency Exit Lamp

**ROBSON**

084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes



EXIT & SAFETY

RECHARGEABLE


EMERGENCY

AUTOMATIC LIGHT-UP

**ZOFF**

084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes



EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP




B A T T E R Y

DURAKIT

084 058 0024

- 11.1V 4400 mAh lithium-ion battery
- For LED Panels and Triproofs



**HOROZ****ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ****ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE

BLACK

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12±1m Max. (<24°C)
- Time-delay: 5 sec ~ 7±2min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE

BLACK

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec ~ 8±2 min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




**HOROZ****ELECTRIC****Sensor****FOCUS**

088 001 0001

WHITE**BLACK**


- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max.1000W
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec - 10±2 min.
- Ambient Light: <10Lux - 2000Lux

**MONDEO**

088 001 0010

WHITE


- Detection Range: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**ROVER**

088 001 0011

WHITE


- Detection Angle: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**CORSA**

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m

**POLO**

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec Max. 12 min ± 1 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max.1200W
- Detection Motion Speed: 0.6-1.5m/s




Detection is possible to go through doors, panes of glass or thin walls

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)




**HOROZ****ELECTRIC****Sensor****MUSTANG-1**

088 002 0001

**WHITE****BLACK**

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)

**MUSTANG-2**

088 002 0002

**WHITE****BLACK**


- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)

**DUSTER**

088 003 0001

**WHITE****BLACK**


- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**SANDERO**

088 004 0001

**WHITE****BLACK**


- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 4m-10m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°

**NAVARA**

088 005 0001

**WHITE****BLACK**

- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 8m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°




**HOROZ****ELECTRIC****Doorbell****PLAY**

086 005 0001




- Operation Voltage:
4.5V DC (3xAA1.5V) or
9-15V DC Adaptor
- Sensing Distance: 6 m
- Range: 110°
- Sound level: 80 db max
- Sound type: Ding Dong,
Hello, Welcome + Alarm

**LORD**


086 001 0001

- Power Source:
Emitter - 12V DC
(Battery Included)
- Receiving:
3V / DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m
(open position)
- Sound level: 60 db max
- Sound type:
38 songs optional

**SOLID**


086 001 0002

- Power Source:
Emitter - 12V DC
(Battery included)
- Receiving:
4.5V / DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m
(open position)
- Sound level: 60 db max
- Sound type:
38 Songs Optional

**VIOLA**


086 001 0005

- 4.5V
- Work Voltage of the Emitter:
12V
- Work Frequency:
315 Mhz
- Remote Control:
120m (in open air)
- Sound Type:
38 Songs Optional

**SOLO**


086 001 0006

- 4.5V
- Work Voltage of the Emitter:
12V
- Work Frequency:
315 Mhz
- Remote Control:
120m (in open air)
- Sound Type:
38 Songs Optional

**ALBA**


086 001 0004

- 4.5V
- Work Voltage of the Emitter:
12V
- Work Frequency:
315 Mhz
- Remote Control:
120m (in open air)
- Sound Type:
38 Songs Optional

**HELIX**

086 001 0003

- Operation Voltage:
4.5V DC (3xAA1.5V) or
12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110°
- Sound level: 60 db max
- Sound type: Ding Dong,
Hello, Welcome + Alarm
- USB Cable Included



DOORBELL

**HOROZ****ELECTRIC****Doorbell****FUJI-D****3V DC**


086 002 0001

**NEW
PRODUCT****FUJI-A****220V AC**

086 002 0002

BLUE**ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**NERO-D****4.5V DC**


086 003 0001

**NEW
PRODUCT****NERO-A****220V AC**

086 003 0002

BLUE**ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**MAXI-D****3V DC**


086 004 0001

**NEW
PRODUCT****MAXI-A****220V AC**

086 004 0002

BLUE**ANTHRACITE**

- Power Source: Emitter - 12V DC
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional





HOROZ ELECTRIC


Dimmer / Wireless Lighting Controller Switch / Timer

HORIZON

112 006 0001



- 250V~
- Dimmer (10A)
- 400W (Incandescent)
- 300W (LED)



CONTROLLER

Wireless Lighting
Controller Switch



- Working voltage: AC 180 - 250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W
- Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)

CONTROLLER-1

105-001-0001

1 Channel



CONTROLLER-2

105-001-0002

2 Channels



CONTROLLER-3

105-001-0003


3 Channels







CONTROLLER-4

105-001-0004

4 Channels






NEW
FAMILY



DOORBELL / DIMMER WIRELESS LIGHTING CONTROLLER SWITCH / TIMER

TIMER

- Working voltage: AC 220 - 240V 50Hz
- Power: 3500W
- Current: 16A



TIMER-1	TIMER-2	TIMER-3
108-001-0001	108-002-0001	108-003-0001

Type	: Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	: 24	20	48
Minimum Setting	: 30 Minutes	1 Minute	15 Minutes
Power Reserve	: No	Yes	Yes

**HOROZ ELECTRIC****Switch / Socket****ATOM**

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003


■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)

112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)

112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)

**HOROZ ELECTRIC****Switch
Socket**



EVA

■ 250V~



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



**HOROZ ELECTRIC**

Motor Protector Box / Motor Protector

**HOROZ ELECTRIC**


Motor Protector Box
Motor Protector
Contactur
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

**SAFE**


Motor Protector Box

■ For all Motor Protectors except 114-006-2540

114 008 0001

**SAFE**

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:61.5C:105

**HOROZ****ELECTRIC**

Contactor / Thermal Relay

SAFE


Contactor



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 47 B: 76 C: 82	A: 47 B: 76 C: 82	A: 47 B: 76 C: 87	A: 57 B: 86 C: 95	A: 57 B: 86 C: 100	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116

SAFE

Thermal Relay



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7



SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA



(B)



(C)




(C)

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm



(C)




(C)


SAFE


RCCB Circuit Breaker



	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74


SAFE

MCCB Circuit Breaker



	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

**HOROZ ELECTRIC**

Lamp Holder

**HOROZ ELECTRIC**

Lamp Holder



094 004 0001


10 cm.

20 cm.




094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004




094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002



094 003 0003




094 003 0004



Starter



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-




TRANSFORMER-60

■ 220-240V / 50-60Hz
■ 12V AC



60W



Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL BRAIDING	AL FOIL BONDED	4,8 FPE	1,02 CCS
---------	------------------------	-------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6

**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block

IP 68 CONNECTOR

- 250V~ / 16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



IP 68 CONNECTOR-1

IP 68 CONNECTOR-2

106-004-0001

106-004-0002

Pole : 1 Pole 2 Poles

CONVERTER-1

126 001 2740



E40 lamp holder for Torch-80 and Torch-100 to convert E27 to E40


**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent



SLIM CONNECTOR-2

SLIM CONNECTOR-3

SLIM CONNECTOR-5

103-002-0002


103-002-0003

103-002-0005

Pole : 2 Poles 3 Poles 5 Poles

CONNECTOR

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2

CONNECTOR-3

CONNECTOR-5

103-001-0002


103-001-0003

103-001-0005

Pole : 2 Poles 3 Poles 5 Poles

TERMINAL

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



TERMINAL-1

TERMINAL-2

TERMINAL-3

106-005-0001

106-005-0002

106-005-0003

Pole : 1 Pole 2 Poles 3 Poles

TERMINAL-24

TERMINAL-26

TERMINAL-28

106-005-0022


106-005-0023

106-005-0024

Pole : 2 Pole 3 Poles 4 Poles



WIRE SPRING



WIRE SPRING-2/1.5

WIRE SPRING-2/2.5

WIRE SPRING-2/6

WIRE SPRING-3/1.5

WIRE SPRING-3/2.5

WIRE SPRING-3/6

106-002-0015

106-002-0025

106-002-0060

106-003-0015

106-003-0025

106-003-0060


Pole	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	0.2 - 1.5 mm ²	0.5 - 2.5 mm ²	1.5 - 6.0 mm ²	0.2 - 1.5 mm ²	0.5 - 2.5 mm ²	1.5 - 6.0 mm ²
Current / Voltage	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-sti-



E x p e r i e n c e i n L i g h t i n g



TÜRKİYE CUMHURİYETİ 100. YAŞINDA

100TH ANNIVERSARY OF THE REPUBLIC OF TURKEY

100 ЛЕТ ТУРЕЦКОЙ РЕСПУБЛИКЕ



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



KaçmazGrup

www.horozelektrik.com