




E x p e r i e n c e i n L i g h t i n g



2025

CATALOGUE

www.horozelektrik.com



E x p e r i e n c e i n L i g h t i n g

	ADHESIVE TAPE	195		LED SOLAR WALL & GROUND LAMP	148
	ALUMINIUM BULKHEAD LAMP	120		LED SPOTLIGHT	62
	ALUMINIUM PROFILE	171	NEW	LED STREET LIGHT	117
	CEILING LAMP	85		LED STRING LIGHT	75
	COAXIAL CABLE	195		LED STRIP	161
	CONNECTOR	196		LED SURFACE BACKLIGHT	44
	CONTACTOR	191	NEW	LED SURFACE LIGHT	35
	DESK LAMP	89	NEW	LED SUSPENSION LIGHT	67
	DIMMABLE LED BULB	04	NEW	LED TABLE LAMP	91
	DIMMER	187	NEW	LED TORCH	177
NEW	DOORBELL	185	NEW	LED TRACK LIGHT	57
NEW	DOWNLIGHT FITTING	17		LED TUBE	11
	DRYWALL KIT	49		LED TUBE FIXTURE	99
NEW	EMERGENCY KIT	180	NEW	LED UFO HIGH BAY LAMP	102
NEW	EMERGENCY LED LANTERN	175	NEW	LED WALL LIGHT	80
	FLUORESCENT TUBE	16	NEW	LED WATERPROOF LAMP	96
	FRAME	49	NEW	LED WORKLIGHT	109
NEW	GARDEN LAMP	121		LIGHT CONTROL PHOTOSENSOR	181
	GLASS PENDANT LAMP	78		LIGHTING TRACK	63
	HALOGEN LAMP	16		MINIATURE CIRCUIT BREAKER	192
	LAMP HOLDER	194		MODUL DOWNLIGHT FITTING	22
	LED 3CCT BULB	04		MOTOR PROTECTOR	190
NEW	LED ADAPTER	169		MOTOR PROTECTOR BOX	190
	LED BACKLIGHT PANEL	48		MOULDED CASE CIRCUIT BREAKER	193
	LED BATTEN LIGHT	93		NAIL CABLE CLIP CABLE TIE	195
NEW	LED BULB	04		NETWORK CABLE	195
NEW	LED BULKHEAD LAMP	119		PENDANT LAMP	61
	LED CANOPY LIGHT	110		PORTABLE LED PROJECTOR	109
	LED CAPSULE	10	NEW	PORTABLE LED STAND	110
	LED CEILING LAMP	84		RECESSED LAMP	150
	LED COLOUR BULB	15		RECESSED MONOPOINT	63
	LED DECORATIVE CEILING LAMP	83	NEW	RECHARGEABLE LED BULB	04
NEW	LED DESK LAMP	90		RESIDUAL CURRENT CIRCUIT BREAKER	193
NEW	LED DOWNLIGHT	24		RGB AMPLIFIER	170
NEW	LED DRIVER	162		RGB CONTROLLER	170
	LED EMERGENCY EXIT LAMP	180	NEW	RGB LED STRIP KIT	163
	LED FILAMENT BULB	12	NEW	RGB NEON LED STRIP KIT	163
	LED FRAME PANEL	48		RGB RF CONTROLLER	160
	LED FRAMELESS PROJECTOR	109		RGB SOCKET SET	160
NEW	LED GARDEN LAMP	126	NEW	SENSOR	181
	LED HEADLIGHT	176		SOCKET	188
	LED HOUSE NUMBER LIGHT	146	NEW	SOCKET SET	160
NEW	LED INGROUND & RECESSED LAMP	151		SPOTLIGHT	61
	LED LANTERN	174		STARTER	195
NEW	LED LINEAR HIGH BAY LAMP	101		STRING LIGHT	76
	LED LINEAR SUSPENSION LIGHT	64		SURFACE LIGHT	46
NEW	LED LINEER TRACK LIGHT	56	NEW	SWITCH	188
	LED MAGNETIC LIGHT SYSTEM	50	NEW	TERMINAL	196
	LED MODULE STRIP	167		TERMINAL BLOCK	196
NEW	LED NIGHT LAMP	184		THERMAL RELAY	191
NEW	LED PANEL	48		TIMER	187
	LED PHOTOCELL BULB	05		TOUCH CONTROLLER	170
	LED PICTURE & MIRROR LAMP	86		TRACK CONNECTOR	63
NEW	LED PROJECTOR	104		TRACK LIGHT	60
	LED PROJECTOR STAND	110		TRACK SUSPENSION	63
NEW	LED READING LAMP	87		TRANSFORMER	195
NEW	LED RECESSED SENSOR LAMP	150	NEW	VOLTAGE SURGE PROTECTOR	187
	LED RECHARGEABLE PROJECTOR	112	NEW	WATERPROOF NEON LED STRIP	156
	LED RGB PROJECTOR	108	NEW	WATERPROOF LED STRING LIGHT	165
	LED SENSOR BULB	05	NEW	WATERPROOF LED STRIP	158
NEW	LED SENSOR DECORATIVE CEILING	83		WATERPROOF PROFILE NEON LED	154
NEW	LED SLIM MAGNETIC LIGHT SYSTEM	53	NEW	WIRE SPRING	196
	LED SMART BULB	05		WIRELESS LIGHTING CONTROLLER SWITCH	187
	LED SOLAR CAMPING LIGHT	174			
	LED SOLAR LAMP	148			
NEW	LED SOLAR PROJECTOR	111			
	LED SOLAR SECURITY LIGHT	111			
NEW	LED SOLAR STREET LIGHT	114			

 195 ADHESIVE TAPE	 120 ALUMINIUM BULKHEAD LAMP	 171 ALUMINIUM PROFILE	 85 CEILING LAMP	 195 COAXIAL CABLE	 196 CONNECTOR	 191 CONTACTOR	 89 DESK LAMP	
 04 DIMMABLE LED BULB	 187 DIMMER	 NEW 185 DOORBELL	 NEW 17 DOWNLIGHT FITTING	 49 DRYWALL KIT	 NEW 180 EMERGENCY KIT	 NEW 175 EMERGENCY LED LANTERN	 16 FLUORESCENT TUBE	
 49 FRAME	 NEW 121 GARDEN LAMP	 78 GLASS PENDANT LAMP	 16 HALOGEN LAMP	 194 LAMP HOLDER	 04 LED CCT BULB	 NEW 169 LED ADAPTER	 48 LED BACKLIGHT PANEL	 93 LED BATTEN LIGHT
 NEW 04 LED BULB	 NEW 119 LED BULKHEAD LAMP	 110 LED CANOPY LIGHT	 10 LED CAPSULE	 84 LED CEILING LAMP	 15 LED COLOUR BULB	 83 LED DECORATIVE CEILING LAMP	 NEW 90 LED DESK LAMP	
 NEW 24 LED DOWNLIGHT	 NEW 162 LED DRIVER	 180 LED EMERGENCY EXIT LAMP	 12 LED FILAMENT BULB	 48 LED FRAME PANEL	 109 LED FRAMELESS PROJECTOR	 NEW 126 LED GARDEN LAMP	 176 LED HEADLIGHT	
 146 LED HOUSE NUMBER LIGHT	 NEW 151 LED INGROUND & RECESSED LAMP	 174 LED LANTERN	 NEW 101 LED LINEAR HIGH BAY LAMP	 64 LED LINEAR SUSPENSION LIGHT	 NEW 56 LED LINEAR TRACK LIGHT	 50 LED MAGNETIC LIGHT SYSTEM	 167 LED MODULE STRIP	
 NEW 184 LED NIGHT LAMP	 NEW 48 LED PANEL	 05 LED PHOTOCELL BULB	 86 LED PICTURE & MIRROR LAMP	 NEW 104 LED PROJECTOR	 110 LED PROJECTOR STAND	 NEW 87 LED READING LAMP	 NEW 150 LED RECESSED SENSOR LAMP	
 112 LED RECHARGEABLE PROJECTOR	 108 LED RGB PROJECTOR	 05 LED SENSOR BULB	 NEW 83 LED SENSOR DECORATIVE CEILING	 NEW 53 LED SLIM MAGNETIC LIGHT SYSTEM	 05 LED SMART BULB	 174 LED SOLAR CAMPING LIGHT	 148 LED SOLAR LAMP	

E x p e r i e n c e i n L i g h t i n g

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 01/2025





**HOROZ ELECTRIC**

LED Bulb / LED 3CCT Bulb / Rechargeable LED Bulb Dimmable LED Bulb

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018
Power	: 5 W	: 7 W	: 9 W	: 12 W	: 15 W	: 18 W
Luminous Flux	: 500 lm	: 760 lm	: 900 lm	: 1150 lm	: 1500 lm	: 1850 lm
Sizes (mm)	: A: 55 B: 100	: A: 55 B: 100	: A: 60 B: 108	: A: 60 B: 111	: A: 60 B: 121	: A: 66 B: 134


**HOROZ ELECTRIC**

LED Bulb / LED Capsule LED Tube

**COMBO-10 3 CCT**



001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)

**CCT ADJUSTABLE****D I M M A B L E****EXPERT-10**




001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K

**DURALITE-12**

001 092 0012

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm / 6400K
- Emergency Lighting Duration: 6 Hours
- 3.7V 1200mAhx2 Li-on Battery
- Emergency Work: 5W - 550 lm

Rechargeable
Emergency
LED
Bulb**DC MODE:
FIRST ON-OFF
IS HIGH MODE****DC MODE:
SECOND ON-OFF
IS ECO MODE****DC MODE:
THIRD ON-OFF
IS FLASH MODE**



HOROZ ELECTRIC

LED Smart Bulb / LED Photocell Bulb / LED Sensor Bulb

D I M M A B L E


HOROSCOPE-9

001 084 0009

- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB



RGB Multicolor
2700K 6500K




LED SMART BULB / LED PHOTOCELL BULB / LED SENSOR BULB


DARK-10

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K



Built-in Photocell Sensor



DUSK TO DAWN



Turn on
< 15 Lux

Turn off
> 25-30 Lux

FORCE-10


001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




**HOROZ****ELECTRIC****LED Bulb****FOX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

F A ↑ G


	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	: 6 W	: 9 W	: 12 W	: 15 W
Luminous Flux	: 510 lm	: 820 lm	: 1155 lm	: 1500 lm
Sizes (mm)	: A:30 B:100	: A:36 B:122	: A:44 B:138	: A:50 B:146




LED BULB

**FONIX**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G

	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008
Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 290 lm	: 440 lm	: 610 lm
Sizes (mm)	: A:50 B:51.5	: A:50 B:51.5	: A:50 B:56.5



**HOROZ****ELECTRIC**

LED Bulb / Dimmable LED Bulb


ZELDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 400 lm
- 3CCT

016 091 0005





CCT ADJUSTABLE



CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





CONVEX-8	CONVEX-10
001-064-0008	001-064-0010

Power	: 8 W	10 W
Luminous Flux	: 640 lm	800 lm

PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571 lm
- 4200K/6400K


001 075 0006

**GLASS**

D I M M A B L E


VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 480 lm	640 lm	800 lm




PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




PLUS-4	PLUS-6	PLUS-8	PLUS-10
001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 290 lm	440 lm	610 lm	800 lm




**HOROZ****ELECTRIC****LED Bulb****ULTRA**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F 


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 100	A: 37 B: 107	A: 37 B: 110

**CRAFT**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F 


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 124	A: 37 B: 135	A: 37 B: 135

**ELITE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F 


	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	6 W	8 W	10 W
Luminous Flux	510 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 80	A: 45 B: 90	A: 45 B: 90

**REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


G **F** 

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	4 W	6 W	10 W	12 W
Luminous Flux	260 lm	480 lm	920 lm	1150 lm
Lamp Holder	E14	E14	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




**HOROZ****ELECTRIC****LED Bulb****TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

F A ↑ G



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	: 30 W	: 40 W	: 50 W	: 80 W	: 100 W
Color Temperature	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 6400K	: 6400K
Lamp Holder	: E27	: E27	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3120 lm	: 4250 lm	: 5350 lm	: 8300 lm	: 10600 lm
Sizes (mm)	: A: 80 B: 135	: A: 100 B: 165	: A: 118 B: 190	: A: 138 B: 220	: A: 127 B: 232	: A: 138 B: 230 (E27)



LED BULB

GLOBE



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	: 20 W
Luminous Flux	: 1600 lm	: 2010 lm
Sizes (mm)	: A: 95 B: 136.5	: A: 120 B: 161

**UFO PRO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


F A ↑ G

	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	: 50 W	: 70 W
Luminous Flux	: 3050 lm	: 5200 lm	: 7500 lm
Sizes (mm)	: A: 120 B: 110	: A: 150 B: 140	: A: 170 B: 170




**HOROZ****ELECTRIC****LED Capsule****PETA**


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10	PETA-12
	001-045-0004	001-045-0006	001-045-0008	001-045-0010	001-045-0012
Power	4 W	6 W	8 W	10 W	12 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63	A: 18 B: 62

**DECO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60


**MEGA-5**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K


001 011 0005

**POND**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	POND-3	POND-6
	001-086-0003	001-086-0006
Power	3 W	6 W
Luminous Flux	260 lm	520 lm
Sizes (mm)	A: 16 B: 50	A: 16 B: 55


**MIDI**

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K


001 012 0002

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A: 12 B: 34	A: 12 B: 36



**HOROZ****ELECTRIC****LED Bulb / LED Capsule / LED Tube****CORN**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs


**CORN-4**

001-062-0004



CORN-7

001-062-0007

Power	:	4 W	7 W
Luminous Flux	:	360 lm	760 lm
Color Temperature:		2700K/4200K/6400K	6400K
Sizes (mm)	:	A: 30 B: 95	A: 35 B: 135

**GIGA**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

**GIGA-4**

001-046-0004


GIGA-6

001-046-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	520 lm
Sizes (mm)	:	A: 26 B: 54	A: 26 B: 58

**MAKRO**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K


**MAKRO-2**

001-090-0002



MAKRO-3

001-090-0003

Power	:	1.5 W	3 W
Luminous Flux	:	160 lm	280 lm
Sizes (mm)	:	A: 10 B: 33	A: 13 B: 37

**EXA**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K

**EXA-4**

001-047-0004


EXA-6

001-047-0006

Power	:	4 W	6 W
Luminous Flux	:	400 lm	600 lm
Sizes (mm)	:	A: 13.3 B: 48	A: 13.3 B: 60

**MULTI**

- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K


**MULTI-2**

001-091-0002


MULTI-3

001-091-0003

Power	:	1.5 W	3 W
Luminous Flux	:	175 lm	280 lm
Sizes (mm)	:	A: 10 B: 33	A: 13 B: 37

**LED TUBE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**LED TUBE-60**

002-001-0009

LED TUBE-120

002-001-0018

LED TUBE-150

002-001-0024

Power	:	9 W	18 W	24 W
Luminous Flux	:	830 lm	1800 lm	2500 lm
Length (mm)	:	L: 600	L: 1200	L: 1500






**HOROZ****ELECTRIC**

LED Filament Bulb

FILAMENT BALL



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power	: 4 W	: 4 W	: 6 W	: 6 W
Luminous Flux	: 450 lm	: 450 lm	: 700 lm	: 700 lm
Lamp Holder	: E14	: E27	: E14	: E27
Sizes	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78

FILAMENT CANDLE



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0004	001-013-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT FLAME


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0004	001-014-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015
Power	: 4 W	: 6 W	: 8 W	: 10 W	: 12 W	: 15 W
Luminous Flux	: 450 lm	: 700 lm	: 900 lm	: 1200 lm	: 1540 lm	: 1750 lm
Sizes (mm)	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 67 B: 112	: A: 70 B: 131





**HOROZ****ELECTRIC**

LED Filament Bulb / LED Bulb

RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006



**FILAMENT**

F A ↑ G

RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 029 0006

**FILAMENT**

F A ↑ G

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K


**RUSTIC TUBE - 6**

001-033-0006

RUSTIC TUBE - 8

001-033-0008

Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235





F A ↑ G

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K


001 048 0005

**SMD LED****3 Modes****Flame Mode****General Lighting Mode****Breathing Mode**

**HOROZ ELECTRIC**

LED Filament Bulb

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

FILAMENT LED**AMBER
COLOR****TITANIUM
COLOR****F**
A
↑
G2200K 4200K 6400K
2400K
☀️ ⚡️**TOLEDO**


001 049 0008

**PARADOX****PARADOX-XL**


001 052 0008

**GINZA****GINZA-XL**


001 050 0008

**ORIGAMI****ORIGAMI-XL**

001 053 0008

**ENIGMA****ENIGMA-XL**

001 051 0008

**ELLIPTIC****ELLIPTIC-XL**

001 054 0008


8W

E27

**HOROZ****ELECTRIC****LED Colour Bulb****FANTASY RGB**

001 088 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
■ 50 lm**FANTASY**


001 088 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

Yellow
■ 110 lmRed
■ 44 lmGreen
■ 78 lmBlue
■ 32 lmOrange
■ 96 lmPurple
■ 30 lmPink
■ 46 lmWhite
■ 140 lm**COMFORT RGB**

001 087 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

RGB
■ 35 lm**COMFORT**

001 087 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

Yellow
■ 90 lmRed
■ 33 lmGreen
■ 60 lmBlue
■ 25 lmOrange
■ 75 lmPurple
■ 23 lmPink
■ 38 lmWhite
■ 100 lm**RAINBOW**


001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

Yellow
■ 105 lmRed
■ 34 lmGreen
■ 68 lmBlue
■ 12 lmWhite
■ 120 lm**SPECTRA**

001 017 0003


- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

Yellow
■ 315 lmRed
■ 102 lmGreen
■ 205 lmBlue
■ 38 lmWhite
■ 250 lm

**HOROZ****ELECTRIC**

Fluorescent Tube / Halogen Lamp


- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5




	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



TUBE-8



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360 lm	740 lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ**



Fluorescent Tube



- Average Life: 2.000 Hrs



	GU10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power :	50 W	50 W	50 W
Luminous Flux :	340 lm	650 lm	550 lm
Lamp Holder :	GU10	GU5.3	GU5.3

**HOROZ**


Halogen Lamp




- Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power :	150W	300 W / 500W	1000W
Luminous Flux :	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm) :	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




- Average Life: 2.000 Hrs



	JC G4	JC G4 WHITE
	12V AC	12V AC
Power :	20 W	20 W
Luminous Flux :	250 lm	200 lm

- Average Life: 2.000 Hrs



	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V / 50-60 Hz	220-240V / 50-60 Hz	220-240V / 50-60 Hz
Power :	25 W / 40W	40W	40W
Luminous Flux :	270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**

Downlight Fitting

AZER

- Lamp holder not included
- Max. 10W LED

BLACK

WHITE

GOLD



AZER-1

015-039-0001



AZER-2

015-040-0001



AZER-3

015-041-0001

**HOROZ ELECTRIC**

Downlight Fitting Modul Downlight Fitting



DOWNLIGHT FITTING

PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Cutting Size (mm)		PETUNYA-1	PETUNYA-2	PETUNYA-3
: 90x81			166x90	252x90
Sizes (mm)		A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45



**HOROZ****ELECTRIC**

Downlight Fitting

BEGONVİL

015 059 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE



FİRÜZE

015 058 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE



KADİFE

015 060 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE



NANE

015 061 0001


- Lamp holder not included
- Max. 10W LED



BLACK

GOLDEN

WHITE



**HOROZ ELECTRIC**

Downlight Fitting

MEYAN

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001




KARANFİL

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KARANFİL-R

015-022-0050




KARANFİL-S

015-023-0050




RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME

- Frame Ring for KARANFİL-R

**HOROZ ELECTRIC**

Downlight Fitting


KAKTÜS

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001




LAVİNYA

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



LAVİNYA-R

015-050-0001



LAVİNYA-S

015-051-0001



KAMELYA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 025 0050

- Lamp holder not included
- Max. 10W LED



LAVANTA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 024 0050

- Lamp holder not included
- Max. 10W LED



ORKİDE

CHROME


MAT CHROME

GOLDEN

WHITE

- 220-240V / 50-60Hz
- Max. 10W LED

015 007 0050





AZELYA


- Lamp holder not included
- Max. 10W LED



WHITE

BLACK

WHITE-BLACK



	AZELYA-1	AZELYA-2	AZELYA-3	AZELYA-4
	015-048-0001	015-048-0002	015-048-0003	015-048-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 85 B: 85 C: 40	: A: 92 B: 92 C: 42	: A: 92 B: 172 C: 42	: A: 92 B: 252 C: 42



GU10

DOWNLIGHT FITTING

ANEMON

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



	ANEMON-1	ANEMON-2	ANEMON-3	ANEMON-4
	015-049-0001	015-049-0002	015-049-0003	015-049-0004
Cutting Size (mm)	: 85	: 85	: 85x160	: 85x245
Sizes (mm)	: A: 95 B: 95 C: 35	: A: 92 B: 92 C: 35	: A: 92 B: 175 C: 35	: A: 92 B: 253 C: 35



GU10



RECESSED

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	RECESSED - R	RECESSED - SQ1	RECESSED - SQ2	RECESSED - SQ3	RECESSED - SQ4
	015-042-0001	015-043-0001	015-043-0002	015-043-0003	015-043-0004
Cutting Size (mm)	: 80	: 80	: 160	: 240	: 160
Sizes (mm)	: A: 85 B: 85 C: 30	: A: 88 B: 88 C: 35	: A: 168 B: 88 C: 35	: A: 248 B: 88 C: 35	: A: 168 B: 168 C: 35



SURFACE

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9




WHITE

BLACK



	SURFACE - R	SURFACE - SQ1	SURFACE - SQ2	SURFACE - SQ3	SURFACE - SQ4
	015-044-0001	015-045-0001	015-045-0002	015-045-0003	015-045-0004
Sizes (mm)	: A: 90 B: 90 C: 110	: A: 105 B: 105 C: 110	: A: 110 B: 205 C: 110	: A: 115 B: 300 C: 110	: A: 205 B: 205 C: 110




MODUL-9

016 076 0009




suitable for module fitting cases



BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K / 6400K



MODUL-G

128 003 0001

- Max. 10W LED




suitable for module fitting cases

Suitable for GU10 and G5.3 led bulbs

BLACK

GOLD

WHITE



**HOROZ ELECTRIC**

LED Downlight

**HOROZ ELECTRIC**

LED Downlight LED Sensor Downlight





ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K





LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available





BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



**HOROZ****ELECTRIC****LED Downlight****LOGAN 3 CCT**



016 085 0005

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch

BLACK

WHITE

**MELODY**

016 069 0005



- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs



MAT CHROME

WHITE

BLACK



double spring clamp connector




LED DOWNLIGHT

**HOROZ****ELECTRIC**

LED Downlight

NORA PRO-5



016 053 1005



CCT ADJUSTABLE


**WHITE****BLACK**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm




AMARA

016 079 0006

**WHITE&BLACK****BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K




**HOROZ****ELECTRIC****LED Downlight****PARKER**

- 170 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K

double spring clamp connector


BLACK

WHITE



PARKER-5	PARKER-12
016-071-0005	016-071-0012

Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 40 B: 82	A: 38 B: 148

Easy connection available
Linked Sets: Max. 18 pcs
(5w)Easy connection available
Linked Sets: Max. 8 pcs
(12w)

LED DOWNLIGHT


CARTER

- 170 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 4200K

double spring clamp connector


BLACK

WHITE



CARTER-5	CARTER-12
016-072-0005	016-072-0012

Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 35 B: 82	A: 33 B: 145

Easy connection available
Linked Sets: Max. 18 pcs
(5w)Easy connection available
Linked Sets: Max. 8 pcs
(12w)

**HOROZ****ELECTRIC**

LED Downlight


PAULA 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE


CCT Selectable by DIP Switch




WHITE

BLACK

ADJUSTABLE CUT HOLE



	PAULA-9 3CCT	PAULA-18 3CCT	PAULA-24 3CCT	PAULA-36 3CCT
	016-092-0009	016-092-0018	016-092-0024	016-092-0036
Power	: 9 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 720 lm	: 1440 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 66-75	: 70-105	: 70-150	: 70-200
Sizes (mm)	: A:130 B:32	: A:160 B:32	: A:210 B:32	: A:265 B:32



STELLA

STELLA/SQ








FRAMELESS



WHITE

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

ADJUSTABLE CUT HOLE



	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19



	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19

**HOROZ****ELECTRIC**

LED Downlight

LUCIA 3 CCT

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs



CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K



4000K




6500K

WHITE

BLACK




	LUCIA-10 3CCT	LUCIA-15 3CCT	LUCIA-20 3CCT	LUCIA-25 3CCT	LUCIA-30 3CCT	LUCIA-35 3CCT	LUCIA-40 3CCT
	016-046-1010	016-046-1015	016-046-1020	016-046-1025	016-046-1030	016-046-1035	016-046-1040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217



VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE

BLACK



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225




**HOROZ****ELECTRIC****LED Downlight****ALEXA 3CCT**

- 200 - 265V / 50 - 60Hz
- Average Life: 70.000 Hrs
- 3CCT

**CCT ADJUSTABLE**CCT Selectable by Driver
DIP Switch**3000K****4000K****6500K****WHITE****BLACK**

	ALEXA-8 3CCT	ALEXA-12 3CCT	ALEXA-20 3CCT	ALEXA-24 3CCT	ALEXA-30 3CCT
	016-048-1008	016-048-1012	016-048-1020	016-048-1024	016-048-1030
Power	: 8 W	12 W	20 W	24 W	30 W
Luminous Flux	: 600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	: Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	: A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230



**HOROZ****ELECTRIC**

LED Downlight

ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K

4000K


6500K

WHITE

BLACK



	ALEXIS-6 3CCT	ALEXIS-9 3CCT	ALEXIS-12 3CCT	ALEXIS-18 3CCT	ALEXIS-24 3CCT	ALEXIS-30 3CCT
	016-087-0006	016-087-0009	016-087-0012	016-087-0018	016-087-0024	016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux:	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter:	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300



LED DOWNLIGHT

ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K

4000K


6500K

WHITE

BLACK




	ALEXIS/SQ-9 3CCT	ALEXIS/SQ-12 3CCT	ALEXIS/SQ-18 3CCT	ALEXIS/SQ-24 3CCT	ALEXIS/SQ-30 3CCT
	016-088-0009	016-088-0012	016-088-0018	016-088-0024	016-088-0030
Power :	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300



**HOROZ****ELECTRIC**

LED Downlight

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K




CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40




SLIM

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K


**WHITE**

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 14 B: 190	A: 14 B: 221	A: 14 B: 297




SLIM / Sq

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

**WHITE**

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A: 14 B: 89	A: 14 B: 113,5	A: 14 B: 146	A: 14 B: 163	A: 14 B: 194,5	A: 14 B: 219,5	A: 14 B: 292






**HOROZ****ELECTRIC**


LED Downlight

HARLEY 2 CCT

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT

**2 CCT****WHITE****BLACK****ADJUSTABLE CUT HOLE**


	HARLEY-52CCT	HARLEY-102CCT	HARLEY-162CCT	HARLEY-202CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40




LED DOWNLIGHT

VIOLET

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE**

	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33






**HOROZ****ELECTRIC**


LED Downlight

VALENTINA 2 CCT

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K


**ADJUSTABLE
CUT HOLE****WHITE**

	VALENTINA - 6 2 CCT 016-063-0006	VALENTINA - 12 2 CCT 016-063-0012	VALENTINA - 24 2 CCT 016-063-0024	VALENTINA - 36 2 CCT 016-063-0036
Power	6 W	12 W	24 W	36 W
Luminous Flux	480 lm	960 lm	1920 lm	2880 lm
Cutting Diameter (mm)	50-90	50-105	50-150	50-205
Sizes (mm)	A: 100 B: 25	A: 120 B: 25	A: 170 B: 25	A: 220 B: 25




ALESYA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WHITE****BLACK**

	ALESYA-10 016-089-0010	ALESYA-15 016-089-0015	ALESYA-20 016-089-0020	ALESYA-25 016-089-0025	ALESYA-30 016-089-0030	ALESYA-40 016-089-0040
Power	10 W	15 W	20 W	25 W	30 W	40 W
Luminous Flux	800 lm	1200 lm	1600 lm	2000 lm	2400 lm	3200 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø110	Ø145	Ø200	Ø200
Sizes (mm)	A: 30.5 B: 90	A: 33 B: 120	A: 35 B: 140	A: 39 B: 170	A: 220 B: 44	A: 220 B: 44



**HOROZ ELECTRIC**



LED Surface Light / LED Downlight

NORA PRO / S-5


016 078 1005

**CCT ADJUSTABLE**

CCT Selectable by DIP Switch

**WHITE****BLACK**

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

**HOROZ ELECTRIC**

LED Surface Light LED Surface Backlight Surface Light

**MATILDA 3 CCT**

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

**MATILDA-12 3CCT**

016-090-0012





MATILDA-18 3CCT

016-090-0018

Power	:	12 W	18 W
Luminous Flux	:	1200 lm	1800 lm
Cutting Diameter (mm)	:	60-130	60-180
Sizes (mm)	:	A: 170 B: 18	A: 220 B: 18

CCT ADJUSTABLE

CCT Selectable by DIP Switch

**WHITE****BLACK****Recessed****Surface Mounting****MARTHA-18 3 CCT**

016 060 1018




- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT

**Built-in
Photocell &
PIR Sensor**

- Day & Night motion sensor mode
- Night motion sensor mode

CCT ADJUSTABLE

CCT Selectable by DIP Switch

**WHITE****BLACK****Recessed****Surface Mounting**

**HOROZ****ELECTRIC**

LED Surface Light



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE




ARINA

WHITE

BLACK



	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm)	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K




SELENA 3CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



BLACK

WHITE



CCT ADJUSTABLE

CCT Selectable
by DIP Switch



3000K



4000K



6500K



	SELENA-12 3CCT	SELENA-18 3CCT	SELENA-24 3CCT	SELENA-36 3CCT
	016-084-0012	016-084-0018	016-084-0024	016-084-0036
Power	12 W	18 W	24 W	36 W
Luminous Flux	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm)	A:140 B:32	A:173 B:32	A:218 B:32	A:290 B:32

MILENA 3CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



BLACK

WHITE



CCT ADJUSTABLE

CCT Selectable
by DIP Switch


3000K



4000K



6500K




	MILENA-12 3CCT	MILENA-18 3CCT	MILENA-24 3CCT	MILENA-36 3CCT
	016-083-0012	016-083-0018	016-083-0024	016-083-0036
Power	12 W	18 W	24 W	36 W
Luminous Flux	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm)	A:140 B:32	A:173 B:32	A:220 B:32	A:290 B:32

**HOROZ****ELECTRIC**

LED Surface Light


VALENTINA / S 2 CCT

- 165-265V/50-60Hz
- Average Life: 25.000 Hrs
- 2CCT




**2 CCT****WHITE**

VALENTINA / S-12 2 CCT	VALENTINA / S-24 2 CCT	VALENTINA / S-36 2 CCT
016-086-0012	016-086-0024	016-086-0036
Power : 12 W	Power : 24 W	Power : 36 W
Luminous Flux : 960 lm	Luminous Flux : 1920 lm	Luminous Flux : 2880 lm
Sizes (mm) : A:120 B:46	Sizes (mm) : A:172 B:46	Sizes (mm) : A:225 B:46

016-086-0012	016-086-0024	016-086-0036
Power : 12 W	Power : 24 W	Power : 36 W
Luminous Flux : 960 lm	Luminous Flux : 1920 lm	Luminous Flux : 2880 lm
Sizes (mm) : A:120 B:46	Sizes (mm) : A:172 B:46	Sizes (mm) : A:225 B:46

**CARLA**

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K



**WHITE**

CARLA-16	CARLA-24	CARLA-32	CARLA-48
016-058-0016	016-058-0024	016-058-0032	016-058-0048
Power : 16 W	Power : 24 W	Power : 32 W	Power : 48 W
Luminous Flux : 1520 lm	Luminous Flux : 2280 lm	Luminous Flux : 3040 lm	Luminous Flux : 4500 lm
Sizes (mm) : A:120 B:45	Sizes (mm) : A:175 B:45	Sizes (mm) : A:225 B:45	Sizes (mm) : A:300 B:45

016-058-0016	016-058-0024	016-058-0032	016-058-0048
Power : 16 W	Power : 24 W	Power : 32 W	Power : 48 W
Luminous Flux : 1520 lm	Luminous Flux : 2280 lm	Luminous Flux : 3040 lm	Luminous Flux : 4500 lm
Sizes (mm) : A:120 B:45	Sizes (mm) : A:175 B:45	Sizes (mm) : A:225 B:45	Sizes (mm) : A:300 B:45

CARLA / SQ

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

**WHITE**

CARLA / SQ-16	CARLA / SQ-24	CARLA / SQ-32	CARLA / SQ-48
016-059-0016	016-059-0024	016-059-0032	016-059-0048
Power : 16 W	Power : 24 W	Power : 32 W	Power : 48 W
Luminous Flux : 1520 lm	Luminous Flux : 2280 lm	Luminous Flux : 3040 lm	Luminous Flux : 4500 lm
Sizes (mm) : A:125 B:45	Sizes (mm) : A:172 B:45	Sizes (mm) : A:225 B:45	Sizes (mm) : A:300 B:45

016-059-0016	016-059-0024	016-059-0032	016-059-0048
Power : 16 W	Power : 24 W	Power : 32 W	Power : 48 W
Luminous Flux : 1520 lm	Luminous Flux : 2280 lm	Luminous Flux : 3040 lm	Luminous Flux : 4500 lm
Sizes (mm) : A:125 B:45	Sizes (mm) : A:172 B:45	Sizes (mm) : A:225 B:45	Sizes (mm) : A:300 B:45

**HOROZ****ELECTRIC**


LED Surface Light

SOFIA


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38




SOFIA/S


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:120 B:38	: A:170 B:38	: A:225 B:38	: A:300 B:38



**HOROZ****ELECTRIC**

LED Surface Light



CATALINA 3CCT



CCT ADJUSTABLE

**BLACK****WHITE**

- 160 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 3 CCT




	CATALINA-12 3CCT	CATALINA-18 3CCT	CATALINA-24 3CCT	CATALINA-36 3CCT
	016-081-1012	016-081-1018	016-081-1024	016-081-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 120 B: 38	: A: 175 B: 38	: A: 215 B: 38	: A: 295 B: 38




CATALINA /S/ 3CCT



CCT ADJUSTABLE

**BLACK****WHITE**

- 160 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 3 CCT



	CATALINA /S-12 3CCT	CATALINA /S-18 3CCT	CATALINA /S-24 3CCT	CATALINA /S-36 3CCT
	016-082-1012	016-082-1018	016-082-1024	016-082-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 120 B: 38	: A: 175 B: 38	: A: 215 B: 38	: A: 295 B: 38

**HOROZ****ELECTRIC**

LED Surface Light

HAZEL 3CCT

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K

4200K



6400K

WHITE

BLACK

**NEW
PRODUCT**

	HAZEL-24 3CCT	HAZEL-32 3CCT	HAZEL-40 3CCT
	016-077-1024	016-077-1032	016-077-1040
Power	: 24 W	: 32 W	: 40 W
Luminous Flux	: 1680 lm	: 2240 lm	: 2800 lm
Sizes (mm)	: A:300 B:53	: A:370 B:55	: A:450 B:60




HAZEL



- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK




	HAZEL-24	HAZEL-32	HAZEL-40
	016-077-0024	016-077-0032	016-077-0040
Power	: 24 W	: 32 W	: 40 W
Luminous Flux	: 1680 lm	: 2240 lm	: 2800 lm
Sizes (mm)	: A:300 B:55	: A:380 B:55	: A:450 B:60





BELİNDÄ

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K





WHITE

BLACK





	BELİNDÄ-30	BELİNDÄ-45	BELİNDÄ-60
	016-094-0030	016-094-0045	016-094-0060
Power	: 30 W	: 45 W	: 60 W
Luminous Flux	: 3200 lm	: 4900 lm	: 6500 lm
Sizes (mm)	: A:260 B:55	: A:350 B:55	: A:430 B:60



**HOROZ****ELECTRIC****LED Surface Light****SCARLETT - 30 3CCT**

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT

016 070 1030

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch**3000K****4200K****6400K****WHITE****BLACK**

Linkable / Fast Connector



Release the bracket through push or pull the plastic button



**HOROZ****ELECTRIC**

LED Surface Light

ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



LED SURFACE LIGHT

ANDREA / S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector



Release the bracket through push or pull the plastic button




	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power	15 W	20 W	30 W
Luminous Flux	1275 lm	1700 lm	2550 lm
Sizes (mm)	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49





PULSAR-48

056 015 0048




- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

WHITE


BLACK



Inside of Product



PROTEUS



- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE

BLACK



BACKLIGHT PANEL



Inside of Product



	PROTEUS-36	PROTEUS-48
Power	36 W	48 W
Luminous Flux	3000 lm	4400 lm
Sizes (mm)	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38




**HOROZ****ELECTRIC**

LED Surface Light




LAYLA-15

016 073 0015

**BLACK****WHITE**


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K




SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL

**WHITE****BLACK**


	SANDRA-5	SANDRA-5 / XL	SANDRA-10	SANDRA-10 / XL	SANDRA-15	SANDRA-15 / XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux:	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162




SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ / XL

**WHITE****BLACK**

	SANDRA-SQ10	SANDRA-SQ10 / XL	SANDRA-SQ15	SANDRA-SQ15 / XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux:	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED



BLACK

WHITE



JOKER-1

015-038-0001



JOKER-2

015-038-0002



JOKER-4

015-038-0004



JOKER-3

015-038-0003



JOKER-5

015-038-0005




JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6



**HOROZ****ELECTRIC**

Surface Light

SALSA

SALSA-L

SALSA-XL

SALSA/SQ-L


WHITE

BLACK




SALSA

015-036-0001




SALSA-L

015-036-0002




SALSA-XL

015-036-0003



SALSA/SQ-L

015-037-0002



REFLEX

CHROME

GOLD

RED COPPER



REFLEX

128-001-0001

REFLEX-L

128-001-0002

REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) :

A: 60

A: 80

A: 100

A: 80


For Reflector :

Salsa

Salsa-L

Salsa-XL

Salsa/SQ-L




FREZYA

■ Bulb not included



WHITE

BLACK



FREZYA-R

015-026-0050



FREZYA-S

015-027-0050




MIAMI

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

WHITE



BLACK

015 033 0001



**HOROZ****ELECTRIC****LED Panel / LED Backlight Panel / LED Frame Panel****MOON**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**MOON-32**

056-007-0032




MOON-40

056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

**ZODIAC**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE**ZODIAC-24**

056-006-0024




ZODIAC-36

056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8

**HOROZ****ELECTRIC****LED Panel / LED Backlight Panel
LED Frame panel / Frame
Drywall Kit****TAURUS**

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


WHITE**TAURUS-36**

056-013-0036

TAURUS-48

056-013-0048

Power :	36 W	48 W
Luminous Flux :	3000 lm	4400 lm
Sizes (mm) :	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32

**BACKLIGHT
PANEL**



Inside of Product

**CAPELLA-48**

- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE

056 012 0048



**HOROZ****ELECTRIC**

LED Panel / Frame / Drywall Kit

ANDROMEDA 3CCT

056 017 0050


WHITE

- 170 - 265V / 50 - 60Hz
- Average Life: 25.000 Hrs
- 5000 lm
- 3 CCT

CCT ADJUSTABLE**BACKLIGHT PANEL**

28 mm

Inside of Product

**SUPERNOVA 3 CCT**

056 018 0050


WHITE

- 170 - 265V / 50 - 60Hz
- Average Life: 40.000 Hrs
- 5000 lm
- 3 CCT

CCT ADJUSTABLE

Backside of Product

8 mm



LED PANEL / FRAME / DRYWALL KIT

**FRAME****WHITE****DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



FRAME-3060

FRAME-30120

FRAME-4040

FRAME-5050

FRAME-6060

111-002-0001

111-002-0002

111-002-0003

111-002-0004

111-002-0005


Sizes (mm): A: 600 B: 300 C: 45

A: 1200 B: 300 C: 45

A: 400 B: 400 C: 45

A: 500 B: 500 C: 45

A: 600 B: 600 C: 45





HOROZ

ELECTRIC

LED Magnetic Light System



HOROZ

ELECTRIC

LED Magnetic Light System LED Slim Magnetic Light System




RECESSED MAGNET RAIL MAGNET-R2



129 006 0002

SURFACE MAGNET RAIL MAGNET-S2



129 007 0002



THREE INSTALLATION



48VDC

2M

THICKNESS 2mm




**HOROZ****ELECTRIC**

LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-LL1



MAGNET-LL2




MAGNET-LM1



MAGNET-LM2




	MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
	129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028
Power	: 6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	: 540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
Sizes (mm)	: L:110 W:22 H:44	L:218 W:22 H:44	L:326 W:22 H:44	L:435 W:22 H:44	L:302 W:22 H:44	L:603 W:22 H:44	L:903 W:22 H:44




MAGNET


- 48VDC
- Average Life: 40.000 Hrs



BLACK



	MAGNET-ALL1	MAGNET-ALL2
	129-003-0012	129-003-0018
Power	: 12 W	18 W
Luminous Flux	: 1080 lm	1620 lm
Sizes (mm)	: L:223 W:22 H:120	L:332 W:22 H:120




**HOROZ****ELECTRIC**


LED Magnetic Light System

MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



	MAGNET-T1	MAGNET-T2
	129-005-0020	129-005-0030
Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
Sizes (mm)	: Ø:65 H:160	Ø:65 H:180



	MAGNET-P1	MAGNET-P2
	129-004-0020	129-004-0030
Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
Sizes (mm)	: Ø:65 H:280	Ø:65 H:300

MAGNET


- 220VAC / 48VDC
- Average Life: 40.000 Hrs

BLACK



MAGNET-PS1	MAGNET-PS2
129-008-0001	129-008-0002

Power	: 100 W	200 W
Sizes (mm)	: L:220 W:22 H:43	L:260 W:22 H:43



MAGNET

- 48VDC

BLACK



MAGNET-C1



MAGNET-C2



MAGNET-SJ



MAGNET-RJ



MAGNET-H



MAGNET-RC



MAGNET-RW



MAGNET-SC



MAGNET-SW

	MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H	MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW
	129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001	129-011-0001	129-012-0001	129-013-0001	129-014-0001
Sizes (mm)	: L:370 W:16 H:17	L:220 W:16 H:17	L:100 W:23	L:70 W:11.5 H:T:10	L:2000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80



HOROZ

ELECTRIC

LED Slim Magnetic Light System



LED SLIM MAGNETIC LIGHT SYSTEM




SURFACE SLIM MAGNET RAIL SLIM MAGNET-S2

129 107 0002



48VDC

2M




**HOROZ ELECTRIC**

LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

SLIM MAGNET-LL1



MAGNET-LL2




MAGNET-LM1




MAGNET-LM2




	SLIM MAGNET-LL1	SLIM MAGNET-LL2	SLIM MAGNET-LM1	SLIM MAGNET-LM2
	129-102-0012	129-102-0018	129-101-0010	129-101-0020
Power	: 12 W	: 18 W	: 10 W	: 20W
Luminous Flux	: 1080 lm	: 1620 lm	: 1050 lm	: 2220 lm
Sizes (mm)	: L:222 W:27 H:24	: L:330 W:27 H:24	: L:305 W:27 H:24	: L:605 W:27 H:24

**SLIM MAGNET**


- 48VDC
- Average Life: 40.000 Hrs

**BLACK**


	SLIM MAGNET-ALL1	SLIM MAGNET-ALL2
	129-103-0012	129-103-0018
Power	: 12 W	: 18 W
Luminous Flux	: 1080 lm	: 1620 lm
Sizes (mm)	: L:229 W:27 H:39	: L:337 W:27 H:39

**SLIM MAGNET**

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

	SLIM MAGNET-T2	SLIM MAGNET-T3
	129-105-0015	129-105-0020
Power	: 15 W	: 20 W
Luminous Flux	: 1220 lm	: 1630 lm
Sizes (mm)	: L:145 Ø:55	: L:145 Ø:65




**HOROZ ELECTRIC**

LED Slim Magnetic Light System

SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs




	SLIM MAGNET-P1	SLIM MAGNET-P3
	129-104-0010	129-104-0020
Power	: 10 W	20 W
Luminous Flux	: 800 lm	1630 lm
Sizes (mm)	: L:1800 Ø:40	L:1800 Ø:50



	SLIM MAGNET-P5
	129-104-0007
Power	: 7 W
Luminous Flux	: 660 lm
Sizes (mm)	: L:1605 Ø:105 X:105

BLACK



LED SLIM MAGNETIC LIGHT SYSTEM

SLIM MAGNET

- 48VDC




SLIM MAGNET-CL



SLIM MAGNET-CI



SLIM MAGNET-CT



SLIM MAGNET-CX



SLIM MAGNET-CC

	SLIM MAGNET-CL	SLIM MAGNET-CI	SLIM MAGNET-CT	SLIM MAGNET-CX	SLIM MAGNET-CC
	129-109-0001	129-110-0001	129-111-0001	129-112-0001	129-113-0001
Sizes (mm)	: W:47 H:47	W:27 H:67	W:47 H:67	W:67 H:67	W:27 H:27

**SLIM MAGNET**

- 220VAC / 48VDC
- Average Life: 40.000 Hrs



	SLIM MAGNET-PS1	SLIM MAGNET-PS2
	129-108-0001	129-108-0002

Power	: 100 W	200 W
Sizes (mm)	: L:294 W:27 H:24	L:343 W:27 H:24




**HOROZ ELECTRIC**


LED Linear Track Light

SPLIT

- 160-265V
- Average Life: 30.000 Hrs
- 4200K

BLACK

	SPLIT-12	SPLIT-18
	018-034-0012	018-034-0018
Power	: 12 W	18 W
Luminous Flux	: 840 lm	1260 lm
Sizes (mm)	: A:85 B:28 C:305 D:107	A:85 B:28 C:603 D:107


**HOROZ ELECTRIC**

LED Linear Track Light




PARMA

- 160-265V
- Average Life: 40.000 Hrs


WHITE&BLACK**BLACK****Rotatable Body**

	PARMA-20	PARMA-30
	018-032-0020	018-032-0030
Power	: 20 W	30 W
Luminous Flux	: 1600 lm	2400 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57




CENOVA

- 160-265V
- Average Life: 40.000 Hrs
- 4200K

WHITE**BLACK****Rotatable Body**

	CENOVA-20	CENOVA-30
	018-033-0020	018-033-0030
Power	: 20 W	30 W
Luminous Flux	: 2050 lm	3160 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57



**HOROZ****ELECTRIC**


LED Track Light

BREMEN 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

CCT Selectable
by DIP
Switch

3000K




4500K



6000K

WHITE

BLACK



	BREMEN-10 3 CCT	BREMEN-20 3 CCT	BREMEN-30 3 CCT	BREMEN-40 3 CCT
	018-031-1010	018-031-1020	018-031-1030	018-031-1040
Power	: 10 W	: 20 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1700 lm	: 2400 lm	: 3000 lm
Sizes (mm)	: A: 54 B: 126 C: 138	: A: 63 B: 156 C: 146	: A: 76 B: 180 C: 171	: A: 88 B: 180 C: 181

**HOROZ****ELECTRIC**

LED Track Light




LED TRACK LIGHT



**HOROZ ELECTRIC**

LED Track Light


VARNA



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°

WHITE


BLACK



	VARNA-20	VARNA-30	VARNA-36
	018-026-0020	018-026-0030	018-026-0036
Power	20 W	30 W	36 W
Luminous Flux	1600 lm	2400 lm	2880 lm
Sizes (mm)	A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180




LYON



- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°

WHITE

BLACK




	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024
Power	10 W	18 W	24 W
Luminous Flux	650 lm	1170 lm	1560 lm
Sizes (mm)	A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162



Z O O M A B L E

MONACO-30


018 019 0030



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- 2250 lm
- Beam Angle: 15°-60°

WHITE


BLACK




**HOROZ****ELECTRIC**

LED Track Light

LONDRA

**WHITE****BLACK**


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K




	LONDRA-12	LONDRA-15
	018-029-0012	018-029-0015
Power	: 12 W	: 15 W
Luminous Flux	: 1080 lm	: 1350 lm
Sizes (mm)	: A: 50 B: 200	: A: 60 B: 200

FARS

018 030 0026

**BLACK****WHITE**

- 185-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K



**HOROZ****ELECTRIC****TrackLight****LONDRA-G**

115 005 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**HOROZ****ELECTRIC****TrackLight****TORONTO**

115 004 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**BASEL**

115 003 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



**HOROZ****ELECTRIC**

Pendant Lamp / Track Light / Spotlight

**HOROZ****ELECTRIC**

Pendant Light



VERTEX


021 024 0001




WHITE

BLACK

- 220-240V
- Max. 10W LED



GU10



PENDANT LAMP

**HOROZ****ELECTRIC**

TrackLight / Spotlight



VERONA


116 002 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10

VERSAY



115 006 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10


TRACK LIGHT / SPOTLIGHT

**HOROZ[®] ELECTRIC**


Track Light / LED Spotlight / Spotlight

DAKAR

115 001 0001

**RABAT**



115 002 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

**TOKYO**


017 002 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°

**LOZAN**

116 001 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



**HOROZ ELECTRIC**

Lighting Track / Track Connector/Track Suspension Recessed Monopoint

LIGHTING TRACK

097 001 0001

1 m.

097 001 0002

2 m.

097 001 0003

3 m.

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



33 mm

**HOROZ ELECTRIC**

Track Suspension Lighting Track Track Connector Recessed Monopoint



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001

L Connector

096-002-0002

TRACK SUSPENSION

- 1.5M SUSPENSION SET FOR TRACK RAIL

096 001 0006

1.5 m.




RECESSED MONOPOINT

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

098 001 0001



**HOROZ****ELECTRIC**

LED Linear Suspension Light

AVENUE 3 CCT


019 066 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available



BLACK

WHITE

**CCT ADJUSTABLE**

CCT Selectable by DIP Switch


3000K

4000K

6500K

**HOROZ****ELECTRIC**

LED Linear Suspension Light LED Suspension Light

**FORTUNE**

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available



BLACK

WHITE



FORTUNE3-40

FORTUNE10-80

019-050-0040

019-052-0080

Power	:	40 W	80 W
Luminous Flux	:	4200 lm	8000 lm
Width (mm)	:	30 mm	100 mm



**HOROZ****ELECTRIC**


LED Linear Suspension Light

FORTUNE 3CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

BLACK

WHITE



FORTUNE3-40 3CCT

FORTUNE5-40 3CCT

019-051-1040

019-051-1040

Power	:	40 W	40 W
Luminous Flux	:	4200 lm	4200 lm
Width (mm)	:	30 mm	50 mm
Colors	:	BLACK	BLACK / WHITE

CCT ADJUSTABLE




LED LINEAR SUSPENSION LIGHT

DESTINY 3CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4600 lm
- Surface mounting also available

BLACK

WHITE



CCT ADJUSTABLE



**HOROZ****ELECTRIC**


LED Linear Suspension Light

INNOVA 3 CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- Surface mounting also available


BLACK

WHITE



	INNOVA3-40 3 CCT	INNOVA5-40 3 CCT
	019-033-1040	019-034-1040
Power	: 40 W	: 40 W
Luminous Flux	: 3200 lm	: 4200 lm
Width (mm)	: 30 mm	: 50 mm
Colors	: BLACK	: BLACK/WHITE

CCT ADJUSTABLE




INNOVA


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available

BLACK

WHITE



	INNOVA3-40	INNOVA10-80
	019-033-0040	019-049-0080
Power	: 40 W	: 80 W
Luminous Flux	: 3200 lm	: 6500 lm
Width (mm)	: 30 mm	: 100 mm



**HOROZ****ELECTRIC**

LED Suspension Light

GRANDE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




BLACK

ROSE GOLD




	GRANDE-20	GRANDE-36
	019-069-0020	019-069-0036
Power	20 W	36 W
Luminous Flux	1200 lm	2100 lm
Sizes (mm)	A: 1200 B: 400	A: 1200 B: 600



LED SUSPENSION LIGHT

ESSENCE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




BLACK

ROSE GOLD



	ESSENCE-30	ESSENCE-48
	019-070-0030	019-070-0048
Power	30 W	48 W
Luminous Flux	1800 lm	2900 lm
Sizes (mm)	A: 1200 B: 400	A: 1200 B: 600



**HOROZ****ELECTRIC**

LED Suspension Light

RAIMOND

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



BLACK

WHITE




RAIMOND-30

RAIMOND-55

019-074-0030


019-074-0055

Power	:	30 W	55 W
Luminous Flux	:	1800 lm	3300 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600



EMPIRE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



BLACK

ROSE GOLD




EMPIRE-20

EMPIRE-36

019-071-0020

019-071-0036

Power	:	20 W	36 W
Luminous Flux	:	1200 lm	2100 lm
Sizes (mm)	:	A: 1200 B: 670	A: 1200 B: 1080



**HOROZ****ELECTRIC**

LED Suspension Light


SANTANA

019 072 0012

BLACK


ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K



12W

SMD LED




FOREVER

019 073 0011

BLACK


ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K



11W

SMD LED




ALWAYS

019 075 0012

BLACK


ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K



12W

SMD LED



LED SUSPENSION LIGHT

**HOROZ ELECTRIC**

LED Suspension Light


CONCORDE - 24

BLACK

019 053 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K

**24W****SMD LED**

2700K 4000K 6400K


CONCORDE - 36

BLACK

019 053 0036



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K

**36W****SMD LED**

2700K 4000K 6400K




VENEZIA

CHROME

019 057 0040



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K

**40W****SMD LED**

2700K 4000K 6400K


TROYA

CHROME

019 058 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

**24W****SMD LED**

2700K 4000K 6400K

**HOROZ****ELECTRIC**

LED Suspension Light

LIBERTY

019 054 0030




CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**30W****SMD LED**

2700K 4000K 6400K



CORNELIA


019 055 0060




CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K

**60W****SMD LED**

2700K 4000K 6400K



LED SUSPENSION LIGHT

MONZA

019 059 0040





CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K

**40W****SMD LED**

2700K 4000K 6400K



COPERNIC

019 060 0015





CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K

**15W****SMD LED**

2700K 4000K 6400K



**HOROZ****ELECTRIC**

LED Suspension Light



OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K





GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K




CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR


019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



**HOROZ[®] ELECTRIC**

LED Suspension Light



ORIENT

019 016 0016



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K

**16W**



ORION

019 017 0030




CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K


**30W**

CYBER

019 061 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

**24W**

CHROME





AVALON

019 018 0035



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K

**35W**




GLORY

019 019 0045



CHROME

- 180-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K

**45W**

**HOROZ****ELECTRIC**


LED Suspension Light

CALIBUR-24

019 031 0024

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




CAMEL-24

019 032 0024

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



PHOENIX

019 020 0038

CHROME

RED COPPER

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




ELECTRA

019 021 0038

CHROME

RED COPPER

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K



LED Suspension Light

**HOROZ ELECTRIC**

LED String Light

AMBIANCE

022 004 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available




Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS available



LED STRING LIGHT

**HOROZ ELECTRIC**

LED String Light String Light



PARADISE

022 005 0001

- 220V / 24V
- 12W / Pure Set
- 18m / 24BULBS
- 300 lm
- Average Life: 25.000Hrs




**HOROZ****ELECTRIC****String Light****CARNAVAL - ROLL**

022 003 0001

CUTTABLE


- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included

**CARNAVAL - F10**


022 002 0010

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0.94mm²
- Total 10 Meters
- Bulb not included

**CARNAVAL****LINKABLE**

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0.75mm ²	2*1.5mm ²

**HOROZ****ELECTRIC**

Pendant Lamp

VOLTA

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~ / 4A
■ Max. 60W**HOROZ****ELECTRIC**

Pendant Lamp



PENDANT LAMP

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001




RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

■ 250V~ / 4A
■ Max. 60W


NEWTON

021 010 0001



KEPLER

021 011 0001




MAXWELL

021 012 0001



NOBEL

021 013 0001



BLACK

■ 250V~ / 4A
■ Max. 60W**FOLDABLE CASE**

**HOROZ ELECTRIC**

Glass Pendant Lamp / Pendant Lamp

DREAM

021 020 0001

**SHARP**


021 019 0001

**RONDO**

021 018 0001

**AMBER****TITANIUM**

- 250V~ / 4A
- Max. 60W
- Glass

**GLOBAL**


021 021 0001

**GLOBAL-X**

021 021 0002


**AMBER****TITANIUM**

- 250V~ / 4A
- Max. 60W
- Glass

**AMPER****COPPER**

021 022 0001

- 250V~ / 4A
- Max. 60W
- For Glass Pendant

**ELEMENT-1**


021 015 0001

**AMBER****TITANIUM****ELEMENT-2**

021 015 0002

**CLEAR COPPER****CLEAR CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ ELECTRIC**

Glass Pendant Lamp

SPARK -1

021 016 0001


**AMBER****TITANIUM**

SPARK -2

021 016 0002

**TITANIUM COPPER****AMBER COPPER**

- 250V~ / 4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001


**AMBER****TITANIUM**

HARMONY-2

021 017 0002

**TITANIUM COPPER****AMBER COPPER**

- 250V~ / 4A
- Max. 60W
- Glass



METEOR


021 014 0001



021 014 0002

**COPPER****CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



**HOROZ ELECTRIC**

LED Wall Light

ACROPOL


029 012 0008



BLACK

ROSE GOLD

- 180 - 240V / 50 - 60Hz
- 500 lm
- 4000K
- Average Life: 30.000 Hrs



FOREVER-W


029 013 0007



BLACK

ROSE GOLD

- 180 - 240V / 50 - 60Hz
- 400 lm
- 4000K
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**

LED Wall Light



ALWAYS-W


029 014 0012



BLACK

ROSE GOLD

- 180 - 240V / 50 - 60Hz
- 700 lm
- 4000K
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**



LED Wall Light

BELEK

029 009 0003

**WHITE****BLACK**


- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs




LED WALL LIGHT

MAESTRO

029 008 0010

**BLACK**

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**



LED Wall Light

CUNDA


029 011 0003

**WHITE****BLACK**

- 180-240V / 50-60Hz
- 700 lm
- 4200K
- Average Life: 20.000 Hrs




SALDA

**SALDA-10****SALDA-14**

029-010-0010

029-010-0014

Power	: 10 W	: 14 W
Luminous Flux	: 372 lm	: 680 lm
Sizes (mm)	: A: 620 B: 140	: A: 920 B: 140




**BLACK**

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



SiSAM

029 006 0008




TRUVA

029 007 0008

WHITE**BLACK**

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SiSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs





HOROZ ELECTRIC


LED Sensor Decorative Ceiling Lamp LED Decorative Ceiling Lamp

CRAMER 3 CCT

027 015 1020

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20-+40°C
- Installation height: 2.2m-3.5m

WHITE



CCT ADJUSTABLE



HOROZ ELECTRIC


LED Sensor Decorative Ceiling Lamp LED Decorative Ceiling Lamp



LED SENSOR DECORATIVE CEILING LAMP / LED DECORATIVE CEILING LAMP


CRAMER

027 015 0020



- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 4200K / 6400K
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20-+40°C
- Installation height: 2.2m-3.5m



WHITE



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036
Power	15 W	24 W	36 W
Luminous Flux	1125 lm	1800 lm	2700 lm
Sizes (mm)	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60

**HOROZ ELECTRIC****LED Ceiling Lamp****HOROZ ELECTRIC****LED Ceiling Lamp
Ceiling Lamp****LIKYA**

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME

■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4










■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm




**HOROZ****ELECTRIC****Ceiling Lamp****BODRUM**

■ 220-240V / 50-60Hz

MAT CHROME

BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power : Max.40W Max.2x40W Max.3x40W Max.4x40W


**KEMER**

■ 220-240V / 50-60Hz

CHROME

KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power : Max.40W Max.2x40W Max.3x40W Max.4x40W Max.3x40W


**MANAVGAT**

■ 220-240V / 50-60Hz

CHROME

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power : Max.40W Max.2x40W Max.3x40W Max.4x40W Max.3x40W



**HOROZ****ELECTRIC**



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp





SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABİL-12

040 010 0012

CHROME


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME

BLACK




LEYLEK-8

040-016-0008

LEYLEK-12

040-016-0012

Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40





TURNA

040 007 0003

BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K




ON-OFF



KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME

BLACK




KANARYA-8

040-012-0008

KANARYA-12

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120



ON-OFF




**HOROZ****ELECTRIC**

LED Picture & Mirror Lamp

KARTAL

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**KARTAL-8****KARTAL-12**

040-017-0008

040-017-0012


Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50



ON-OFF

ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**ANKA-8****ANKA-12**

040-014-0008

040-014-0012


Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



ON-OFF

FLAMİNGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME


BLACK

**FLAMİNGO-8****FLAMİNGO-12**

040-001-0008

040-001-0012

Power	:	8 W	12 W
Luminous Flux	:	450 lm	750 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



ON-OFF

**HOROZ ELECTRIC**


Desk Lamp

SİMGE

048 014 0060

**GREEN****BLUE**

- 220 - 240V / 50 - 60Hz
- Max.18W LED




RANA

048 013 0060

BLACK**WHITE****RED**

- 220 - 240V / 50 - 60Hz
- Max.18W LED




BİHTER

048 009 0060

BLACK**WHITE****RED****BLUE**

- 220 - 240V / 50 - 60Hz
- Max.18W LED



DESK LAMP



**HOROZ ELECTRIC**

LED Desk Lamp

BESTE

- 100-240V AC
- 380 lm
- 4500K
- Average Life: 30.000 Hrs

049 037 0005

G

RED

WHITE

BLACK



1,5m PLUG

**HOROZ ELECTRIC**

LED Desk Lamp

**EBRU**


049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



CCT Adjustable

With Clips

**İREM**



049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

LED Table Lamp

MERIDA 3 CCT

050 001 0001



- 100-240V AC/5VDC
- 120 lm
- Duration Time: 4-6 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

CCT ADJUSTABLE

CCT Selectable by Touch Switch

3000K

4500K

6000K

BLACK


WHITE

PINK

GOLD

LIGHT BLUE

LIGHT GREEN



LED TABLE LAMP

**HOROZ ELECTRIC**

LED Table Lamp



PRONTO 3CCT

050 002 0001



- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

CCT ADJUSTABLE

CCT Selectable by Touch Switch

3000K


4500K

6000K

GOLD

SILVER

ROSE GOLD



**HOROZ ELECTRIC**


LED Table Lamp

AVIVA 3CCT

050 003 0001

**NEW
PRODUCT****Long Press
Infinitely
DIMMABLE**

- 100 - 240V AC / 5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

GOLD**SILVER****ROSE GOLD**

CCT ADJUSTABLE


CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

INTER 3CCT


050 004 0001

**NEW
PRODUCT****Long Press
Infinitely
DIMMABLE**

- 100 - 240V AC / 5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs



CCT ADJUSTABLE


CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

WANDA 3CCT

050 005 0001

**NEW
PRODUCT****Long Press
Infinitely
DIMMABLE**

- 100 - 240V AC / 5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs



CCT ADJUSTABLE

CCT Selectable
by Touch
Switch**3000K****4500K****6000K**

**HOROZ ELECTRIC**



LED Batten Light

**HOROZ ELECTRIC**

LED Batten Light
LED Waterproof Lamp
LED Tube Fixture

**GAMA**

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**WHITE****BLACK**

GAMA-30




GAMA-60



GAMA-80



	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150
Power	: 30 W	: 60 W	: 80 W
Luminous Flux	: 2250 lm	: 4500 lm	: 6000 lm
Length (mm)	: A: 600 B: 75 C: 25	: A: 1200 B: 75 C: 25	: A: 1500 B: 75 C: 25




LED BATTEN LIGHT

**HOROZ ELECTRIC**

LED Batten Light

GAMA-X

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE

BLACK





GAMA-30X




GAMA-60X



GAMA-80X



	GAMA-30X	GAMA-60X	GAMA-80X
	052-006-2060	052-006-2120	052-006-2150
Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 80 C: 30	A: 1200 B: 80 C: 30	A: 1500 B: 80 C: 30





**HOROZ ELECTRIC**


LED Batten Light

TETRA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




	TETRA-18	TETRA-36	TETRA-72
	052-003-0060	052-003-0120	052-003-0150
Power	: 18 W	: 36 W	: 72 W
Luminous Flux	: 1135 lm	: 2269 lm	: 5300 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500



LED BATTEN LIGHT



TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



WHITE

BLACK



	TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
	052-005-0060	052-005-0120	052-005-0150
Power	: 27 W	: 54 W	: 72 W
Luminous Flux	: 1890 lm	: 3780 lm	: 5670 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




**HOROZ****ELECTRIC**


LED Waterproof Lamp

IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	18 W	36 W	45 W
Luminous Flux	1440 lm	2880 lm	3600 lm
Length (mm)	L: 650	L: 1260	L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	18 W	36 W	45 W
Luminous Flux	1440 lm	2880 lm	3600 lm
Length (mm)	L: 652	L: 1262	L: 1562



OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	36 W	72 W	90 W
Luminous Flux	2880 lm	5760 lm	7200 lm
Length (mm)	L: 632	L: 1242	L: 1542





SAILOR 3 CCT

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 3CCT
- Max. 300W can be linkable





	SAILOR-18 3CCT	SAILOR-36 3CCT	SAILOR-45 3CCT
	059-010-0018	059-010-0036	059-010-0045
Power	18 W	36 W	45 W
Luminous Flux	1800 lm	3600 lm	5800 lm
Length (mm)	L: 595	L: 1195	L: 1495









**HOROZ****ELECTRIC**


LED Waterproof Lamp

NAVIGATOR

- 170 - 265V / 50 - 60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect




	NAVIGATOR-18	NAVIGATOR-36	NAVIGATOR-45
	059-011-0018	059-011-0036	059-011-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1800 lm	: 3600 lm	: 4500 lm
Max Connectable Units	: 16 PCS	: 8 PCS	: 6 PCS
Length (mm)	: L: 600	: L: 1200	: L: 1500



NAVIGATOR / XL

- 170 - 265V / 50 - 60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect



	NAVIGATOR / XL-24	NAVIGATOR / XL-48	NAVIGATOR / XL-60
	059-011-2024	059-011-2048	059-011-2060
Power	: 24 W	: 48 W	: 60 W
Luminous Flux	: 2400 lm	: 4800 lm	: 6000 lm
Max Connectable Units	: 12 PCS	: 6 PCS	: 5 PCS
Length (mm)	: L: 600	: L: 1200	: L: 1500






PROMASTER

057 003 2120

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included




PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Sizes (mm)	A: 670 B: 65 C: 65	A: 670 B: 88 C: 62	A: 1280 B: 65 C: 65	A: 1280 B: 88 C: 62




**HOROZ[®] ELECTRIC**


LED Batten Light / LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


LINKABLE

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included




	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226




**HOROZ ELECTRIC**

LED Linear High Bay Lamp


PYRAMID



- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	6500 lm	13000 lm	19500 lm	26000 lm
Length (mm)	266	519	772	1025




LED LINEAR HIGH BAY LAMP

**HOROZ ELECTRIC**

LED Linear High Bay Lamp LED Ufo High Bay Lamp




ZEUGMA



- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	4650 lm	9300 lm	13950 lm	18600 lm
Length (mm)	290	520	758	1000




**HOROZ****ELECTRIC**


LED Ufo High Bay Lamp

AGORA

- 100 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body


D**A****G**

	AGORA-100	AGORA-150	AGORA-200	AGORA-300
	063-008-0100	063-008-0150	063-008-0200	063-008-0300
Power	100 W	150 W	200 W	300 W
Luminous Flux	13000 lm	19500 lm	26000 lm	39000 lm
Sizes (mm)	A:270 B: 91	A:300 B: 96.5	A:330 B: 103	A:372 B: 108




ARTEMIS

- 100 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
	063-003-0100	063-003-0150	063-003-0200	063-003-0300
Power	100 W	150 W	200 W	300 W
Luminous Flux	15000 lm	22500 lm	30000 lm	45000 lm
Sizes (mm)	A: 265 B: 148.4	A: 290.4 B: 151	A: 347.2 B: 157	A: 396 B: 177



**HOROZ****ELECTRIC**




LED Ufo High Bay Lamp

MYRA-200 3CCT

063 011 0200




- 100-265V / 50-60Hz
- 30.000 lm
- Average Life: 30.000 Hrs
- 3 CCT

**CCT ADJUSTABLE**


LED UFO HIGH BAY LAMP

HERKÜL

- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	100 W	150 W	200 W
Luminous Flux	15000 lm	22500 lm	30000 lm
Length (mm)	A:275 B:28 C:119 D:154	A:320 B:29 C:122 D:158	A:380 B:36 C:123 D:159





**HOROZ ELECTRIC**

LED Projector

BORNEO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	BORNEO-50	BORNEO-100	BORNEO-200	BORNEO-300	BORNEO-400	BORNEO-500	BORNEO-600
	068-033-0050	068-033-0100	068-033-0200	068-033-0300	068-033-0400	068-033-0500	068-033-0600
Power	50 W	100 W	200 W	300 W	400 W	500 W	600 W
Luminous Flux	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm	60000 lm	72000 lm
Sizes (mm)	A: 210 B: 190 C: 41	A: 280 B: 240 C: 45	A: 360 B: 325 C: 65	A: 425 B: 445 C: 68	A: 445 B: 445 C: 68	A: 600 B: 510 C: 71	A: 600 B: 510 C: 71

LED Projector
LED RGB Projector
LED Solar Projector
LED Solar Security Light
LED Rechargeable Light
LED Frameless Projector
Portable LED Projector
LED Projector Stand

**HOROZ ELECTRIC**


**HOROZ****ELECTRIC****LED Projector****PALLAS 3CCT**

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch**3000K****4500K****6000K****BLACK**

PALLAS-50 3CCT	PALLAS-100 3CCT	PALLAS-200 3CCT	PALLAS-300 3CCT
068-030-1050	068-030-1100	068-030-1200	068-030-1300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	: A:176.5 B:152.4 C:28.2	A:222.5 B:191.5 C:29.7	A:297.3 B:256.3 C:32.7	A:350.9 B:301.4 C:33.5


**MARGAY 3CCT**

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs

**CCT ADJUSTABLE**CCT Selectable
by DIP Switch**3000K****4500K****6000K****GRAY**


MARGAY-50 3CCT	MARGAY-100 3CCT	MARGAY-200 3CCT	MARGAY-300 3CCT
068-031-1050	068-031-1100	068-031-1200	068-031-0300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	: A:145 B:188 C:32	A:194 B:249 C:36	A:253 B:327 C:39	A:295 B:379 C:49




**HOROZ ELECTRIC****LED Projector****PALLAS**


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**


	PALLAS-50	PALLAS-100	PALLAS-200	PALLAS-300
	068-030-0050	068-030-0100	068-030-0200	068-030-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	6500 lm	13000 lm	26000 lm	39000 lm
Color Temperature	6400K	6400K	6400K	6400K
Sizes (mm)	A: 191 B: 165 C: 26	A: 236 B: 203 C: 26	A: 312 B: 266 C: 31	A: 406.3 B: 320.8 C: 41.5

**MARGAY**

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**GRAY**

	MARGAY-50	MARGAY-100	MARGAY-200	MARGAY-300
	068-031-0050	068-031-0100	068-031-0200	068-031-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	6500 lm	13000 lm	26000 lm	39000 lm
Color Temperature	6400K	6400K	6400K	6400K
Sizes (mm)	A: 100 B: 202 C: 31	A: 221 B: 262 C: 34	A: 283 B: 345 C: 38	A: 330 B: 400 C: 49





**HOROZ ELECTRIC**

LED Projector

PARDUS



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

**BLACK**

	PARDUS-10	PARDUS-20	PARDUS-30	PARDUS-50	PARDUS-100	PARDUS-200	PARDUS-300
	068-028-0010	068-028-0020	068-028-0030	068-028-0050	068-028-0100	068-028-0200	068-028-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	900 lm	1800 lm	2700 lm	4500 lm	9000 lm	18000 lm	27000 lm
Color Temperature	6400K	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	A: 68.8 B: 105 C: 21	A: 88 B: 127 C: 28	A: 110 B: 164 C: 29	A: 141 B: 185 C: 29	A: 185 B: 255 C: 32	A: 289 B: 407 C: 34	A: 399 B: 498 C: 48

ASLAN



- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**BLACK****WHITE**

	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200	ASLAN-300
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200	068-010-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm	23550 lm	31740 lm
Sizes (mm)	A: 66 B: 72 C: 22	A: 86 B: 102 C: 26	A: 103 B: 116 C: 26	A: 134 B: 160 C: 25	A: 192 B: 225 C: 28	A: 312 B: 280 C: 28	A: 336 B: 378 C: 33

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**WITH PIR SENSOR****BLACK****WHITE**


	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	10 W	20 W	30 W	50 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	A: 126 B: 72 C: 40	A: 142 B: 102 C: 40	A: 176 B: 135 C: 40	A: 184 B: 160 C: 40

**HOROZ ELECTRIC**


LED Projector / LED RGB Projector

PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

**BLACK**

	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm
Color Temperature	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	A: 87 B: 91 C: 24	A: 102 B: 113 C: 24	A: 118 B: 131 C: 30	A: 136 B: 153 C: 30	A: 206 B: 240 C: 31	A: 290 B: 353 C: 34




REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W



	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	20 W	30 W	50 W	100 W
Luminous Flux	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A: 109.4 B: 84.6 C: 25.2	A: 137 B: 105 C: 25.2	A: 178 B: 124 C: 26.5	A: 269 B: 180 C: 27.2




**HOROZ ELECTRIC**


LED Frameless Projector / LED Worklight Portable LED Projector

PEGASUS


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION**E A T G**


	PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
	068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	A: 81.9 B: 94.6 C: 35.2	A: 101.7 B: 117.5 C: 36.3	A: 133.2 B: 165.2 C: 38.3	A: 164 B: 200.8 C: 45	A: 203 B: 251.8 C: 49.5

**PEGASUS/W**


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION**E A T G**


	PEGASUS/W-50	PEGASUS/W-100
	068-032-0050	068-032-0100
Power	50 W	100 W
Luminous Flux	5750 lm	11700 lm
Sizes (mm)	A: 178.6 B: 155.8 C: 78.1	A: 223.3 B: 194.8 C: 80.4

1.8 m PLUG**WORKSHOP**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug

F A T G

	WORKSHOP-30	WORKSHOP-60
	068-019-0030	068-019-0060
Power	30 W	60 W
Luminous Flux	3250 lm	6500 lm
Sizes (mm)	A: 252.5 B: 291 C: 111	A: 342 B: 387.5 C: 100
Socket & Switch	1 socket + ON / OFF on back	2 socket + ON / OFF on back




**HOROZ ELECTRIC**


Portable LED Stand / LED Projector Stand LED Canopy Light

TELESCOPE

107 003 0040





- 170-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- 4300lm
- 1.6M H05RNF
- 3X0.5mm2 VDE PLUG

**TOWER**

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen : 2x4355 lm,
- Ra > 80, IP54
- ON / OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs

**HOROZ ELECTRIC**

Portable LED Stand LED Projector Stand



LED Canopy Light

PORTABLE


107 001 0003

- PORTABLE STAND
- 1.5 meter H05VV-F cable

**TRIPOD SINGLE**


107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



**TRIPOD DOUBLE**

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable

**FALCON**

069 001 0110

RECESSED


**HOROZ ELECTRIC**

LED Solar Projector / LED Solar Security Light


TIGER PRO

BLACK

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
- Remote Control: 12m
- With 5m Cable & U Bracket





	TIGER PRO-50	TIGER PRO-100	TIGER PRO-200	TIGER PRO-300
	068-012-1050	068-012-1100	068-012-1200	068-012-1300
Power	50 W	100 W	200 W	300 W
Luminous Flux	700 lm	1100 lm	2750 lm	4200 lm
Battery	(3.2V / 5AH) Lithium Iron Phosphate	(3.2V / 8AH) Lithium Iron Phosphate	(3.2V / 20AH) Lithium Iron Phosphate	(3.2V / 30AH) Lithium Iron Phosphate
Solar Panel	Monocrystal, 5V/5W	Monocrystal, 5V/10W	Monocrystal, 5V/20W	Monocrystal, 5V/30W
Projector Sizes (mm)	A: 120 B: 134 C: 38.3	A: 162 B: 181 C: 45.3	A: 186 B: 210 C: 45.3	A: 350.9 B: 301.4 C: 33.5
Solar Panel Sizes (mm)	D: 210 E: 200	D: 300 E: 205	D: 390 E: 300	D: 450 E: 390



ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel


**BLACK**

ON-OFF


SPIDER-16

BLACK

068 021 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V




SPARROW-16

BLACK

068 022 0016



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time: 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V



THREE MODES LIGHTING


WALL AND GROUND INSTALLATION APPARATUS AVAILABLE





PANDA-10

BLACK

068 023 0010



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery



**HOROZ****ELECTRIC**

LED Solar Projector

TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K - 4200K - 6400K

CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K




4500K




6000K



	TURBO-200 3CCT	TURBO-400 3CCT	TURBO-800 3CCT
	068-027-0200	068-027-0400	068-027-0800
Power	: 200 W	: 400 W	: 800 W
Luminous Flux	: 1466 lm	: 2391 lm	: 2733 lm
Battery	: 3.7V 1200X3mAh	: 3.7V 8000mAh	: 3.7V 10000mAh
Panel	: 5V 1.3W	: 5V 2.3W	: 6V 8W Solar Panel Foldable
Endurance	: Strong light 5H universal light 7H	: Strong light 5H universal light 7H	: Strong light 6H universal light 8H
Sizes (mm)	: A:183.5 B:144 C:54.3	: A:217.8 B:174.3 C:54.8	: A:277 B:244.5 C:66



LED SOLAR PROJECTOR




**HOROZ ELECTRIC**

LED Solar Street Light

GRAND PRO

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Installation Height : 3-6 meters
- Charging Time: 4-6 Hours
- Remote Control: 12m



BLACK



	GRAND PRO-50	GRAND PRO-100	GRAND PRO-200	GRAND PRO-300
	074-009-2050	074-009-2100	074-009-2200	074-009-2300
Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 950 lm	: 1150 lm	: 1900 lm	: 2100 lm
Battery	: 3.2V / 4AH Lithium Iron Phosphate	: 3.2V / 5AH Lithium Iron Phosphate	: 3.2V / 12AH Lithium Iron Phosphate	: 3.2V / 15AH Lithium Iron Phosphate
Solar Panel	: Monocrystal Panel 5V / 6W	: Monocrystal Panel 5V / 8W	: Monocrystal Panel 5V / 15W	: Monocrystal Panel 5V / 20W
Irradiation Area	: 30m ²	: 60m ²	: 80m ²	: 100m ²
Street Lamp Sizes (mm)	: A: 216 B: 219 C: 46	: A: 231 B: 413 C: 47	: A: 251 B: 622 C: 47	: A: 251 B: 722 C: 47



Ø 45-50mm



ON-OFF

**HOROZ ELECTRIC**

LED Solar Street Light LED Street Light






GRAND / XL


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK



	GRAND / XL-600	GRAND / XL-900	GRAND / XL-1200
	074-009-0600	074-009-0900	074-009-1200
Power	600 W	900 W	1200 W
Luminous Flux	2092 lm	2668 lm	3066 lm
Battery	3 x 3.2V/15Ah Lithium Iron Phosphate	3 x 3.2V/20Ah Lithium Iron Phosphate	3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/18W	Polycrystalline Silicon 6V/25W	Polycrystalline Silicon 6V/30W
Installation Height	4 Meters	5 Meters	6 Meters
Irradiation Area	80 m ²	150 m ²	200 m ²
Street Lamp Sizes (mm)	A: 345 B: 450 C: 70	A: 345 B: 600 C: 75	A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	D: 340 E: 360	D: 340 E: 510	D: 340 E: 590




COMPACT PRO

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m




POLE INCLUDED

BLACK



	COMPACT PRO-20	COMPACT PRO-30	COMPACT PRO-40
	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V/3Ah Lithium Iron Phosphate	3.2V/3Ah Lithium Iron Phosphate	3.2V/3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55





**HOROZ****ELECTRIC**



LED Solar Street Light

COMBAT

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

**BLACK**

	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	: 150 W	: 200 W	: 250 W
Luminous Flux	: 1400 lm	: 1700 lm	: 2400 lm
Battery	: 3x3.2V10Ah Lithium Iron Phosphate	: 4x3.2V15Ah Lithium Iron Phosphate	: 5x3.2V20Ah Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V / 8W	: Polycrystalline Silicon 6V / 12W	: Polycrystalline Silicon 6V / 16W
Installation Height	: 3 Meters	: 3.5 Meters	: 4 Meters
Irradiation Area	: 30m ²	: 60m ²	: 90m ²
Street Lamp Sizes (mm)	: A: 415 B: 127	: A: 462 B: 127	: A: 510 B: 127




POLE

130 001 0001

■ Pole for Combat

Ø76 mm

2500 mm





**HOROZ® ELECTRIC**

LED Street Light

FLORIDA

- 100 - 265V / 50 - 60Hz
- Average Life: 40.000 Hrs
- 6400K

**Adjustable Pole Angle****GRAY**

	FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
	074-014-0030	074-014-0050	074-014-0100	074-014-0150	074-014-0200
Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3000 lm	5000 lm	10000 lm	15000 lm	20000 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 364 B: 125 C: 77	A: 411 B: 152 C: 77	A: 483 B: 186 C: 84	A: 553 B: 212 C: 84	A: 640 B: 236 C: 84

**LED STREET LIGHT**


**HOROZ ELECTRIC**

LED Street Light

ROCKET




- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

**BLACK**

ROCKET-30	ROCKET-50	ROCKET-100
074-015-0030	074-015-0050	074-015-0100


Power	: 30 W	50 W	100 W
Luminous Flux	: 3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm)	: D: 74	D: 74	D: 74
Pole Diameter (Ø)	: 60	60	60
Sizes (mm)	: A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15



VEGAS




- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

**BLACK**

VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
074-013-0050	074-013-0100	074-013-0150	074-013-0200

Power	: 50 W	100 W	150 W	200 W
Luminous Flux	: 5750 lm	11680 lm	17600 lm	23550 lm
Sizes (mm)	: A: 411 B: 139	A: 462 B: 151	A: 541 B: 189	A: 654 B: 213



**HOROZ ELECTRIC**


LED Bulkhead Lamp

SORENTO 3 CCT

071 017 0020



CCT ADJUSTABLE

CCT Selectable
by DIP Switch

3000K

4500K

6000K

**WHITE****BLACK**

- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec± MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m(<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s




PALERMO 3 CCT

071 018 0015



CCT ADJUSTABLE

CCT Selectable
by DIP Switch


3000K

4500K

6000K

**WHITE****BLACK**

- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec± MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m(<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s


**HOROZ ELECTRIC**

LED Bulkhead Lamp



BOLKAR-20


071 014 0020



AUTOMATIC SENSOR

**WHITE**

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs
- Works only at night with PIR sensor




**HOROZ ELECTRIC**

LED Bulkhead Lamp / Aluminium Bulkhead Lamp

FARADAY


■ 160-265V / 50-60 Hz
■ Average Life: 25.000 Hrs




	FARADAY-24	FARADAY-36
	071-015-0024	071-015-0036
Power	24 W	36 W
Luminous Flux	2400 lm	3600 lm
Sizes (mm)	A: 250 B: 125 C: 38	A: 300 B: 150 C: 35



WHITE

**NORTON**


■ 160-265V / 50-60 Hz
■ Average Life: 30.000 Hrs



	NORTON-24	NORTON-36
	071-016-0024	071-016-0036
Power	24 W	36 W
Luminous Flux	2400 lm	3600 lm
Sizes (mm)	A: 200 B: 38	A: 240 B: 35



WHITE

**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp




WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT**AYDER****TOROS****KAÇKAR**

	NEMRUT	AYDER	TOROS	KAÇKAR
	070-001-0060	070-012-0100	070-002-0060	070-013-0100
Power	Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	A: 210 B: 80 C: 105	A: 275 B: 115 C: 155	A: 210 B: 85 C: 105	A: 275 B: 120 C: 155




WHITE

BLACK

■ 220-240V / 50-60Hz


ZİGANA**MUNZUR****ARARAT****ERCİYES**

	ZİGANA	MUNZUR	ARARAT	ERCİYES
	070-005-0060	070-014-0100	070-006-0060	070-015-0100
Power	Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	A: 180 B: 85 C: 180	A: 240 B: 110 C: 140	A: 170 B: 80 C: 170	A: 240 B: 115 C: 240



**HOROZ® ELECTRIC****Garden Lamp****HOROZ® ELECTRIC****Garden Lamp
LED Garden Lamp
LED House Number Light****NAR**

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

Power	: Max.18W LED
Color	: Black/White
Sizes	: A:170 B:240 C:210

NAR-2
075-016-0002

Power	: Max.18W LED
Color	: Black/White
Sizes	: A:170 B:800 C:260

NAR-3
075-016-0003

Power	: Max.18W LED
Color	: Black/White
Sizes	: A:170 B:170 C:300

NAR-4
075-016-0004

Power	: Max.18W LED
Color	: Black
Sizes	: A:170 B:170 C:580

NAR-5
075-016-0005

Power	: Max.18W LED
Color	: Black
Sizes	: A:170 B:170 C:840

**GARDEN LAMP**

NAR-6
075-016-0006

Power	: Max.2x18W LED
Color	: Black

NAR-7
075-016-0007


Power	: Max.3x18W LED
Color	: Black

**HOROZ[®] ELECTRIC**

Garden Lamp

PALMERA


- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK

	PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
	075-018-0001	075-018-0002	075-018-0003	075-018-0004
Sizes (mm)	A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK

	PALMERA/S1	PALMERA/S2	PALMERA/S3	PALMERA/S4
	075-017-0001	075-017-0002	075-017-0003	075-017-0004
Sizes (mm)	A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800


**HOROZ® ELECTRIC**

Garden Lamp

KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK/SQ-2****075-015-0002****KAVAK/SQ-3****075-015-0003****KAVAK/SQ-4****075-015-0004****KAVAK/SQ-5****075-015-0005**

Sizes (mm) : A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500


A: 90 B: 800

**GARDEN LAMP**

KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED

**KAVAK-2****075-014-0002****KAVAK-3****075-014-0003****KAVAK-4****075-014-0004****KAVAK-5****075-014-0005**

Sizes (mm) : A: 208 B: 89 C: 148

A: 300 B: 89 C: 130


A: 500 B: 90 C: 130

A: 800 B: 90 C: 130



**HOROZ****ELECTRIC****Garden Lamp****LADİN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**LADİN-1**

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120


A: 350 B: 120 C: 165

A: 500 B: 120

A: 800 B: 120

**DEFNE**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED

**DEFNE-1**

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

: A: 405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110


A: 500 B: 76 C: 110

A: 800 B: 76 C: 110



**HOROZ****ELECTRIC****Garden Lamp****KAYIN**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**KAYIN-1**

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150


A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150

**GARDEN LAMP****PALMIYE****BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

**PALMIYE-1**

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230

A: 500 B: 150

A: 800 B: 150





**HOROZ****ELECTRIC**

LED Garden Lamp

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K

**BLACK****PRESTIGE-1S**

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)	:	A: 70.4 B: 230.7
------------	---	------------------

A: 70.4 B: 230.7




A: 109 B: 300

A: 109 B: 500

A: 109 B: 800

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K

**BLACK****DYNAMIC-1S**

076-058-1001

DYNAMIC-1

076-058-0001

DYNAMIC-2

076-058-0002

DYNAMIC-3

076-058-0003

DYNAMIC-4

076-058-0004

Sizes (mm)	:	A: 110 B: 300
------------	---	---------------

A: 110 B: 300

A: 300 B: 300

A: 500 B: 300




A: 800 B: 300

**HOROZ****ELECTRIC**

LED Garden Lamp

DEXTER

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K


**BLACK**

	DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
	076-115-0001	076-115-0002	076-115-0003	076-115-0004
Sizes (mm)	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150

LED GARDEN LAMP

BEYOND


076 087 0001



Ambience Light / 3000K

**BLACK**

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life: 30.000 Hrs




**HOROZ®****ELECTRIC**


LED Garden Lamp

CALEX

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK

	CALEX-1	CALEX-2	CALEX-3
	076-116-0030	076-116-0060	076-116-0090
Power	10 W	20 W	30 W
Luminous Flux	667 lm	1247 lm	2101 lm
Sizes (mm)	A: 30 B: 8 C: 2.8	A: 60 B: 8 C: 2.8	A: 90 B: 8 C: 2.8



**HOROZ****ELECTRIC****Garden Lamp****MANGO**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED

**MANGO-1**


075-009-0001

**MANGO-2**

075-009-0002

**MANGO-3**

075-009-0003

**MANOLYA**

- 220-240V / 50-60Hz
- Diffuser: Glass

**MANOLYA-1**

075-008-0001

MANOLYA-2



075-008-0002

MANOLYA-3

075-008-0003




	MANOLYA-1	MANOLYA-2	MANOLYA-3
	075-008-0001	075-008-0002	075-008-0003
Power	: Max. 10W LED	: Max. 2x10W LED	: Max. 2x18W LED
Lamp Holder	: GU10	: GU10	: E27
Body	: Stainless Steel	: Stainless Steel	: Aluminium
Color	: Mat Chrome / Black	: Mat Chrome / Black	: Black
Lighting Direction	: Down	: Up&Down	: Up&Down
Sizes (mm)	: A:116 B: 93 C: 85	: A:160 B: 93 C: 85	: A: 300 B: 173 C: 108




**HOROZ****ELECTRIC****Garden Lamp****MAMBA**

076 066 0001

**MAMBA-SQ**


076 067 0001

**BLACK**

- 220-240V / 50-60Hz
- Max. 10W LED


**REGNUM**

- 220-240V / 50-60Hz
- Aluminium Body+PC



BLACK

REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Up	Up&Down	Up	Up&Down


**GARDENYA**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Down	Up&Down	Down	Up&Down




**HOROZ****ELECTRIC**

LED Garden Lamp


TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	5 W	7 W	12 W	15 W
Luminous Flux	350 lm	442 lm	821 lm	987 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	W: 85	W: 119	W: 170	W: 220




LED GARDEN LAMP


PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




**HOROZ****ELECTRIC**

LED Garden Lamp


NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK




	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	5 W	7 W	12 W	14 W
Luminous Flux	309 lm	452 lm	780 lm	973 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Sizes (mm)	A: 90 B: 100 C: 48	A: 92 B: 120 C: 50	A: 95 B: 185 C: 50	A: 95 B: 220 C: 53




PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49



**HOROZ ELECTRIC**



LED Garden Lamp

LAGOS

- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012





CARAT

- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012





LED GARDEN LAMP

FACTOR-2

- 85-265V / 50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK**WHITE**

076 075 0002





BAT-6

- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006




**HOROZ****ELECTRIC**


LED Garden Lamp

BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs





	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009
Power	: 5W	: 7W	: 9W
Luminous Flux	: 350 lm	: 619 lm	: 865 lm
Sizes (mm)	: A: 105 B: 62	: A: 125 B: 62	: A: 160 B: 62

BLACK

METROPOL-12


- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

076 073 0012

**BLACK**

ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power	: 5W	: 8W	: 11W
Luminous Flux	: 330 lm	: 445 lm	: 740 lm
Sizes (mm)	: A: 125 B: 50	: A: 170 B: 50	: A: 214 B: 50

BLACK

**HOROZ ELECTRIC**



LED Garden Lamp

SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006





SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

076 085 0012





HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006






HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

076 084 0012





**HOROZ® ELECTRIC**

LED Garden Lamp

KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**

	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power	: 5 W	: 10 W	: 5 W	: 10 W
Luminous Flux	: 450 lm	: 900 lm	: 450 lm	: 900 lm





LED GARDEN LAMP





VIPER

- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs

076 086 0017**BLACK****WHITE**

SCADA

- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs


076 074 0012**BLACK****WHITE**

**HOROZ® ELECTRIC**


LED Garden Lamp

LUXIA-G

076 078 0030


**BLACK**

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030

**BLACK**


- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LED GARDEN LAMP

MORENA

076 080 0020


**BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020

**BLACK**

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



**HOROZ® ELECTRIC**



LED Garden Lamp

MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK**BLACK&GOLDEN**

076 052 0010




VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	VECTOR-6	VECTOR-12
Power	6 W	12 W
Luminous Flux	350 lm	728 lm
Sizes (mm)	A: 130 B: 70	A: 200 B: 80





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010




**HOROZ®****ELECTRIC****LED Garden Lamp**



LED GARDEN LAMP

IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	: 7 W	: 2x7 W
Luminous Flux	: 630 lm	: 1260 lm
Lighting Direction	: Up	: Up&Down




**HOROZ ELECTRIC**


LED Garden Lamp

SUPERB


076 040 0015




- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

**BLACK****ANDIZ**


076 037 0009

**BLACK****WHITE**

- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs

**SEKOYA**

076 038 0004

**BLACK****WHITE**

- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp


SAFARI

075 020 0001



BLACK

- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



SERVI



076 009 0012



BLACK

WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs




**HOROZ®****ELECTRIC****LED Garden Lamp**






LED GARDEN LAMP

BLACK

- 220 - 240V / 50 - 60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body

**SELVİ****SALKIM****ZAKKUM****MEŞE****TAFLAN****ARDIÇ**

	SELVİ	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
	076-007-0006	076-008-0006	076-005-0006	076-004-0012	076-006-0006	076-003-0006
Power :	6 W	6 W	6W	12 W	5.5 W	5.5 W
Luminous Flux :	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type :	COB	COB	SMD	SMD	SMD	POWER
IP :	44	44	54	54	44	54
Lighting Direction :	Up&Down	Up&Down	Down	Up&Down	All Directions	Down






HOROZ[®] ELECTRIC


LED Garden Lamp

DRAGON

076 060 0015



- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs



WHITE


BLACK




LED GARDEN LAMP

SEGMENT

076 059 0024



- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



WHITE

BLACK




**HOROZ****ELECTRIC**

LED Garden Lamp

CLEMENT


076 062 0024



- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs


WHITE

BLACK




SWEEP

076 061 0024



BLACK

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs



CRUZ

TANGO



BLADE



- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power	24 W	24 W	24 W
Luminous Flux	1800 lm	1800 lm	1800 lm

**HOROZ ELECTRIC**

LED Garden Lamp



CUBE



BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs

076 068 0008





CUBE-G



BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life: 30.000 Hrs


076 069 0008



LED GARDEN LAMP

MAGMA-15


076 090 0015



WHITE

BLACK

- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life: 25.000 Hrs





**HOROZ****ELECTRIC**

LED Garden Lamp / LED House Number Light

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

12W**BLACK**

	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm




LED GARDEN LAMP / LED HOUSE NUMBER LIGHT




ARENA

076 033 0010



- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



**HOROZ****ELECTRIC**

LED Garden Lamp / Garden Lamp


OPTIC

BLACK

- 85-265V / 50-60Hz
- AMBER/GREEN/6400K
- Average Life: 30.000 Hrs



Suitable for floor installation



	OPTIC-7L	OPTIC-12L	OPTIC-15L
	076-117-0007	076-117-0012	076-117-0015
Power	7W	12W	15W
Luminous Flux	490 lm	840 lm	1050 lm
Diameter (Ø)	Ø 55	Ø 63	Ø 73
Sizes (mm)	A: 268	A: 276	A: 286



LED GARDEN LAMP / GARDEN LAMP

OPTIC-X


- 220-240V / 50-60Hz
- Max.10W LED

BLACK

075 021 0001



Suitable for floor installation



OPTIC-G


- 220-240V / 50-60Hz
- Max.10W LED

BLACK

075 022 0001



Suitable for floor installation




**HOROZ ELECTRIC**


LED Solar Wall & Ground Lamp / LED Solar Lamp

OZMO

078 015 0003



- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs / Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs



Outdoor Solar Landscape Lights



12 LED

IP 44

2-in 1

Solar

Energy

Easy to

Installation

**HOROZ ELECTRIC**


LED Solar Wall & Ground Lamp LED Solar Lamp




SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs

**WITH PIR SENSOR**


	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1W	2W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	1.2V 1200 mAh Li-ion	3.7V 2200 mAh Li-ion
Back Light	Yes (Blue)	No









**HOROZ®****ELECTRIC**

LED Solar Lamp

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs

**VENÜS****MARS****NEPTUN****PLUTON****HALLEY****CRYSTAL**

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No

0.06W**IP44**

LED SOLAR LAMP



**HOROZ ELECTRIC**

LED Recessed Sensor Lamp / Recessed Lamp




DIAMOND

- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK

079 026 0001

**HOROZ ELECTRIC**

LED Recessed Sensor Lamp

Recessed Lamp

LED Inground & Recessed Lamp


**AWAX**

079 030 0001



MAT CHROME

- 220-240V / 50-60Hz
- Max. 10W LED



**HOROZ****ELECTRIC**

LED Inground & Recessed Lamp

ICON-R

079 031 0003






ICON-S

079 032 0003

WHITE

BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



LED INGROUND & RECESSED LAMP


YOGA



WHITE




BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



YOGA-V1	YOGA-V2	YOGA-H1
079-033-0001	079-033-0002	079-034-0001

Power	:	3 W	3 W	3 W
Luminous Flux	:	58 lm	58 lm	58 lm




**HOROZ****ELECTRIC**

LED Inground & Recessed Lamp

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1W	3W	6W	9W	18W	24W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	A: 65 B: 78	A: 80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95

ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



İNCİ


079 004 0002

SAFİR

079 003 0002

MAT CHROME


- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs



**HOROZ ELECTRIC**

LED Inground & Recessed Lamp


- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	106 lm	147 lm	106 lm	147 lm	106 lm
Sizes (mm)	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110





- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	147 lm	90 lm	147 lm	90 lm	90 lm	90 lm
Sizes (mm)	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	W: 95	W: 140	W: 185	W: 95	W: 140	W: 185



**HOROZ****ELECTRIC**

Waterproof Profile Neon LED

**HOROZ****ELECTRIC**

Waterproof Profile Neon LED/ Waterproof LED Strip
 RGB RF Controller / Socket Set/RGB Socket Set / LED Strip/ LED Driver
 RGB LED Strip Kit/ Waterproof LED String Light
 LED Module Strip/RGB Controller / RGB Amplifier/Touch Controller
 Aluminium Profile






TUBOFLEX-R




WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll



RECESSED PROFILE NEON LED

**220-240V****With Clips**

	TUBOFLEX-R1010	TUBOFLEX-R1610	TUBOFLEX-R2010
	081-035-1010	081-035-1610	081-035-2010
Power :	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	860 lm/m	1020 lm/m	1040 lm/m
Width :	10 mm	16 mm	20 mm
Height :	10 mm	10 mm	10 mm
T :	15 mm	20 mm	26 mm
Length :	50 m Roll	50 m Roll	50 m Roll



**HOROZ****ELECTRIC**

Waterproof Profile Neon LED






WATERPROOF PROFILE NEON LED

TUBOFLEX-S**220-240V****WATERPROOF**

Can be cut each 10 centimeters

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll

**SURFACE
PROFILE
NEON LED**

	TUBOFLEX-S88	TUBOFLEX-S1010	TUBOFLEX-S1212	TUBOFLEX-S1616	TUBOFLEX-S2020
	081-034-0808	081-034-1010	081-034-1212	081-034-1616	081-034-2020
Power :	10W/m	10W/m	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	850 lm/m	860 lm/m	870 lm/m	1020 lm/m	1040 lm/m
Width :	8 mm	10 mm	12 mm	16 mm	20 mm
Height :	8 mm	10 mm	12 mm	16 mm	20 mm
Length :	50 m Roll	50 m Roll	50 m Roll	50 m Roll	50 m Roll



**HOROZ****ELECTRIC**

Waterproof NEON LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

NEOLED/SLIM**YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED****YELLOW****2700K****RED****4200K****GREEN****6400K****BLUE****NEOLED/RGB****RGB****NEOLED/SLIM****081-010-0003**

Power :	5,8 W/m
Luminous Flux :	465 lm / m
LED :	120 pcs / m, 28x35
Socket Sets :	5 sets / 100 m Roll
Width :	7 mm
Height :	15 mm

NEOLED**081-010-0001**

Power :	6 W/m
Luminous Flux :	490 lm / m
LED :	120 pcs / m, 28x35
Socket Sets :	5 sets / 100 m Roll
Width :	15 mm
Height :	15 mm

NEOLED/RGB**081-010-0002**

Power :	9 W/m
Luminous Flux :	-
LED :	72 pcs / m, 50x50
Socket Sets :	3 sets / 50 m Roll
Width :	10 mm
Height :	20 mm

**HOROZ****ELECTRIC**

Waterproof NEON LED Strip

NEOFLEX



081 033 0001

- 240V
- Average Life: 30.000 Hrs

220-240V**2700K****4200K****6400K****RED****GREEN****BLUE**

Can be cut each 10 centimeters

**NEOFLEX**

081-033-0001

Power :	10 W/m
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets / 100 m Roll
Width :	10 mm
Height :	6 mm



WATERPROOF-NEON LED STRIP



**HOROZ****ELECTRIC**









Waterproof LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

**VOLGA****VOLGA / RGB****COLORADO****COLORADO / RGB****GANJ****GANJ / RGB**

	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	235 lm/m	-	290 lm/m	-	520 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Height :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

**HOROZ****ELECTRIC**

Waterproof LED Strip

NEVA

081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V**NEVA**

081-026-0001

Power	: 10 W/m
Luminous Flux	: 50000 lm / 164ft.
LED	: 240 pcs / m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets / 100 m Roll
Width	: 11.3 mm
Height	: 10 mm



Can be cut each 10 centimeters



WATERPROOF LED STRIP

AVON

081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V**AVON**

081-025-0001

Power	: 13 W/m
Luminous Flux	: 1300lm/m 164ft.
LED	: 240 pcs / m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets / 50 m Roll
Diameter Ø	: 14 mm



Can be cut each 1 meter



**HOROZ****ELECTRIC**

RGB RF Controller / Socket Set / RGB Socket Set

RGB RF CONTROLLER

■ 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm

3x1A, For Max.750W

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm

3x3A, For Max.1500W



SOCKET SET

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips

- 1 pcs 8A Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips

- 1 pcs 8A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm


NEVA SOCKET
081-026-9001
8 mm

NEOFLEX SOCKET
081-033-9001
5 mm

AVON SOCKET
081-026-0011
8 mm

RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

TUBOFLEX SOCKET SET

- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Aluminium Clips



Silicone light strip cutting port contacts and connectors corresponding



With Installation Screws and Accessories

TUBOFLEX-R1010 SOCKET	TUBOFLEX-R1610 SOCKET	TUBOFLEX-R2010 SOCKET	TUBOFLEX-S88 SOCKET	TUBOFLEX-S1010 SOCKET	TUBOFLEX-S1212 SOCKET	TUBOFLEX-S1616 SOCKET	TUBOFLEX-S2020 SOCKET
081-035-9001	081-035-9002	081-035-9003	081-034-9001	081-034-9002	081-034-9003	081-034-9004	081-034-9005
10x10 mm	16x10 mm	20x10 mm	8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm



**HOROZ****ELECTRIC****LED Strip****COLUMBIA-24**

081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m



Can be cut each 5 centimeters

**24V DC**

LED STRIP

SWAN-24

081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K



Can be cut each 2,5 centimeters

24V DC**CANTON-24**

081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K




Can be cut each 5 centimeters

24V DC

**HOROZ****ELECTRIC****LED Driver****VESPA/24**


- Input Voltage: AC 85-265V / 50-60Hz
- Output Voltage: DC 24V

**EASY CONNECTOR**

	VESPA-12/24	VESPA-36/24	VESPA-60/24	VESPA-100/24	VESPA-150/24	VESPA-200/24	VESPA-300/24	VESPA-400/24
	082-007-0012	082-007-0036	082-007-0060	082-007-0100	082-007-0150	082-007-0200	082-007-0300	082-007-0400
Output Power	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	0.5A	1.5A	2.5A	4.1A	6.25 A	8.3A	12.5A	17A
Canton-24/Swan-24 LED Strip	0.7m	2m	3.5m	5.5m	8.3m	11.1m	16.7m	22m
Size (mm)	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24	VEGA-400/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300	082-003-0400
Output Power	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	2.5A	4.1A	6.25A	8.3A	12.5A	12.5A
CANTON-24/SWAN-24 LED Strip	3.5m	5.5m	8.3m	11.1m	16.7m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188

**HOROZ****ELECTRIC**

RGB NEON LED Strip Kit/RGB LED Strip Kit



RGB NEON LED STRIP KIT / RGB LED STRIP KIT

DIGITAL

- 220V /12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs



synchronous with environment voices/human voices

**12V DC****24V DC****DIGITAL-5****DIGITAL-10**

081-030-0001

081-030-0002



Power :	10W/m	10W/m
LED :	60 pcs / m, 50x50, Three Chips, Single Row	60 pcs / m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm

VICTORY

- 220V /12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

**12V DC****24V DC****VICTORY-5****VICTORY-10**

081-028-0001

081-028-0002

Power :	10W/m	10W/m
LED :	60 pcs / m, 50x50, Three Chips, Single Row	60 pcs / m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm



**HOROZ****ELECTRIC**

RGB NEON LED Strip Kit



Indoor and Outdoor LED Strip Lights used

**CAPITAL**

- 220V/5V (With Adapter)
- RGB
- Average Life: 30.000 Hrs

5VDC

Can be cut each 3 centimeters



synchronous with environment voices/human voices


**CAPITAL-5**

081-032-0001

CAPITAL-10

081-032-0002

Power	:	5W/m	6W/m
LED	:	30 pcs/m 39x39 SMD LED	30 pcs/m 39x39 SMD LED
Sets Included	:	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Cut Distance	:	30 mm	30 mm
Size	:	7x15 mm	7x15 mm



**HOROZ****ELECTRIC**


Waterproof LED String Light

FAIRY**5V DC**

Each LED can be cut

WATERPROOF

- Average Life: 30.000 Hrs
- 100 - 240VAC / 5VDC with adaptor
- LED View Angle: 180°

AMBER**7000K****"LotuslampX" APP**

	FAIRY-10	FAIRY-20	FAIRY-40
	080-002-0010	080-002-0020	080-002-0040
Power :	2W	2W	2.5W
LED :	10 pcs / m, 28x35	10 pcs / m, 28x35	10 pcs / m, 28x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m	40 m

Mode Selection
ON / OFF**FAIRY/RGB****WATERPROOF**

- 100 - 240VAC / 5VDC with adaptor
- Average Life: 30.000 Hrs
- LED View Angle: 180°

**5V DC**

Each LED can be cut

**"LotuslampX" APP****RGB**

	FAIRY-10 RGB	FAIRY-20 RGB
	080-003-0010	080-003-0020
Power :	5W	3.5W
LED :	10 pcs / m, 39x39	10 pcs / m, 39x39
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m



WATERPROOF LED STRING LIGHT

**HOROZ****ELECTRIC**

Waterproof NEON LED Strip

NEOLED SLIM 12V

081 010 0033

Average Life: 30.000 Hrs

12V DC**2700K****4200K****6400K****YELLOW****RED****GREEN****BLUE****NEOLED SLIM 12V**

081-010-0033

Power	:	8 W/m
Luminous Flux	:	42500lm/164ft.
LED	:	120 pcs/m, 28x35, Single Chips, Single Row
Length	:	5m
Width	:	11.3 mm
Height	:	5 mm



Can be cut each 2.5 centimeters



WATERPROOF NEON LED STRIP



**HOROZ****ELECTRIC**

LED Strip / LED Module Strip

REN**THAMES****REN/RGB****THAMES/RGB**

3 LEDs make a group and each group can be cut or extended in terms of the length of application

WATERPROOF

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

12V DC

	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

**NİL****AMAZON****NİL/RGB****AMAZON/RGB**

3 LEDs make a group and each group can be cut or extended in terms of the length of application

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

12V DC

	NİL	NİL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

**NELSON****12V DC****WATERPROOF**

081 024 0001




- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module

NELSON/RGB

081 024 0002




RGB



**HOROZ****ELECTRIC****LED Driver****VESPA**


- Input Voltage: AC85~265V / 50~60Hz
- Output Voltage: DC 12V

EASY CONNECTOR**SLIM CASE****NEW PRODUCT**

	VESPA-12	VESPA-36	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-300	VESPA-400
	082-004-0012	082-004-0036	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0300	082-004-0400
Output Power	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	1A	3A	5A	8.5A	12A	17A	25A	33A
28x35 SMD LED Strip	3m	9m	15m	25m	37.5m	50m	75m	100m
50x50 SMD LED Strip	1.2m	1.7m	2.5m	4m	6.5m	10m	13m	13m
Size (mm)	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA

- Input Voltage: AC 176~264V / 50~60Hz
- Output Voltage: DC 12V

**SLIM CASE**

	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-300	VEGA-400
	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0300	082-001-0400
Output Power	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

**HOROZ****ELECTRIC**


LED Adapter / LED Driver

VITA

- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 12V



	VITA-10	VITA-25	VITA-36	VITA-60
	082-006-0001	082-006-0002	082-006-0003	082-006-0004
Power	10W	25W	36W	60W
Output Current:	1A	2A	3A	5A
Sizes	A: 29 B: 73 C: 90	A: 32 B: 80 C: 93	A: 41 B: 65 C: 90	A: 47 B: 67 C: 105



VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

**ULTRA SLIM CASE**

	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power	12 W	24 W	36 W	48 W	60 W	72 W
Output Current	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	1m	1.5m	2m	3m	4m	5m
Length (mm)	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320




VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

**WATERPROOF****SLIM CASE**

	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class	II	II	II	II	I	I	I
28x35 SMD LED Strip	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45



WATERPROOF • WATERPROOF • WATERPROOF

IP67





RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432

Output Power	:	72 W	216 W-432 W
Output Current	:	2A / Each Color	6A / Each Color
Input Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	:	15 Meters with 60 Leds / Meter	45 Meters with 60 Leds / Meter
50x50 RGB LED Strip	:	5 Meters with 60 Leds / Meter	15 Meters with 60 Leds / Meter
Type	:	IR	RF




AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



AMPLIFIER-12A	AMPLIFIER-30A
101-001-0144	101-001-0360

Output Power	:	144 W	360 W
Output Current	:	4A / Each Color	10A / Each Color
35x28 RGB LED Strip	:	30 Meters with 60 Leds / Meter	75 Meters with 60 Leds / Meter
50x50 RGB LED Strip	:	10 Meters with 60 Leds / Meter	25 Meters with 60 Leds / Meter




TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288

Color	:	Single	16 million
Output Power	:	144-288W	144-288W
Output Current	:	4Ax3 Channel	4A / Each Color
35x28 LED Strips	:	30 Meters with 60 Leds / Meter	30 Meters with 60 Leds / Meter
50x50 LED Strips	:	10 Meters with 60 Leds / Meter	10 Meters with 60 Leds / Meter
Function	:	5	12










PROFILE

RECESSED TYPE

0.7mm








	PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
	120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE

RECESSED TYPE

0.7mm



	PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
	120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



PROFILE

SURFACE TYPE

0.7mm



S1 SILVER

S1 BLACK



S2 BLACK

S2 SILVER



S3 SILVER

S3 BLACK




S1 BLACK COVER (BS1)




S2 BLACK COVER (BS2)




S3 BLACK COVER (BS3)



S1



S2



S3

	PROFILE-S1	PROFILE-S1	PROFILE-B51	PROFILE-S2	PROFILE-S2	PROFILE-B52	PROFILE-S3	PROFILE-S3	PROFILE-B53
	120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE


SURFACE TYPE

0.7mm



S4 BLACK

S4 WHITE



S5 BLACK


S5 WHITE




S4 BLACK COVER (BS4)



S5 BLACK COVER (BS5)



S4



S5


	PROFILE-S4	PROFILE-S4	PROFILE-B54	PROFILE-S5	PROFILE-S5	PROFILE-B55
	120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK






PROFILE

0.7mm

CORNER TYPE



FILEXIBLE TYPE



	PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1
	120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK




**HOROZ ELECTRIC**


LED Lantern / LED Solar Camping Light

VERON


084 037 0015

**CCT Adjustable**


- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K)
- 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****CRESPO**

084 036 0025




- 5V DC Micro USB
- 550 /195 /40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE**

LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp

**HOROZ ELECTRIC****FORLAN**


084 023 0010




- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube: 1.5 Hours
- 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN**RECHARGEABLE****ROMARIO**

084 022 0010



- 220-240V AC / 12V DC
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hour for Strong Light
- 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR**RECHARGEABLE**

**HOROZ****ELECTRIC**

Emergency LED Lantern


KANU

084 043 0008





- 220-240V / 50-60Hz
- 6000K
- 280 lm
- 3.7V 2400mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Duration Time: 3 Hours
- Stickers included

Recessed+Surface Mounting Available




- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT - UP





HENRY

084 034 0005

- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT - UP



MALDINI

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT - UP



MALDINI-2	MALDINI-3
084-014-0002	084-014-0003

Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed - Acid	2x4V 0.9Ah Sealed - Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45




**HOROZ ELECTRIC**

Emergency LED Lantern / LED Headlight

WENGER

084 025 0012




- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs

LED LANTERN


RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



1-OFF-2

MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs

**DIMMABLE**

DESK LAMP MODE


HANGABLE
+
MOUNTABLE

LED LANTERN

RECHARGEABLE

EMERGENCY


AUTOMATIC LIGHT-UP



ON-OFF



	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50

BECKHAM

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs

LED HEADLIGHT

RECHARGEABLE



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



1-OFF-2

**HOROZ****ELECTRIC**

Emergency LED Lantern / LED Torch

ALVES



- 220-240V / 50-60Hz
- Wall-Mounted
- Charging Time: 20-24 Hrs
- Duration Time:
1.5 Hours for 2 Tube
3 Hours for 1 Tube
- Average Life: 30.000 Hrs



	ALVES-1	ALVES-2
	084-047-0024	084-047-0044
Power	: 24 W	44 W
Luminous Flux	: 190 lm	350 lm
Battery	: 4V 1.6Ah Rechargeable Lead-Acid Battery	2x4V 1.6Ah Rechargeable Lead-Acid Battery
Sizes (mm)	: A: 266 B: 70 C: 54	A: 450 B: 70 C: 55




LED LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



EMERGENCY LED LANTERN / LED TORCH

TORRES



- 220V AC / 4.2V DC Adaptor
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Charging Time: 4-6 Hours
- Average Life: 30.000 Hrs





	TORRES-1	TORRES-2
	084-046-0001	084-046-0003
Power	: 1 W	3 W
Luminous Flux	: 80 lm	240 lm
Duration Time	: Strong Light: 4 Hours Weak Light: 16 Hours	Strong Light: 2.5 Hours Weak Light: 13.5 Hours
Sizes (mm)	: A: 40 B: 145	A: 50 B: 190



RECHARGEABLE

LED TORCH






**HOROZ****ELECTRIC****LED Torch****WEAH**

084 045 0011

**NEW
PRODUCT**

- 220-240V / 50-60Hz
- 3W: 150 lm
- 8W: 230 lm
- 4V 1.6Ah Rechargeable Lead-Acid Battery
- Duration Time:
 - Lantern : 1 Hour
 - Torch: 2 Hours
- Average Life: 30.000 Hrs

3W**LED LANTERN****RECHARGEABLE****LED TORCH****3W**


1-OFF-2



LED TORCH

**LAMPARD**


084 044 0005

**NEW
PRODUCT**

- 5V DC USB / TYPE-C
- 3.7V 3600mAh Rechargeable Lithium Battery
- 200 lm (Strong) 65 lm (Weak)
- Charging Time: 6-8 Hours
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**

TYPE-C





OFF-1-2



**HOROZ****ELECTRIC****LED Torch****ZOLA**

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**



OFF-1-2

PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170

LED TORCH**RECHARGEABLE**



OFF-1-2

BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



**LED TORCH****RECHARGEABLE**

OFF-1-2

MARADONA-2

084 003 0002

- 220-240V AC / 12V DC
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs

LED TORCH**RECHARGEABLE**

OFF-1-2

LED TORCH


**HOROZ****ELECTRIC**

LED Emergency Exit Lamp / Emergency Kit

**ROBSON**

084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes



EXIT & SAFETY

RECHARGEABLE


EMERGENCY

AUTOMATIC LIGHT-UP

**ZOFF**

084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes



EXIT & SAFETY

RECHARGEABLE


EMERGENCY

AUTOMATIC LIGHT-UP

**E M E R G E N C Y K I T****DURAKIT**

084 048 0024

- 11.1V 4400 mAh lithium-ion battery
 - ALL LED LUMINAIRES
- POWER RANGE BETWEEN 1W-60W



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




LIGHT CONTROL PHOTOSENSOR / SENSOR

TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s




MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 ~ 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12±1m Max (<24°C)
- Time-delay: 5 sec ~ 7±2min
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max (<24°C)
- Time-delay: 5 sec ~ 8±2 min
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W




**HOROZ****ELECTRIC****Sensor****FOCUS**

088 001 0001

WHITE**BLACK**


- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max 1000W
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: < 10Lux - 2000Lux

**MONDEO**

088 001 0010

WHITE


- Detection Range: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8 m Max. (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**ROVER**

088 001 0011

WHITE


- Detection Angle: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**CORSA**

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m

**POLO**

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0.6-1.5 m/s




Detection is possible to go through doors, panes of glass or thin walls

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



**HOROZ****ELECTRIC****Sensor****MUSTANG-1**


088 002 0001

**WHITE****BLACK**

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)



Surface and Recessed installation available

**MUSTANG-2**


088 002 0002

**WHITE****BLACK**

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)




Surface and Recessed installation available

**DUSTER**

088 003 0001

**WHITE****BLACK**


- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**SANDERO**

088 004 0001

**WHITE****BLACK**


- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 4m-10m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°

**NAVARA**

088 005 0001

**WHITE****BLACK**

- Detection Range: 360°
- Detection Source: 110-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 8m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: <10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°








**HOROZ ELECTRIC**

LED Night Lamp

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE / BLUE / GREEN / RED)**DORA****REX****BUGS****MAX****DUFFY**

	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm

**HOROZ ELECTRIC**

LED Night Lamp

**BUNNY 2CCT**

085 005 0001

PINK / BLUE / GREEN / RED




- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs

**ANDY 2CCT**

085 006 0001

PINK / BLUE / GREEN / RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs


**CCT ADJUSTABLE****CCT ADJUSTABLE**

**HOROZ****ELECTRIC****Doorbell****PLAY**

086 005 0001

**NEW
PRODUCT**

- Operation Voltage:
4.5V DC (3xAA1.5V) or
9-15V DC Adaptor
- Sensing Distance: 6 m
- Range: 110°
- Sound level: 80 db max
- Sound type: Ding Dong,
Hello, Welcome + Alarm

**FUJI-D**


086 002 0001

**3V DC****NEW
PRODUCT****FUJI-A**

086 002 0002

**220V AC****BLUE****ANTHRACITE**

- Power Source:
Emitter - 12V DC
(Battery included)
- Working frequency: 433MHz
- Distance: 100m
(open position)
- Sound level: 80 db max
- Sound type:
36 songs optional



DOORBELL

**HOROZ****ELECTRIC****Doorbell****NERO-D****4.5V DC**


086 003 0001

**NEW
PRODUCT****NERO-A****220V AC**

086 003 0002

**BLUE****ANTHRACITE**

- Power Source: Emitter - 12V DC (Battery included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional

**MAXI-D****3V DC**


086 004 0001

**NEW
PRODUCT****MAXI-A****220V AC**

086 004 0002

**BLUE****ANTHRACITE**

- Power Source: Emitter - 12V DC
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



**HOROZ ELECTRIC**

Voltage Surge Protector / Dimmer Wireless Lighting Controller Switch / Timer

PROTEX-R

131 001 0001

- Operating Voltage : 220V AC-50/60Hz
- Under Voltage Cut Off : 140V-180V
- Over Voltage Cut Off : 230V-280V
- Delay Time : 5S/210S, default 5S
- Max Capacity : 16A

**PROTEX-X**

131 001 0002

- Operating Voltage : 220V AC-40-70Hz
- Under Voltage Cut Off : 80V-210V
- Over Voltage Cut Off : 130V-300V
- Power off Time : 2S(set:1-999S)
- Max Capacity : 63A

**CONTROLLER**Wireless Lighting
Controller Switch

30m-60m

- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
- Energy saving lamp/LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)

CONTROLLER-1

105-001-0001

1 Channel

CONTROLLER-2

105-001-0002

2 Channels

CONTROLLER-3






105-001-0003

3 Channels


CONTROLLER-4

105-001-0004

4 Channels

**TIMER**

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A

**TIMER-1**

108-001-0001

TIMER-2

108-002-0001

TIMER-3


108-003-0001

Type	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	24	20	48
Minimum Setting	30 Minutes	1 Minute	15 Minutes
Power Reserve	No	Yes	Yes

HORIZON

112 006 0001

- 250V-
- Dimmer (10A)
- 400W (Incandescent)
- 300W (LED)



**HOROZ® ELECTRIC****Switch / Socket****ATOM**

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2 - GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003


■ 1 - GANG GROUNDED SOCKET (16A)
■ 1 - GANG ONE WAY SWITCH (10A)

112 100 0005

■ 1 - GANG GROUNDED SOCKET (16A)
■ 2 - GANG ONE WAY SWITCH (10A)

112 100 0002

■ 2 - GANG GROUNDED SOCKET (16A)

**HOROZ® ELECTRIC****Switch
Socket**



EVA

250V~




WHITE

BLACK

NEW
COLOR



33 mm



63 mm



112 001 0001

■ ONE WAY SWITCH (10A)



112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)



112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)



112 003 0001

■ SOCKET (16A)



112 003 0002

■ 2-GANG SOCKET (16A)



112 004 0001

■ GROUNDING SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDING SOCKET (16A)



112 012 0001


■ TRIPLE SOCKET (16A)



NEW
PRODUCT

112 013 0001


■ GROUNDING TRIPLE SOCKET (16A)



63 mm




30 mm



104 mm




30 mm



63 mm




40 mm



104 mm




40 mm



148 mm



30 mm



148 mm



40 mm



**HOROZ ELECTRIC**

Motor Protector Box / Motor Protector

**HOROZ ELECTRIC**


Motor Protector Box
Motor Protector
Contactors
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

**SAFE**


Motor Protector Box

■ For all Motor Protectors except 114-006-2540

114 008 0001

**SAFE**

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A 89B.445C.66	A121B.615C.105

**HOROZ****ELECTRIC**

Contactor / Thermal Relay

SAFE


Contactor



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC	3 Main + 1 NO + 1 NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5.5kW	7.5kW	11kW	15kW	18.5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 47 B: 76 C: 82	A: 47 B: 76 C: 82	A: 47 B: 76 C: 87	A: 57 B: 86 C: 95	A: 57 B: 86 C: 100	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116

SAFE

Thermal Relay



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7

**HOROZ****ELECTRIC**

Miniature Circuit Breaker

SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA

**(B)****(C)****(C)**

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm


**(C)****(C)**


SAFE


RCCB Circuit Breaker



	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74


SAFE

MCCB Circuit Breaker



	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

**HOROZ[®] ELECTRIC**

Lamp Holder

**HOROZ[®] ELECTRIC**

Lamp Holder



094 004 0001

10 cm.


20 cm.

094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004




094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002



094 003 0003




094 003 0004




**HOROZ ELECTRIC****Starter / Transformer / Adhesive Tape / Nail Cable Clip
Cable Tie / Coaxial Cable / Network Cable****Starter**

	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

**TRANSFORMER-60**

■ 220-240V / 50-60Hz
■ 12V AC

**60W****HOROZ ELECTRIC****Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable****ADHESIVE TAPE**

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW

**NAIL CABLE CLIP**

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE

■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL

**UTP Cat5e****UTP Cat6**

**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block

IP 68 CONNECTOR

- 250V~ / 16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



IP 68 CONNECTOR-1

IP 68 CONNECTOR-2


106-004-0001

106-004-0002

Pole :

1 Pole

2 Poles



CONVERTER-1

126 001 2740



E40 lamp holder for
Torch-80 and Torch-100 to
convert E27 to E40


**HOROZ ELECTRIC**

Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent



SLIM CONNECTOR-2

SLIM CONNECTOR-3

SLIM CONNECTOR-5

103-002-0002

103-002-0003

103-002-0005

Pole :


2 Poles

3 Poles

5 Poles

CONNECTOR

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2

CONNECTOR-3

CONNECTOR-5

103-001-0002

103-001-0003

103-001-0005

Pole :


2 Poles

3 Poles

5 Poles

TERMINAL

- 400V / 4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



TERMINAL-1

TERMINAL-2

TERMINAL-3

106-005-0001

106-005-0002

106-005-0003

Pole :

1 Pole

2 Poles

3 Poles

TERMINAL-24

TERMINAL-26

TERMINAL-28

106-005-0022

106-005-0023

106-005-0024

Pole :


2 Pole

3 Poles

4 Poles



WIRE SPRING



WIRE SPRING-2/1.5

WIRE SPRING-2/2.5

WIRE SPRING-2/6

WIRE SPRING-3/1.5

WIRE SPRING-3/2.5

WIRE SPRING-3/6

106-002-0015

106-002-0025

106-002-0060

106-003-0015

106-003-0025

106-003-0060

Pole :

2 Poles

2 Poles

2 Poles

3 Poles

3 Poles

3 Poles

Wire Range :

0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²

Current / Voltage :

5A/380V

10A/380V

25A/380V

5A/380V

10A/380V

25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-shti-



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-



 **KaçmazGrup**

www.horozelektrik.com