



HOROZ®

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2020
CATALOGUE

www.horozelektrik.com



HOROZ®

ELECTRIC



www.facebook.com/horozelectric



twitter.com/HorozElectric

KaçmazGrup







www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-kol-siti-

www.horozelektrik.com

ADHESIVE TAPE	135	LED SOLAR LAMP	110
ALUMINIUM BULKHEAD LAMP	97	LED SPOTLIGHT	39
CABLE REEL	136	LED STREET LIGHT	94
CABLE TIE	135	LED STRIP	115
CEILING LAMP	68	LED SURFACE LIGHT	33
CIRCUIT BREAKER	132	LED SUSPENSION LIGHT	41
COMPACT CONNECTOR	136	LED TORCH	123
NEW CONTACTOR	131	LED TRACK LIGHT	35
DECORATIVE CEILING LAMP	64	LED TUBE	11
DESK LAMP	76	LED TUBE FIXTURE	83
DIMMER	128	LED WALL LIGHT	60
DOORBELL	126	LED WALLWASHER	96
DOWNLIGHT FITTING	21	LED WATERPROOF LAMP	82
DRYWALL KIT APPARATUS	32	LIGHT CONTROL PHOTOSENSOR	124
ELECTRONIC WALL LAMP	81	LIGHTING TRACK	40
EMERGENCY LED LANTERN	121	MERCURY LAMP	20
ENERGY SAVING LAMP	17	METAL HALIDE LAMP	20
FLOOR LAMP	78	MODULE LED AND APPARATUS	89
FLUORESCENT TUBE	17	NEW MOTOR PROTECTOR	130
FRAME	32	NEW MOTOR PROTECTOR BOX	130
GARDEN LAMP	98	NAIL CABLE CLIP	135
HALOGEN LAMP	18	PENDANT LAMP	56
INCANDESCENT LAMP	19	PLUG IN SWITCH	127
INGROUND & RECESSED TYPE LED LAMP	112	PROJECTOR STAND	93
NEW IP 68 CONNECTOR	136	RECESSED MONOPOINT	40
LAMP HOLDER	134	RECHARGEABLE LED SOLAR CAMPING LIGHT	122
LED BATTEN LIGHT	80	REFLECTOR LAMP	19
LED BULB	4	RG6	135
LED BULKHEAD LAMP	97	RGB AMPLIFIER	120
LED CANOPY LIGHT	96	RGB CONTROLLER	120
LED CAPSULE	8	NEW RGB RF CONTROLLER	117
LED CEILING LAMP	65	SENSOR	124
LED CHRISTMAS LIGHT & DRIVERS	120	SOCKET	128
LED DECORATIVE CEILING LAMP	62	SOCKET SET	117
LED DESK LAMP	74	NEW SPOT LIGHT	39
LED DOWNLIGHT	23	STARTER	135
LED DRIVER	118	STRING LIGHT	55
LED EMERGENCY EXIT LAMP	122	NEW SURFACE LIGHT	34
LED FLOOR LAMP	78	SWITCH	128
LED GARDEN LAMP	103	TERMINAL BLOCK	136
LED HEADLIGHT	123	NEW THERMAL RELAY	131
LED HIGH BAY LAMP	85	TIMER	127
LED LINEAR HIGH BAY LAMP	84	TRACK CONNECTOR	40
LED NIGHT LAMP	79	NEW TRACK LIGHT	38
LED PANEL	31	TRANSFORMER	135
LED PENDANT LAMP	55	UTP CAT5E	135
LED PICTURE & MIRROR LAMP	71	UTP CAT6	135
LED PROJECTOR	86	WIRE SPRING CONNECTOR	136
LED READING LAMP	73	WIRELESS LIGHTING CONTROLLER SWITCH	127





 135 ADHESIVE TAPE	 97 ALUMINIUM BULKHEAD LAMP	 136 CABLE REEL	 135 CABLE TIE	 68 CEILING LAMP	 132 CIRCUIT BREAKER
 136 COMPACT CONNECTOR	NEW  131 CONTACTOR	 64 DECORATIVE CEILING LAMP	 76 DESK LAMP	 128 DIMMER	 126 DOORBELL
 21 DOWNLIGHT FITTING	 32 DRYWALL KIT APPARATUS	 81 ELECTRONIC WALL LAMP	 121 EMERGENCY LED LANTERN	 17 ENERGY SAVING LAMP	 78 FLOOR LAMP
 17 FLUORESCENT TUBE	 32 FRAME	 98 GARDEN LAMP	 18 HALOGEN LAMP	 19 INCANDESCENT LAMP	 112 INGROUND & RECESSED TYPE LED LAMP
NEW  136 IP 68 CONNECTOR	 134 LAMP HOLDER	 80 LED BATTEN LIGHT	 4 LED BULB	 97 LED BULKHEAD LAMP	 96 LED CANOPY LIGHT
 8 LED CAPSULE	 65 LED CEILING LAMP	 120 LED CHRISTMAS LIGHT & DRIVERS	 62 LED DECORATIVE CEILING LAMP	 74 LED DESK LAMP	 23 LED DOWNLIGHT
 118 LED DRIVER	 122 LED EMERGENCY EXIT LAMP	 78 LED FLOOR LAMP	 102 LED GARDEN LAMP	 123 LED HEADLIGHT	 85 LED HIGH BAY LAMP
 84 LED LINEAR HIGH BAY LAMP	 79 LED NIGHT LAMP	 31 LED PANEL	 55 LED PENDANT LAMP	 71 LED PICTURE & MIRROR LAMP	 86 LED PROJECTOR

 73 LED READING LAMP	 110 LED SOLAR LAMP	 39 LED SPOTLIGHT	 94 LED STREET LIGHT	 115 LED STRIP	 33 LED SURFACE LIGHT
 41 LED SUSPENSION LIGHT	 123 LED TORCH	 35 LED TRACK LIGHT	 11 LED TUBE	 83 LED TUBE FIXTURE	 60 LED WALL LIGHT
 96 LED WALLWASHER	 82 LED WATERPROOF LAMP	 124 LIGHT CONTROL PHOTOSENSOR	 40 LIGHTING TRACK	 20 MERCURY LAMP	 20 METAL HALIDE LAMP
 89 MODULE LED AND APPARATUS	 NEW 130 MOTOR PROTECTOR & BOX	 135 NAIL CABLE CLIP	 56 PENDANT LAMP	 127 PLUG IN SWITCH	 93 PROJECTOR STAND
 40 RECESSED MONOPOINT	 122 RECH. LED SOLAR CAMPING LIGHT	 19 REFLECTOR LAMP	 135 RG6	 120 RGB AMPLIFIER	 120 RGB CONTROLLER
 NEW 117 RGB RF CONTROLLER	 124 SENSOR	 128 SOCKET	 117 SOCKET SET	 NEW 39 SPOT LIGHT	 135 STARTER
 55 STRING LIGHT	 NEW 34 SURFACE LIGHT	 128 SWITCH	 136 TERMINAL BLOCK	 NEW 131 THERMAL RELAY	 127 TIMER
 40 TRACK CONNECTOR	 NEW 38 TRACK LIGHT	 135 TRANSFORMER	 135 UTP CAT5E-UTP CAT6E	 136 WIRE SPRING CONNECTOR	 127 WR. LIGHTING CONT. SWITCH

**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****PREMIER**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



PREMIER-5
001-006-0005

PREMIER-8
001-006-0008

PREMIER-10
001-006-0010

PREMIER-12
001-006-0012

PREMIER-15
001-006-0015

PREMIER-18
001-006-0018

Power	:	5 W
Luminous Flux	:	500 lm
Sizes (mm)	:	A: 50 B: 89

Power	:	8 W
Luminous Flux	:	850 lm
Sizes (mm)	:	A: 60 B: 108

Power	:	10 W
Luminous Flux	:	1000 lm
Sizes (mm)	:	A: 60 B: 112

Power	:	12 W
Luminous Flux	:	1050 lm
Sizes (mm)	:	A: 60 B: 118

Power	:	15 W
Luminous Flux	:	1400 lm
Sizes (mm)	:	A: 70 B: 138

Power	:	18 W
Luminous Flux	:	1600 lm
Sizes (mm)	:	A: 80 B: 148



LED BULB / LED CAPSULE / LED TUBE

**HOROZ ELECTRIC**

LED Bulb
LED Capsule
LED Tube




3 6 0

INFINITY

001 018 0008

- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 600 Lm
- 3000K / 4200K / 6400K




D I M M A B L E

EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K




**HOROZ ELECTRIC**


LED Bulb / LED Capsule / LED Tube

DURAMAX-12


001 055 0012



- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1080 lm
- 6400K
- 3,7V 2200mAh Li-Ion Battery
- Emergency Work: 4.5W - 500 lm

**Rechargeable
Emergency
LED
Bulb****Emergency Lighting**
Duration: 3 Hours

FONIX




- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	FONIX-4	FONIX-6	FONIX-8
Power	4 W	6 W	8 W
Luminous Flux	250 lm	390 lm	610 lm



PLUS



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PLUS-4	PLUS-6	PLUS-8	PLUS-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	390 lm	610 lm	800 lm

**NEW
PRODUCT**

D I M M A B L E

VISION-6

001 022 0006

**DIMMABLE**

CONVEX-8

001 064 0008

**NEW
PRODUCT**



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 740 lm
- 3000K / 4200K / 6400K

LED BULB / LED CAPSULE / LED TUBE



ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	ULTRA-4	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0004	001-003-0006	001-003-0008	001-003-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 100	A: 37 B: 100	A: 37 B: 110	A: 37 B: 110



CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	CRAFT-4	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0004	001-004-0006	001-004-0008	001-004-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 125	A: 37 B: 125	A: 37 B: 135	A: 37 B: 135



ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	ELITE-4	ELITE-6	ELITE-8	ELITE-10
	001-005-0004	001-005-0006	001-005-0008	001-005-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 78	A: 45 B: 78	A: 45 B: 88	A: 45 B: 88



REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K




	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	4 W	6 W	10 W	12 W
Luminous Flux	210 lm	480 lm	720 lm	1000 lm
Lamp Holder	E14	E14	E27	E27
Sizes	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****TORCH**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	: 3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	: E27	E27	E27	E27	E27	E27 / E40
Luminous Flux	: 1650 lm	2400 lm	3150 lm	4000 lm	8000 lm	10000 lm
Sizes (mm)	: A: 80 B: 140	A: 100 B: 171	A: 117 B: 198	A: 137 B: 229	A: 139 B: 215	A: 160 B: 265 (E27) A: 160 B: 280 (E40)

**UFO PRO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	50 W	70 W
Luminous Flux	: 3000 lm	5000 lm	7000 lm
Sizes (mm)	: A: 130 B: 115	A: 150 B: 135	A: 170 B: 150



LED BULB / LED CAPSULE / LED TUBE

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	20 W
Luminous Flux	: 1400 lm	1650 lm
Sizes (mm)	: A: 95 B: 136.5	A: 120 B: 161

UFO-15

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K


001 044 0015






PETA

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
	001-045-0004	001-045-0006	001-045-0008	001-045-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	330 lm	480 lm	680 lm	800 lm
Sizes (mm)	A: 15 B: 49	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 4200K / 6400K




	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60




MEGA

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 6400K




	MEGA-3	MEGA-5
	001-011-0003	001-011-0005
Power	3 W	5 W
Luminous Flux	180 lm	230 lm
Sizes (mm)	A: 14 B: 50	A: 15 B: 59



EXA-3

001 047 0003

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 300 lm
- 2700K / 4200K / 6400K




D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 6400K



	NANO-2	NANO-3
	001-008-0002	001-008-0003
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm




**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****CORN**


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs



	CORN-4	CORN-7
	001-062-0004	001-062-0007
Power :	4 W	7 W
Luminous Flux :	360 lm	760 lm
Color Temperature :	2700K/4200K/6400K	6400K
Sizes (mm) :	A: 30 B: 95	A: 35 B: 135

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power :	1.5 W	3 W
Luminous Flux :	90 lm	150 lm
Sizes (mm) :	A: 10 B: 35	A: 12 B: 36

**MINI**

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

001 009 0002

**MIDI**

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K

001 012 0002


**TERA-2**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

001 024 0002

**D I M M A B L E****PIKO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	PIKO-2	PIKO-3
	001-007-0002	001-007-0003
Power :	1.5 W	3 W
Luminous Flux :	105 lm	210 lm

**GIGA-4**

001 046 0004



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K



**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****FIREFLUX**

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005

**3 Modes****Flame Mode****General Lighting Mode****Breathing Mode****PINE**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 059 0002

**6400K**
236 lm**RED**
19 lm**AMBER**
154 lm**BLUE**
32 lm**GREEN**
187 lm**PINK**
175 lm**RAINBOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



105 lm



34 lm



68 lm



12 lm




120 lm

**SPECTRA**

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



315 lm



102 lm



205 lm



38 lm




250 lm


**NEW**
PRODUCT

**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****TRIO-R**

001 065 0036





- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3200 lm
- 6400K


NEW PRODUCT**FOLDABLE****36W SMD LED****DAISY**

001 061 0040

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs

NEW PRODUCT**FOLDABLE****40W SMD LED****LED TUBE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**GLASS COVER****SMD LED**

	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	9 W	18 W	24 W
Luminous Flux	750 lm	1450 lm	2400 lm
Length (mm)	L: 600	L: 1200	L: 1500




LED BULB / LED CAPSULE / LED TUBE



TOLEDO


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



TOLEDO


001-049-0008

Power	:	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)




GINZA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



GINZA


001-050-0008



	GINZA	GINZA-XL
Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 180 B: 190	: A: 230 B: 200


ENIGMA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



ENIGMA

001-051-0008




	ENIGMA	ENIGMA-XL
Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 120 B: 225	: A: 185 B: 345




PARADOX

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

PARADOX-XL




	PARADOX	PARADOX-XL
	001-052-0008	001-052-0008
Power	8 W	8 W
Luminous Flux	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	A: 120 B: 270	A: 188 B: 400





ORIGAMI

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ORIGAMI-XL




	ORIGAMI	ORIGAMI-XL
	001-053-0008	001-053-0008
Power	8 W	8 W
Luminous Flux	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	A: 120 B: 270	A: 180 B: 400




ELLIPTIC

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ELLIPTIC-XL



	ELLIPTIC	ELLIPTIC-XL
	001-054-0008	001-054-0008
Power	8 W	8 W
Luminous Flux	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	A: 95 B: 340	A: 115 B: 460



**RUSTIC GLOBE-6**



001 030 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED****RUSTIC STAR - 6**


001 031 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED****RUSTIC HEART - 6**

001 032 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED****RUSTIC PYRAMID-6**


001 035 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED****RUSTIC MERIDIAN-6**

001 037 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED****RUSTIC VINTAGE-6**


001 029 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

**AMBER**
COLOR**6W****FILAMENT LED**

**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****RUSTIC TUBE**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR**


	RUSTIC TUBE - 6	RUSTIC TUBE - 8
	001-033-0006	001-033-0008
Power	6 W	8 W
Luminous Flux	540 lm	720 lm
Sizes (mm)	A: 30 B: 185	A: 30 B: 235

**RUSTIC DIAMOND**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR**

	RUSTIC DIAMOND - 4	RUSTIC DIAMOND - 6
	001-034-0004	001-034-0006
Power	4 W	6 W
Luminous Flux	360 lm	540 lm
Sizes (mm)	A: 95 B: 128	A: 120 B: 155

**RUSTIC CRYSTAL**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR**


	RUSTIC CRYSTAL - 4	RUSTIC CRYSTAL - 6
	001-036-0004	001-036-0006
Power	4 W	6 W
Luminous Flux	360 lm	540 lm
Sizes (mm)	A: 95 B: 120	A: 125 B: 160

**RUSTIC TWIST**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

**AMBER
COLOR**


	RUSTIC TWIST - 4	RUSTIC TWIST - 6
	001-038-0004	001-038-0006
Power	4 W	6 W
Luminous Flux	360 lm	540 lm
Sizes (mm)	A: 95 B: 120	A: 125 B: 160




LED BULB / LED CAPSULE / LED TUBE

**HOROZ ELECTRIC****LED Bulb / LED Capsule / LED Tube****FILAMENT CANDLE**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**NEW
PRODUCT**


	FILAMENT CANDLE-2	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0002	001-013-0004	001-013-0006
Power	2 W	4 W	6 W
Luminous Flux	160 lm	420 lm	700 lm

**FILAMENT FLAME**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**NEW
PRODUCT**


	FILAMENT FLAME-2	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0002	001-014-0004	001-014-0006
Power	2 W	4 W	6 W
Luminous Flux	160 lm	450 lm	700 lm

**FILAMENT GLOBE**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K

**NEW
PRODUCT**


	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10
	001-015-0004	001-015-0006	001-015-0008	001-015-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	420 lm	650 lm	850 lm	1200 lm
Sizes (mm)	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112




**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5



	TUBE-5	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0006	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	6 W	8 W	13 W	21 W	28 W
Luminous Flux :	280-310 lm	400-430 lm	1045-1140 lm	1660-1850 lm	2350-2470 lm
Length (mm) :	L: 230	L: 300	L: 530	L: 860	L: 1160



TUBE-8



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	280-310 lm	560-630 lm	960-1150 lm	2400-2760 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200



Fluorescent Tube Energy Saving Lamp





THREE-U

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3




	THREE-U/18	THREE-U/23
	003-003-0018	003-003-0023
Power :	18 W	23 W
Color Temp. :	2700K / 6400K	2700K / 6400K
Luminous Flux :	910 lm / 890 lm	1090 lm / 1090 lm
Lamp Holder :	E27	E27
Sizes (mm) :	A: 48 B: 151	A: 48 B: 161




FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



	FULL-9	FULL-12	FULL-15	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0009	003-001-0012	003-001-0015	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	9 W	12 W	15 W	35 W	45 W	65 W	85 W	105 W
Color Temp. :	2700K / 6400K	6400K	2700K / 6400K	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	420 lm / 500 lm	540 lm	770 lm / 750 lm	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E14	E14	E14	E27	E27	E27	E27	E27
Tube Diameter :	T3	T3	T3	T4	T4	T5	T5	T6
Sizes (mm) :	A: 37 B: 108	A: 45 B: 107	A: 45 B: 128	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174



HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-20	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0020	003-002-0026
Power :	9 W	12 W	15 W	20 W	26 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K
Luminous Flux :	410 lm / 400 lm	550 lm / 540 lm	770 lm / 750 lm	1040 lm / 1020 lm	1380 lm / 1370 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 134	A: 52 B: 146



**HOROZ ELECTRIC**

Halogen Lamp

■ Average Life: 2.000 Hrs



	GU10 CLOSED	JCDR OPEN	JCDR CLOSED	MR16 CLOSED
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	12V AC
Power	: 50 W	50 W	50 W	20 W / 50 W
Luminous Flux	: 340 lm	650 lm	550 lm	200 lm / 600 lm
Lamp Holder	: GU10	GU5.3	GU5.3	GU5.3


**HOROZ ELECTRIC**

Halogen Lamp




■ Average Life: 2.000 Hrs

	JCG4	JCG4 WHITE
	12V AC	12V AC
Power	: 20 W	20 W
Luminous Flux	: 250 lm	120 lm



■ Average Life: 2.000 Hrs

	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	: 25 W / 40W	25 W / 40W	25 W / 40W
Luminous Flux	: 270 lm / 420 lm	100 lm / 220 lm	220 lm / 500 lm



■ Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	: 150W	300 W / 500W	1000W
Luminous Flux	: 1600 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	: A: 10 B: 78	A: 13 B: 118	A: 13 B: 189



**HOROZ ELECTRIC**

Reflector Lamp / Incandescent Lamp

**HOROZ ELECTRIC**

Reflector Lamp Incandescent Lamp


**R**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



	R39	R50-40	R50-60	R63-60	R80-60	R80-75	R80-100
	007-001-0030	007-002-0040	007-002-0060	007-003-0060	007-004-0060	007-004-0075	007-004-0100
Power	30 W	40 W	60 W	60 W	60 W	75 W	100 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm	380 lm	580 lm	900 lm
Lamp Holder	E14	E14	E14	E27	E27	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95	A: 80 B: 105	A: 80 B: 105	A: 80 B: 105

CANDLE




- 220-240V
50-60Hz
- Average Life:
1000 Hrs




	CANDLE SOFT-40	CANDLE SOFT-60	CANDLE FROSTED-40	CANDLE FROSTED-60	CANDLE CLEAR-40	CANDLE CLEAR-60	CANDLE SOFT-40	CANDLE SOFT-60	CANDLE FROSTED-40
	006-005-0040	006-005-0060	006-004-0040	006-004-0060	006-003-0040	006-003-0060	006-009-0040	006-009-0060	006-008-0040
Power	40 W	60 W	40 W	60 W	40 W	60 W	40 W	60 W	40 W
Luminous Flux	240 lm	400 lm	240 lm	460 lm	280 lm	480 lm	240 lm	400 lm	240 lm
Lamp Holder	E14	E14	E14	E14	E14	E14	E27	E27	E27

FLAME




	FLAME FROSTED-40	FLAME FROSTED-60	FLAME CLEAR-40	FLAME CLEAR-60
	006-002-0040	006-002-0060	006-001-0040	006-001-0060
Power	40 W	60 W	40 W	60 W
Luminous Flux	240 lm	400 lm	280 lm	480 lm
Lamp Holder	E14	E14	E14	E14

SCREW



	SCREW FROSTED-40	SCREW FROSTED-60	SCREW CLEAR-40
	006-006-0040	006-006-0060	006-007-0040
Power	40 W	60 W	40 W
Luminous Flux	240 lm	400 lm	280 lm
Lamp Holder	E14	E14	E14

GLOBE



	GLOBE FROSTED-40	GLOBE FROSTED-60	GLOBE SOFT-40	GLOBE SOFT-60	GLOBE SOFT-40	GLOBE SOFT-60
	006-011-0040	006-011-0060	006-010-0040	006-010-0060	006-012-0040	006-012-0060
Power	40 W	60 W	40 W	60 W	40 W	60 W
Luminous Flux	240 lm	400 lm	240 lm	400 lm	240 lm	400 lm
Lamp Holder	E14	E14	E14	E14	E27	E27

MUSHROOM



	MUSHROOM FROSTED	MUSHROOM SOFT
	006-014-0060	006-015-0060
Power	60 W	60 W
Luminous Flux	400 lm	400 lm
Lamp Holder	E27	E27

**HOROZ ELECTRIC**

Mercury Lamp / Metal Halide Lamp


PLANET

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 4400K



Use Without Ballast

	PLANET-125	PLANET-160	PLANET-250
	008-002-0125	008-002-0160	008-002-0250
Power	125 W	160 W	250 W
Luminous Flux	2560 lm	2560 lm	4900 lm
Lamp Holder	E27	E27	E40
Sizes (mm)	A: 70 B: 150	A: 70 B: 155	A: 90 B: 230




KRIPTON

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 5500K



Use With Ballast

	KRIPTON-125	KRIPTON-250	KRIPTON-400
	008-001-0125	008-001-0250	008-001-0400
Power	125 W	250 W	400 W
Luminous Flux	4990 lm	11025 lm	21000 lm
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 70 B: 150	A: 90 B: 230	A: 110 B: 260


**HOROZ ELECTRIC**

Mercury Lamp Metal Halide Lamp




NEXUS

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



Use With Ballast

	NEXUS-250	NEXUS-400
	009-002-0250	009-002-0400
Power	250 W	400 W
Luminous Flux	21000 lm (WHITE)	35.000-38.000 lm (WHITE) 8.000-10.000 lm (BLUE) 28.000-31.000 lm (GREEN) 20.000-23.000 lm (RED)
Sizes (mm)	A: 43 B: 255	A: 43 B: 285




MERKÜR

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 11000 lm
- 4000K



Use With Ballast

009 001 0150



**HOROZ ELECTRIC**

Downlight Fitting

KAMELYA

015 025 0050

■ Lamp holder not included


CHROME

MAT CHROME

BLACK

WHITE

GOLDEN

**NEW
PRODUCT****LAVANTA**

015 024 0050

■ Lamp holder not included


CHROME

MAT CHROME

BLACK

WHITE

GOLDEN

**NEW
PRODUCT****KARANFİL**

■ Lamp holder not included



KARANFİL-R

015-022-0050



KARANFİL-S

015-023-0050

WHITE

**SARDUNYA**

■ Lamp holder not included



SARDUNYA-R

015-017-0050



SARDUNYA-S

015-018-0050

WHITE

**HOROZ ELECTRIC**

Downlight Fitting

**ORKİDE**

015 007 0050

MENEKŞE



015 008 0050

CHROME

MAT CHROME

GOLDEN

WHITE

■ 220-240V / 50-60Hz
■ Max. 50W







**HOROZ ELECTRIC**

Downlight Fitting

- 220-240V / 50-60Hz
- Max. 50W

MR16



CHROME GOLDEN	CHROME MAT CHROME ANTIQUE GREEN	CHROME MAT CHROME ANTIQUE RED COPPER ANTIQUE GREEN	CHROME MAT CHROME GOLDEN ANTIQUE RED COPPER TITANIUM BLACK/GOLDEN	ANTIQUE GREEN ANTIQUE RED COPPER	GOLDEN
AÇELYA	BEGONYA	PAPATYA	YONCA	LEYLAK	ORTANCA
015 009 0050	015 012 0050	015 016 0050	015 015 0050	015 013 0050	015 010 0050
					
					
					

DOWNLIGHT FITTING

- 220-240V / 50-60Hz
- Max. 20W

YELLOW





CLEAR

BLUE

BROWN

PURPLE



NİLÜFER	NERGİS	GONCA	FULYA	YASEMİN
015 001 0020	015 002 0020	015 003 0020	015 004 0020	015 005 0020
				
				
				

**HOROZ ELECTRIC**

LED Downlight

**HOROZ ELECTRIC**

LED Downlight




NADIA

016 027 0001

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K




MIRANDA

016 004 0003

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 260 lm
- 4200K



SILVIA

016 039 0001

LAURA

016 038 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K



LISA



016 031 0003

JULIA

016 032 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K





BELLA

016 042 0003

CHROME


WHITE

MAT CHROME

BLACK

ROSE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K




BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K



RITA

016 037 0003

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K




ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K



LUNA

016 041 0003

WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available



SARA

016 005 0003


DIANA

016 006 0003

MAT CHROME




WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 200 lm (2700K)
- 220 lm (6500K)



**HOROZ ELECTRIC****LED Downlight**


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

NORA**MAYA****WHITE****NEW
PRODUCT**


	NORA-5	NORA-7	MAYA-5	MAYA-7
	016-053-0005	016-053-0007	016-054-0005	016-054-0007
Power	5 W	7 W	5 W	7 W
Luminous Flux	400 lm	520 lm	400 lm	520 lm



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6500K

MELISA**VICTORIA****MAT CHROME****WHITE**



	MELISA-3	MELISA-5	VICTORIA-3	VICTORIA-5
	016-008-0003	016-008-0005	016-007-0003	016-007-0005
Power	3 W	5 W	3 W	5 W
Luminous Flux	230 lm	300 lm	230 lm	300 lm

**GABRIEL****JESSICA****WHITE**

016 029 0006

016 030 0006

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K



LED DOWNLIGHT



VALERIA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



	VALERIA-5	VALERIA-7	VALERIA-9
	016-040-0005	016-040-0007	016-040-0009
Power	5 W	7 W	9 W
Luminous Flux	400 lm	560 lm	720 lm
Cutting Diameter (mm)	Ø50	Ø70	Ø95
Sizes (mm)	A: 20 B: 62 C: 55	A: 20 B: 82 C: 55	A: 20 B: 102 C: 55



WHITE



ADRIANA

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	ADRIANA-5	ADRIANA-10	ADRIANA-15
	016-021-0005	016-021-0010	016-021-0015
Power	5 W	2x5 W	3x5 W
Luminous Flux	368 lm	2x368 lm	3x368 lm
Cutting Size (mm)	73x73	90x155	90x240
Sizes (mm)	A: 93 B: 44 C: 93	A: 175 B: 44 C: 93	A: 255 B: 44 C: 93



WHITE



VERONICA

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	VERONICA-10	VERONICA-20	VERONICA-30
	016-022-0010	016-022-0020	016-022-0030
Power	10 W	2x10 W	3x10 W
Luminous Flux	539 lm	2x539 lm	3x539 lm
Cutting Size (mm)	90x90	100x205	100x315
Sizes (mm)	A: 120 B: 80 C: 120	A: 230 B: 80 C: 120	A: 340 B: 80 C: 120



WHITE




SABRINA

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	SABRINA-8	SABRINA-16	SABRINA-24	SABRINA-32
	016-023-0008	016-023-0016	016-023-0024	016-023-0032
Power	8 W	2x8 W	3x8 W	4x8 W
Luminous Flux	371 lm	2x371 lm	3x371 lm	4x371 lm
Cutting Size (mm)	90x90	81x170	81x255	170x170
Sizes (mm)	A: 100 B: 67 C: 100	A: 185 B: 67 C: 100	A: 270 B: 67 C: 100	A: 185 B: 67 C: 185



WHITE




**HOROZ ELECTRIC****LED Downlight**


LED DOWNLIGHT

ALEXA

- 200-265V / 50-60Hz
- Average Life: 70,000 Hrs
- 3000K/4200K/7000K

WHITE

	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power	8 W	12 W	20 W	24 W	30 W
Luminous Flux	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230







LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225



**HOROZ****ELECTRIC****LED Downlight**

LED DOWNLIGHT

STELLA


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



FRAMELESS


**NEW
PRODUCT**

	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 455 lm	: 950 lm	: 1375 lm	: 2260 lm
Cutting Diameter (mm)	: 75	: 112	: 163	: 215
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19





- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K




CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE




	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



SLIM/Sq


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE



	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	282x282
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:296




**HOROZ ELECTRIC**

LED Panel / Frame / Drywall Kit Apparatus



PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

056 010 0045

**BACKLIGHT
PANEL**

Inside of Product

**WHITE****HOROZ ELECTRIC**

LED Panel Frame Drywall Kit Apparatus



LED PANEL / FRAME / DRYWALL KIT APPARATUS


EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 5575 lm
- 4200K / 6400K

056 009 0080

**BACKLIGHT
PANEL**

Inside of Product



**SILVER**

**HOROZ ELECTRIC****LED Panel / Frame / Drywall Kit Apparatus****GALAKSI-45**

056 002 0045

WHITE


- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K

**STAR-50**


056 001 0050

SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K



**MOON**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




MOON-32	MOON-40
056-007-0032	056-007-0040

Power	:	32 W	40 W
Luminous Flux	:	2240 lm	2800 lm
Sizes (mm)	:	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8



**ZODIAC**

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power	:	24 W	36 W
Luminous Flux	:	1680 lm	2520 lm
Sizes (mm)	:	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8

**FRAME****WHITE**

FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45
-------------	---------------------	----------------------	---------------------	---------------------	---------------------

**DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



**HOROZ ELECTRIC**

LED Surface Light / Surface Light


**HOROZ ELECTRIC**

LED Surface Light Surface Light




CAROLINE

- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

WHITE


	CAROLINE-12	CAROLINE-18	CAROLINE-28	CAROLINE-32	CAROLINE-40	CAROLINE-48
	016-025-0012	016-025-0018	016-025-0028	016-025-0032	016-025-0040	016-025-0048
Power :	12 W	18 W	28 W	32 W	40 W	48 W
Luminous Flux :	840 lm	1300 lm	1960 lm	2240 lm	2800 lm	3360 lm
Volt :	165-260V/50-60Hz	165-260V/50-60Hz	165-260V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:400 B:40	A:500 B:40	A:600 B:40




LED SURFACE LIGHT / SURFACE LIGHT

ARINA

- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K


WHITE

	ARINA-12	ARINA-18	ARINA-28
	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:159.5 B:28	A:211 B:28	A:283 B:28



**HORÖZ ELECTRIC**



LED Surface Light / Surface Light

SANDRA**SANDRA-XL**

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

WHITE**BLACK**


	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162

**SANDRA-SQ****SANDRA-SQ/XL**


- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

WHITE**BLACK**

	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200

**FREZYA**

- 220-240V / 50-60Hz
- Max. 50W

NEW PRODUCT**WHITE****BLACK****FREZYA-R**

015-026-0050

FREZYA-S

015-027-0050




**HOROZ ELECTRIC**

LED Track Light

ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K





WHITE

BLACK

**NEW
PRODUCT**

	ARIZONA-5	ARIZONA-10
	018-027-0005	018-027-0010
Power	: 5 W	: 10 W
Luminous Flux	: 380 lm	: 650 lm
Beam Angle	: 52°	: 60°

**HOROZ ELECTRIC**


LED Track Light



LED TRACK LIGHT

VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK

**NEW
PRODUCT**

	VARNA-20	VARNA-30	VARNA-36
	018-026-0020	018-026-0030	018-026-0036
Power	: 20 W	: 30 W	: 36 W
Luminous Flux	: 1600 lm	: 2400 lm	: 2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	: A: 81 B: 130 C: 170	: A: 91 B: 140 C: 180





BERN

018 017 0030



WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°



DUBLIN


018 018 0035



WHITE


BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



Z O O M A B L E

MONACO



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°





WHITE

BLACK




	MONACO-15	MONACO-30
	018-019-0015	018-019-0030
Power	15 W	30 W
Luminous Flux	1125 lm	2250 lm
Sizes (mm)	A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



Z O O M A B L E

PORTO

018 013 0007



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 525 lm
- 4200K
- Beam Angle: 18°-70°



WHITE

BLACK

SILVER





OSLO

018 012 0010



WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K
- Beam Angle: 21°



MADRID


2700K 4200K 6400K



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



MADRID-23

018-005-0023


MADRID-40

018-005-0040

Power	:	23 W	40 W
Luminous Flux	:	1779 lm	2988 lm

LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK




LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024

Power	:	10 W	18 W	24 W
Luminous Flux	:	650 lm	1170 lm	1560 lm
Sizes (mm)	:	A: 81 B: 140 C: 102 D: 37 E: 68	A: 170 B: 162 C: 110 D: 61 E: 84	A: 200 B: 190 C: 140 D: 66 E: 89



MILANO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



WHITE


BLACK

SILVER



MILANO-5	MILANO-8	MILANO-13
018-008-0005	018-008-0008	018-008-0013

Power	:	5 W	8 W	13 W
Luminous Flux	:	334 lm	600 lm	987 lm
Beam Angle	:	55°	53°	73°
Sizes (mm)	:	A: 40 B: 70 C: 128	A: 48 B: 95 C: 132	A: 60 B: 108 C: 145




**HOROZ ELECTRIC****Track Light****BASEL**

115 003 0001

WHITE**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

**NEW
PRODUCT****HOROZ ELECTRIC****Track Light****DAKAR**



115 001 0001

RABAT

115 002 0001

**NEW
PRODUCT****WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



TRACK LIGHT

**HOROZ ELECTRIC**



Spot Light / LED Spotlight

LOZAN

116 001 0001

**WHITE****BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included




SPOTLIGHT / LED SPOTLIGHT

**HOROZ ELECTRIC**


Spotlight LED Spotlight

**BEYRUT**

017 001 0005

**WHITE****BLACK**


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 320 lm
- 4200K
- Beam Angle: 60°

**TOKYO**

017 002 0008

**WHITE****BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



**HOROZ ELECTRIC**

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK**WHITE****BLACK****SILVER**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001


1 m.

097 001 0002

2 m.

097 001 0003

3 m.

**TRACK CONNECTOR****WHITE****BLACK****SILVER**

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

**NEW
PRODUCT****NEW
PRODUCT**

STRAIGHT Connector

096-001-0001

L Connector

096-002-0002

T Connector

096-001-0004

X Connector

096-001-0003

LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT


**HOROZ ELECTRIC**

Lighting Track / Track Connector Recessed Monopoint

**RECESSED MONOPOINT****WHITE****BLACK****SILVER**

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

098 001 0001



125

**HOROZ ELECTRIC**

LED Suspension Light

INNOVO-40

019 033 0040

30 mm width

INNOVA-40

019 034 0040

50 mm width

BLACK**WHITE**

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3200 lm
- 4000K

**NEW
PRODUCT**

Ø 1185 mm




Ø 1185 mm

**HOROZ ELECTRIC**

LED Suspension Light



LED SUSPENSION LIGHT




**HOROZ ELECTRIC**

LED Suspension Light


PRIME-45

019 029 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



LED SUSPENSION LIGHT



OPTIMA-12

019 030 0012

OPTIMA-24


019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K

**12W****24W****36W**




CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K





CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




COSTA-35

019 015 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




MATRIX-35

019 013 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




**HOROZ ELECTRIC**

LED Suspension Light

PHOENIX

019 020 0038

**CHROME****RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




LED SUSPENSION LIGHT



ELECTRA

019 021 0038

**CHROME****RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K





**HOROZ ELECTRIC**

LED Suspension Light

DELUXE

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



BLACK

WHITE

RED

BLUE




DELUXE-35

019-012-0035

DELUXE-70


019-012-0070

Power	:	35 W	70 W
Luminous Flux	:	2000 lm	3900 lm
Sizes (mm)	:	A: 1200 B: 250 C: 420	A: 1200 B: 250 C: 580



CONCEPT

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



ROSE

CHROME

WHITE




CONCEPT-35

019-010-0035

CONCEPT-41

019-010-0041

Power	:	35 W	41 W
Luminous Flux	:	1000 lm	1500 lm
Sizes (mm)	:	A: 200 B: 65 C: 1200 D: 45 E: 461	A: 200 B: 65 C: 1200 D: 45 E: 648



FAVORI

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 2500 lm
- 4000K


019 008 0062



CHROME

COPPER

BROWN





**HOROZ ELECTRIC**

LED Suspension Light

AVANGARD


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

**WHITE****BLACK****AVANGARD-24****AVANGARD-40**


019-005-0024

019-005-0040

Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 82,36 B: 42 C: 230 D: 515	A: 98 B: 50 C: 280 D: 550




LED SUSPENSION LIGHT



ELEGANCE


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

**WHITE****BLACK****ELEGANCE-24****ELEGANCE-40**

019-006-0024

019-006-0040

Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 230 B: 42 C: 1319 D: 1200 E: 66,6 F: 515	A: 230 B: 42 C: 1319 D: 1200 E: 66,6 F: 550





**HOROZ ELECTRIC**


LED Suspension Light

TREND

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



**BLACK****WHITE**

	TREND-50	TREND-85
	019-009-0050	019-009-0085
Power	: 50 W	: 85 W
Luminous Flux	: 800 lm	: 1400 lm
Sizes (mm)	: A: 190 B: 95 C: 550 D: 550	: A: 270 B: 105 C: 790 D: 790


**LED SUSPENSION LIGHT**

ASFOR

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

**BLACK****WHITE**

	ASFOR-50	ASFOR-85
	019-011-0050	019-011-0085
Power	: 50 W	: 85 W
Luminous Flux	: 800 lm	: 1400 lm
Sizes (mm)	: A: 160 B: 26 C: 1200 D: 95 E: 550 F: 550	: A: 210 B: 26 C: 1200 D: 105 E: 790 F: 790



LED Suspension Light

OLYMPIC


019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K

NEW
PRODUCT



GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K

NEW
PRODUCT



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30,000 Hrs
- 900 lm
- 4000K

NEW
PRODUCT



**HOROZ ELECTRIC**

LED Suspension Light


ORIENT

019 016 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT


AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K



GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K



**HOROZ ELECTRIC**



LED Suspension Light

AVATAR

019 039 0033

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K


**NEW
PRODUCT**

LED SUSPENSION LIGHT



AVIATOR


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME

**NEW
PRODUCT**


	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056
Power	24 W	40 W	56 W
Luminous Flux	1680 lm	2800 lm	3920 lm






VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




NEW
PRODUCT

CHROME




	VOYAGER-12	VOYAGER-18	VOYAGER-24
	019-041-0012	019-041-0018	019-041-0024
Power	: 12 W	: 18 W	: 24 W
Luminous Flux	: 840 lm	: 1260 lm	: 1680 lm
Length (mm)	: L: 410	: L: 565	: L: 815



LED SUSPENSION LIGHT


ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




NEW
PRODUCT

CHROME



	ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
	019-040-0019	019-040-0025	019-040-0032	019-040-0038
Power	: 19 W	: 25 W	: 32 W	: 38 W
Luminous Flux	: 1330 lm	: 1750 lm	: 2240 lm	: 2660 lm
Diameter (mm)	: Ø: 300	: Ø: 400	: Ø: 500	: Ø: 600



**HOROZ ELECTRIC**


LED Suspension Light

NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K





POLARIS

019 024 0046

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K




LED SUSPENSION LIGHT



TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME




TORNADO-30

TORNADO-40

019-025-0030

019-025-0040

Power	:	30 W	40 W
Luminous Flux	:	2100 lm	2800 lm
Sizes (mm)	:	A: 800 B: 150 C: 400	A: 800 B: 200 C: 600




**HOROZ****ELECTRIC**

LED Suspension Light

ETERNITY

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME****ETERNITY-30****ETERNITY-40**

019-022-0030

019-022-0040



Power	:	30 W	40 W
Luminous Flux	:	2100 lm	2800 lm
Sizes (mm)	:	A: 800 B: 150 C: 400	A: 800 B: 200 C: 600



LED SUSPENSION LIGHT

QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME****QUASAR-42****QUASAR-90**

019-023-0042

019-023-0090



Power	:	42 W	90 W
Luminous Flux	:	2940 lm	6300 lm





NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME





NIRVANA-24	NIRVANA-32	NIRVANA-40
019-027-0024	019-027-0032	019-027-0040

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



PANDORA-72	PANDORA-96
019-028-0072	019-028-0096

Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm



**HOROZ ELECTRIC**

String Light / LED Pendant Lamp

**HOROZ ELECTRIC**

String Light



STRING LIGHT / LED PENDANT LAMP

CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included

LINKABLE

Watt (Linked Sets) :

CARNIVAL-1

022-001-0001


Max. 750W

CARNIVAL-2

022-001-0002

Max. 1500W

Cable :

2*0,75mm²2*1,5mm²**HOROZ ELECTRIC**

LED Pendant Lamp




SEMBOL

020 006 0012

**BLACK****WHITE**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 850 lm
- 4000K



**HOROZ ELECTRIC**

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

- 250V~/4A
- Max. 60W

**HOROZ ELECTRIC**

Pendant Lamp



VOLTA

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

- 250V~/4A
- Max. 60W




NEWTON

021 010 0001



KEPLER

021 011 0001




MAXWELL

021 012 0001



NOBEL

021 013 0001




BLACK

- 250V~/4A
- Max. 60W

FOLDABLE CASE

**HOROZ****ELECTRIC****Pendant Lamp****LASER****SPECTRUM****RADIAN****CHROME**

- 250V~ / 4A
- Max. 60W
- Glass



021 004 0001

021 004 0002

021 005 0001


021 005 0002

021 007 0001

021 007 0002

QUANTUM**COPPER****CHROME**

- 250V~ / 4A
- Max. 60W
- Glass




021 006 0001

021 006 0002

METEOR**COPPER****CHROME**

- 240V ~ / 4A
- Max. 60W
- Glass



021 014 0001

021 014 0002



PENDANT LAMP



DREAM

021 020 0001



SHARP

021 019 0001



RONDO

021 018 0001




AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



**NEW
PRODUCT**



GLOBAL

021 021 0001



GLOBAL-X

021 021 0002



**NEW
PRODUCT**

AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



AMPER

021 022 0001



COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant

**NEW
PRODUCT**



**HOROZ****ELECTRIC****Pendant Lamp****ELEMENT-1**

021 015 0001

**AMBER****TITANIUM****ELEMENT-2**

021 015 0002

**CLEAR COPPER****CLEAR CHROME**

- 250V~ / 4A
- Max. 60W
- Glass

**NEW
PRODUCT****SPARK-1**

021 016 0001

**AMBER****TITANIUM****SPARK-2**

021 016 0002

**AMBER COPPER****TITANIUM COPPER**

- 250V~ / 4A
- Max. 60W
- Glass

**NEW
PRODUCT****HARMONY-1**

021 017 0001

**AMBER****TITANIUM****HARMONY-2**

021 017 0002

**AMBER COPPER****TITANIUM COPPER**


- 250V~ / 4A
- Max. 60W
- Glass

**NEW
PRODUCT**

PENDANT LAMP

**HOROZ ELECTRIC****LED Wall Light****SİSAM**


029 006 0008

**TRUVA**

029 007 0008

**WHITE**
BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM) / 520 lm (TRUVA)
- Average Life: 30.000 Hrs




LED WALL LIGHT

**HOROZ ELECTRIC****LED Wall Light****ERDEK**

029 001 0005

**WHITE****RED**


- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs

**ABANT**

029 005 0010

**WHITE**

- 85-265V / 50-60Hz
- 825 lm
- 4200K
- Average Life: 30.000 Hrs




**HOROZ****ELECTRIC**

LED Wall Light

RODOS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


WHITE

	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012
Power	3 W	6 W	12 W
Luminous Flux	170 lm	340 lm	950 lm
Sizes (mm)	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80




BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE

	BELEN-6	BELEN-12	BELEN-18
	029-003-0006	029-003-0012	029-003-0018
Power	6 W	12 W	18 W
Luminous Flux	340 lm	950 lm	1400 lm
Sizes (mm)	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95

**LED WALL LIGHT**

**HOROZ ELECTRIC**

LED Decorative Ceiling Lamp



LED DECORATIVE CEILING LAMP

**HOROZ ELECTRIC**

LED Decorative Ceiling Lamp



PIXEL



PIXEL-36

PIXEL-48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

RADIUS



RADIUS-36

RADIUS-48


027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

WHITE

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



ETERNAL



ETERNAL-36

ETERNAL-48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

DISCOVERY




DISCOVERY-36

DISCOVERY-48

027-014-0036

027-014-0048


Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85





ELECTRON


- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	ELECTRON-15	ELECTRON-24	ELECTRON-36
	027-010-0015	027-010-0024	027-010-0036
Power	15 W	24 W	36 W
Luminous Flux	911lm	1485 lm	2228 lm
Sizes (mm)	A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55



EPSILON


- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036
Power	15 W	24 W	36 W
Luminous Flux	1125 lm	1800 lm	2700 lm
Sizes (mm)	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60



SHARK-24

WHITE

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

027 001 0024




PHOTON-15

WHITE

- 120-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1086 lm
- 6400K

027 005 0015




**HOROZ ELECTRIC**

LED Decorative Ceiling Lamp Decorative Ceiling Lamp

PHANTOM

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

BLUE

PINK




PHANTOM-36

PHANTOM-48

027-002-0036

027-002-0048


Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65



LED DECORATIVE CEILING LAMP / DECORATIVE CEILING LAMP

GHOST

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

BLUE

PINK




GHOST-36

GHOST-48

027-003-0036

027-003-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60

**HOROZ ELECTRIC**

Decorative Ceiling Lamp



SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME



SARAY-1

SARAY-2

SARAY-3

026-005-0001

026-005-0002

026-005-0003

Power	:	Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	:	A: 70 mm B: 180	A: 73 B: 235	A: 75 B: 285

**HOROZ ELECTRIC**

LED Ceiling Lamp / Ceiling Lamp

LIKYA**CHROME**

■ 220-240V / 50-60Hz
■ 4000K



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4




■ LIKYA-5



■ LIKYA-6




	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm



LED CEILING LAMP / CEILING LAMP

**HOROZ ELECTRIC**

LED Ceiling Lamp Ceiling Lamp



**HOROZ****ELECTRIC**

LED Ceiling Lamp / Ceiling Lamp

DİDİM

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ DİDİM-1



■ DİDİM-2



■ DİDİM-3




■ DİDİM-4



■ DİDİM-5



	DİDİM-1	DİDİM-2	DİDİM-3	DİDİM-4	DİDİM-5
	036-005-0001	036-005-0002	036-005-0003	036-005-0004	036-005-0005
Power	: 3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	: 3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm



MİLAS

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ MİLAS-1



■ MİLAS-2



■ MİLAS-3




■ MİLAS-4



■ MİLAS-5



	MİLAS-1	MİLAS-2	MİLAS-3	MİLAS-4	MİLAS-5
	036-004-0001	036-004-0002	036-004-0003	036-004-0004	036-004-0005
Power	: 3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	: 3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm



**HOROZ ELECTRIC**

LED Ceiling Lamp / Ceiling Lamp

LARA

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ LARA-1

■ LARA-2


■ LARA-3

■ LARA-4

■ LARA-5



	LARA-1	LARA-2	LARA-3	LARA-4	LARA-5
	036-002-0001	036-002-0002	036-002-0003	036-002-0004	036-002-0005
Power	: 3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	: 3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



SIDE

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ SIDE-1

■ SIDE-2


■ SIDE-3

■ SIDE-4

■ SIDE-5



	SIDE-1	SIDE-2	SIDE-3	SIDE-4	SIDE-5
	036-003-0001	036-003-0002	036-003-0003	036-003-0004	036-003-0005
Power	: 3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	: 3x325 lm	325 lm	2x325 lm	3x325 lm	4x325 lm



**HOROZ ELECTRIC**

LED Ceiling Lamp / Ceiling Lamp

PATARA**CHROME**■ 220-240V / 50-60Hz
■ 4000K

■ PATARA-1



■ PATARA-2



■ PATARA-3




■ PATARA-4



■ PATARA-5



	PATARA-1	PATARA-2	PATARA-3	PATARA-4	PATARA-5
	036-001-0001	036-001-0002	036-001-0003	036-001-0004	036-001-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm

**EFES****CHROME**

■ 220-240V / 50-60Hz



■ EFES-1



■ EFES-2




■ EFES-3



■ EFES-4

	EFES-1	EFES-2	EFES-3	EFES-4
	035-006-0001	035-006-0002	035-006-0003	035-006-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W





KEMER

CHROME

220-240V / 50-60Hz



■ KEMER-1

■ KEMER-2

■ KEMER-5




■ KEMER-3



■ KEMER-4

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



BERGAMA

CHROME

220-240V / 50-60Hz



■ BERGAMA-1

■ BERGAMA-2

■ BERGAMA-3




■ BERGAMA-4



■ BERGAMA-5

	BERGAMA-1	BERGAMA-2	BERGAMA-3	BERGAMA-4	BERGAMA-5
	035-002-0001	035-002-0002	035-002-0003	035-002-0004	035-002-0005
Power	Max.3x40W	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W



**HOROZ ELECTRIC**

LED Ceiling Lamp / Ceiling Lamp

MANAVGAT**CHROME**

■ 220-240V / 50-60Hz



■ MANAVGAT-1



■ MANAVGAT-2



■ MANAVGAT-5




■ MANAVGAT-3



■ MANAVGAT-4

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W

**BODRUM****MAT CHROME**

■ 220-240V / 50-60Hz



■ BODRUM-1



■ BODRUM-2




■ BODRUM-3



■ BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W



**HOROZ ELECTRIC**

LED Picture & Mirror Lamp / LED Reading Lamp

TOYGAR-12


040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



ON-OFF

**HOROZ ELECTRIC**

LED Picture & Mirror Lamp LED Reading Lamp



LED PICTURE & MIRROR LAMP / LED READING LAMP

SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K

**EBABİL-12**

040 010 0012


CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K



**HOROZ ELECTRIC**

LED Picture & Mirror Lamp / LED Reading Lamp


ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME

ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 52 C: 185	A: 550 B: 52 C: 185



LED PICTURE & MIRROR LAMP / LED READING LAMP


**KANARYA**

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME


KANARYA-8	KANARYA-12
040-012-0008	040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120




**HOROZ ELECTRIC****LED Picture & Mirror Lamp / LED Reading Lamp****FLAMİNGO**

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




	FLAMİNGO-4	FLAMİNGO-6
	040-001-0004	040-001-0006
Power	: 4 W / 21 LED	: 6 W / 30 LED
Luminous Flux	: 360 lm	: 500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	: A: 505 B: 52 C: 185

**CHROME**


ON-OFF

ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K





	ALBATROS-4	ALBATROS-6
	040-002-0004	040-002-0006
Power	: 4 W / 21 LED	: 6 W / 30 LED
Luminous Flux	: 360 lm	: 500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	: A: 555 B: 55 C: 108

**CHROME**

ON-OFF

LORI

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

**CHROME**

	LORI-6	LORI-9
	040-008-0006	040-008-0009
Power	: 6 W / 12 LED	: 9 W / 18 LED
Luminous Flux	: 360 lm	: 540 lm
Sizes (mm)	: A: 300 B: 180 C: 210	: A: 380 B: 180 C: 210



ON-OFF

KUĞU


040 006 0003

TURNA

040 007 0003

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



ON-OFF

FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



	FLORYA-3	FLORYA-6	FLORYA-9
	040-009-0003	040-009-0006	040-009-0009
Power	: 3 W	: 6 W	: 9 W
Luminous Flux	: 214 lm	: 428 lm	: 640 lm

**CHROME**

ON-OFF

**HOROZ ELECTRIC****LED Desk Lamp / Desk Lamp****HOROZ ELECTRIC****LED Desk Lamp
Desk Lamp****ASTRO**

049 026 0006

WHITE

YELLOW

PINK

JUMBO

049 027 0006

WHITE

BLUE

PINK

FELIX

049 028 0006

WHITE

BLUE

PINK

SNOOPY

049 029 0006

WHITE

BLUE

PINK





- 100-240V / 50-60Hz
- 6 W
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



TOUCH



CCT Adjustable

**DIMMABLE**

LED DESK LAMP / DESK LAMP

**HOROZ ELECTRIC****LED Desk Lamp / Desk Lamp****BERNA**

049 006 0003

BLACK

WHITE

BLUE

RED



- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

BİLGE

049 008 0003

BLACK

WHITE

BLUE

RED

GREEN



- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

BUDDY

048 001 0015

PINK

BLUE

YELLOW

**OSCAR**

048 002 0015

PINK

YELLOW

**TOBY**

048 003 0015

ORANGE

YELLOW



- 220-240V
- 50-60Hz
- Max. 15W
- 500 lm
- 4500K

Bulb Included**KITTY**

048 004 0011

BLUE

GREEN

**APPLE**

048 006 0011

PINK


BLUE

YELLOW

**DONALD**

048 007 0011

BLUE


**FLYER**

048 008 0011

PINK

BLUE

YELLOW



- 220-240V
- 50-60Hz
- Max. 11W
- 350 lm
- 4500K


Bulb Included

**HOROZ****ELECTRIC****LED Desk Lamp / Desk Lamp****SİMGE**

048 014 0060

GREEN**BLUE**

■ 220-240V / 50-60Hz
■ Max. 60W

**RANA**

048 013 0060

BLACK**WHITE****RED**

■ 220-240V / 50-60Hz
■ Max. 60W

**LED DESK LAMP / DESK LAMP****BİHTER**

048 009 0060

BLACK**WHITE****RED****BLUE**

■ 220-240V / 50-60Hz
■ Max. 60W

**DENİZ**

048 011 0040

BLACK**WHITE****RED**

■ 220-240V / 50-60Hz
■ Max. 40W



**HOROZ ELECTRIC**

LED Floor Lamp / Floor Lamp

TUNA

046 001 0003



ARAS

046 002 0003



DİCLE

046 003 0003

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



LED FLOOR LAMP / FLOOR LAMP

**HOROZ ELECTRIC**

LED Floor Lamp Floor Lamp




MERİÇ

220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	:	Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	:	E27	E27 (Mother) & E14 (Baby)	E27 (Mother) & E14 (Baby)
Color	:	Blue / White / Green Orange	White	White
Sizes (mm)	:	A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500



**HOROZ ELECTRIC**

LED Night Lamp

**HOROZ ELECTRIC**

LED Night Lamp




SIMPSON

085 001 0006

WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX






BUGS

MAX

DUFFY



	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	: 0.4 W	: 0.4 W	: 0.3 W	: 0.4 W	: 0.3 W
Luminous Flux	: 25 lm	: 25 lm	: 20 lm	: 25 lm	: 20 lm



LED NIGHT LAMP



**HOROZ ELECTRIC**


LED Batten Light / Electronic Wall Lamp



LED BATTEN LIGHT / ELECTRONIC WALL LAMP

TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
	052-005-0060	052-005-0120	052-005-0150
Power	: 27 W	54 W	72 W
Luminous Flux	: 1890 lm	3780 lm	5670 lm
Length (mm)	: L: 600	L: 1200	L: 1500

**HOROZ ELECTRIC**

LED Batten Light Electronic Wall Lamp

**TETRA**

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



	TETRA-18	TETRA-36
	052-003-0060	052-003-0120
Power	: 18 W	36 W
Luminous Flux	: 1135 lm	2269 lm
Length (mm)	: L: 600	L: 1200




**HOROZ ELECTRIC**

LED Waterproof Lamp / LED Tube Fixture

IRMAK


- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



	IRMAK-18	IRMAK-36	IRMAK-45
	059-004-0018	059-004-0036	059-004-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 650	: L: 1260	: L: 1560

**NEHİR**

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



	NEHİR-18	NEHİR-36	NEHİR-45
	059-003-0018	059-003-0036	059-003-0045
Power	: 18 W	: 36 W	: 45 W
Luminous Flux	: 1440 lm	: 2880 lm	: 3600 lm
Length (mm)	: L: 652	: L: 1262	: L: 1562



LED WATERPROOF LAMP / LED TUBE FIXTURE

**HOROZ ELECTRIC**

LED Waterproof Lamp LED Tube Fixture

**OKYANUS**

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K




	OKYANUS-36	OKYANUS-72	OKYANUS-90
	059-005-0036	059-005-0072	059-005-0090
Power	: 36 W	: 72 W	: 90 W
Luminous Flux	: 2880 lm	: 5760 lm	: 7200 lm
Length (mm)	: L: 632	: L: 1242	: L: 1542





MEDUSA

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



**NEW
PRODUCT**



	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058
Power	18 W	36 W	58 W
Luminous Flux	1800 lm	3600 lm	5800 lm
Length (mm)	L: 600	L: 1200	L: 1500




PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not Included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Sizes (mm)	A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not Included




	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226



**HOROZ ELECTRIC**

LED Linear High Bay Lamp / LED High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body

**Mountable****Hangable**

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	100 W	150 W	200 W
Luminous Flux	: 4650	9300	13950	18600
Length (mm)	: 290	520	758	1000



LED LINEAR HIGH BAY LAMP / LED HIGH BAY LAMP

**HOROZ ELECTRIC**


LED Linear High Bay Lamp LED High Bay Lamp



**HOROZ ELECTRIC**

LED Linear High Bay Lamp / LED High Bay Lamp


GORDION




- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K
- Aluminum Die Casting Body



	GORDION-50	GORDION-100	GORDION-150	GORDION-200
	063-006-0050	063-006-0100	063-006-0150	063-006-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 5000 lm	: 10000 lm	: 15000 lm	: 20000 lm
Sizes (mm)	: A:171.9 B: 79.9	: A:239.9 B: 88	: A:304.9 B: 88	: A:357.9 B: 88




ASPENDOS




- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- Aluminum Die Casting Body




	ASPENDOS-50	ASPENDOS-100	ASPENDOS-150	ASPENDOS-200
	063-004-0050	063-004-0100	063-004-0150	063-004-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4750 lm	: 9500 lm	: 14250 lm	: 19000 lm
Sizes (mm)	: A: 242.5 B: 172.5	: A: 298.5 B: 175.1	: A: 347.7 B: 176.8	: A: 398.5 B: 178.1



ARTEMIS



- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminum Die Casting Body




	ARTEMIS-50	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0050	063-003-0100	063-003-0150	063-003-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 5000 lm	: 10000 lm	: 15000 lm	: 20000 lm
Sizes (mm)	: A: 230 B: 120	: A: 270 B: 110	: A: 320 B: 125	: A: 370 B: 145





TIGER




- 3.2V DC
- Average Life: 50,000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK




	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100
Power	25 W	40 W	60 W	100 W
Luminous Flux	465 lm	840 lm	1040 lm	1500 lm
Battery	1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/20W	Polysilicon, 6V/35W
Projector Sizes (mm)	A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm)	D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17



LION


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



BLACK




	LION-50	LION-100	LION-150	LION-200	LION-300	LION-400	LION-500
	068-013-0050	068-013-0100	068-013-0150	068-013-0200	068-013-0300	068-013-0400	068-013-0500
Power	50 W	100 W	150 W	200 W	300 W	400 W	500 W
Luminous Flux	4250 lm	8500 lm	12750 lm	17000 lm	25500 lm	34000 lm	42500 lm
Sizes (mm)	A: 201 B: 240 C: 70	A: 223 B: 272 C: 78	A: 450 B: 272 C: 78	A: 450 B: 400 C: 78	A: 450 B: 500 C: 90	A: 560 B: 610 C: 94	A: 560 B: 720 C: 98



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

PANTER


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K




BLACK




	PANTER-50	PANTER-100	PANTER-150	PANTER-200	PANTER-300	PANTER-400
	068-005-0050	068-005-0100	068-005-0150	068-005-0200	068-005-0300	068-005-0400
Power	50 W	100 W	150 W	200 W	300 W	400 W
Luminous Flux	3750 lm	7500 lm	11250 lm	15000 lm	22500 lm	30000 lm
Sizes (mm)	A: 245 B: 297 C: 75	A: 246 B: 324 C: 75	A: 315 B: 418 C: 90	A: 314 B: 418 C: 90	A: 345 B: 525 C: 100	A: 355 B: 625 C: 100






LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs



BLACK



NEW
PRODUCT


NEW
PRODUCT



	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 200 B: 157 C: 50	: A: 215 B: 171 C: 45	: A: 270 B: 210 C: 55	: A: 305 B: 253 C: 75	: A: 380 B: 310 C: 75	: A: 400 B: 350 C: 90	: A: 420 B: 380 C: 90	: A: 480 B: 430 C: 105

JAGUAR

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




**NEW
PRODUCT**

BLACK



	JAGUAR-10	JAGUAR-20	JAGUAR-30	JAGUAR-50	JAGUAR-100	JAGUAR-200
	068-014-0010	068-014-0020	068-014-0030	068-014-0050	068-014-0100	068-014-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	800 lm	1940 lm	2550 lm	5300 lm	10200 lm	22200 lm
Sizes (mm)	A: 92 B: 79 C: 32	A: 120 B: 99 C: 30	A: 120 B: 110 C: 30	A: 160 B: 142 C: 30	A: 215 B: 191 C: 34	A: 330 B: 310 C: 40



KAPLAN-45

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3600 lm
- 4200K

068 007 0045



BLACK



KAPLAN-45W

068 007 0001

KAPLAN-45S

068 007 0002

KAPLAN-45C

068 007 0003



Apparatus for Wall Lamp

Apparatus for Street Lamp

Apparatus for Connection


Projector Not Included



PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

BLACK




	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm	21000 lm	34500 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K	2700K/6400K
Sizes (mm)	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95	A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


BLACK



WITH PIR SENSOR




	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm
Sizes (mm)	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41



PARS


■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs



BLACK




	PARS-10	PARS-20	PARS-30	PARS-50	PARS-100
	068-008-0010	068-008-0020	068-008-0030	068-008-0050	068-008-0100
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 4000 lm	: 8000 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K
Sizes (mm)	: A: 96 B: 112 C: 25	: A: 122 B: 140 C: 28	: A: 151 B: 170 C: 30	: A: 186 B: 208 C: 33	: A: 239 B: 274 C: 42



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

PARS/S

■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs
■ 6400K




WITH PIR SENSOR



BLACK




	PARS/S-10	PARS/S-20	PARS/S-30	PARS/S-50	PARS/S-100
	068-009-0010	068-009-0020	068-009-0030	068-009-0050	068-009-0100
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 4000 lm	: 8000 lm
Sizes (mm)	: A: 157 B: 112 C: 40	: A: 174 B: 140 C: 40	: A: 196 B: 170 C: 40	: A: 213.5 B: 208 C: 40	: A: 265 B: 274 C: 44






ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK



	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 4000 lm	: 8000 lm	: 16000 lm
Color Temperature	: 2700K/6400K/ GREEN	: 2700K/6400K/ GREEN	: 2700K/6400K/ GREEN	: 2700K/6400K/ GREEN	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A: 91,3 B: 97 C: 30,5	: A: 104,5 B: 128,4 C: 30,5	: A: 114,4 B: 154,3 C: 30,5	: A: 163,7 B: 224,3 C: 30,5	: A: 232,3 B: 294,5 C: 31	: A: 332,9 B: 420,8 C: 37


ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WITH PIR SENSOR

BLACK




	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0020	068-011-0030	068-011-0050
Power	: 20 W	: 30 W	: 50 W
Luminous Flux	: 1600 lm	: 2400 lm	: 4000 lm
Sizes (mm)	: A: 171,6 B: 128,5 C: 50	: A: 180,1 B: 154,3 C: 52	: A: 226,5 B: 224,3 C: 52



PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable




**NEW
PRODUCT**

FOLDABLE



PROPORT-20	PROPORT-45
068-015-0020	068-015-0045
Power : 20 W	45 W
Luminous Flux : 1450 lm	3500 lm
Sizes (mm) : A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND



Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002


- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



**HOROZ ELECTRIC**

LED Street Light


LAGUNA



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket

**NEW
PRODUCT****BLACK**

	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200
Power	50 W	100 W	200 W
Luminous Flux	950 lm	1300 lm	2050 lm
Battery	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17

**HOROZ ELECTRIC**

LED Street Light






ORLANDO

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




BLACK



	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 1726 lm	: 2829 lm	: 4953 lm	: 8923 lm	: 15061 lm	: 17594 lm
Sizes (mm)	: A: 40 B: 55 C: 315 D: 105	: A: 40 B: 55 C: 355 D: 125	: A: 40 B: 55 C: 405 D: 165	: A: 60 B: 75 C: 620 D: 220	: A: 60 B: 75 C: 690 D: 250	: A: 60 B: 85 C: 740 D: 275



LED STREET LIGHT




**HOROZ ELECTRIC**


LED Canopy Light / LED Wallwasher

FALCON**RECESSED**

069 001 0110

**EAGLE****SURFACED**

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



LED CANOPY LIGHT

LED WALLWASHER

**HOROZ ELECTRIC**

LED Canopy Light

**HOROZ ELECTRIC**


LED Wallwasher

**REGAL**
● AMBER
 ● 3000K
 ● RED
 ● GREEN
 ● BLUE


- 85-265V/50-60Hz
- Average Life: 50.000 Hrs
- Aluminium Body



	REGAL-9	REGAL-12	REGAL-18	REGAL-24	REGAL-36
	109-001-0009	109-001-0012	109-001-0018	109-001-0024	109-001-0036
Power	: 9 W	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 540 lm	: 720 lm	: 1080 lm	: 1440 lm	: 2160 lm
Length (mm)	: 255	: 330	: 480	: 630	: 930 mm





YILDIZ

- 100-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs



WHITE



YILDIZ-8	YILDIZ-15
071-009-0008	071-009-0015

Power	:	8 W	15 W
Luminous Flux	:	560 lm	1080 lm
Sizes (mm)	:	A: 76 B: 166 C: 62	A: 101 B: 201 C: 68



LED Bulkhead Lamp Aluminium Bulkhead Lamp



WHITE

BLACK

- 220-240V / 50-60Hz

NEMRUT

AYDER

TOROS

KAÇKAR



NEMRUT	AYDER	TOROS	KAÇKAR
070-001-0060	070-012-0100	070-002-0060	070-013-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A: 210 B: 80 C: 105	A: 275 B: 115 C: 155	A: 210 B: 85 C: 105	A: 275 B: 120 C: 155



WHITE

BLACK

- 220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES




ZİGANA	MUNZUR	ARARAT	ERCİYES
070-005-0060	070-014-0100	070-006-0060	070-015-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A: 180 B: 85 C: 180	A: 240 B: 110 C: 140	A: 170 B: 80 C: 170	A: 240 B: 115 C: 240



**HOROZ****ELECTRIC****Garden Lamp / LED Garden Lamp****HOROZ****ELECTRIC****Garden Lamp
LED Garden Lamp****NAR**

- 220-240V / 50-60Hz
- Aluminum Body
- Plastic Diffuser

**NEW
PRODUCT**

NAR-1
075-016-0001

Power : Max.60 W
Color : Black/White
Sizes : A: 170 B: 240 C: 210

NAR-2
075-016-0002

Power : Max.60 W
Color : Black/White
Sizes : A: 170 B: 800 C: 260

NAR-3
075-016-0003

Power : Max.60 W
Color : Black/White
Sizes : A: 170 B: 170 C: 300

NAR-4
075-016-0004

Power : Max.60 W
Color : Black
Sizes : A: 170 B: 170 C: 580

NAR-5
075-016-0005

Power : Max.60 W
Color : Black
Sizes : A: 170 B: 170 C: 840

**GARDEN LAMP / LED GARDEN LAMP**

NAR-6
075-016-0006

Power : Max. 2x60 W
Color : Black

NAR-7
075-016-0007

Power : Max. 3x60 W
Color : Black




KAVAK/SQ

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**NEW
PRODUCT**



BLACK



KAVAK/SQ-1

075-015-0001

KAVAK/SQ-2

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm) : A: 90 B: 300

A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800




GARDEN LAMP / LED GARDEN LAMP

KAVAK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



BLACK



KAVAK-1

075-014-0001

KAVAK-2

075-014-0002

KAVAK-3

075-014-0003

KAVAK-4

075-014-0004

KAVAK-5

075-014-0005

Sizes (mm) : A: 305 B: 89

A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 89 C: 110


A: 800 B: 89 C: 110





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




	LADİN-1	LADİN-2	LADİN-3	LADİN-4
	075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm)	: A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm)	: A: 390 B: 150	A: 275 B: 150 B: 210	A: 450 B: 150	A: 800 B: 150






PALMIYE

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W

BLACK



PALMIYE-1

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm) : A: 350 B: 150

A: 320 B: 150 B: 230


A: 500 B: 150

A: 800 B: 150



DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm) : A: 405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110


A: 800 B: 76 C: 110




**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp

BAMBU



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K

MAT CHROME**BAMBU-1**

076-016-0001

BAMBU-2

076-016-0002

BAMBU-3

076-016-0003

BAMBU-4

076-016-0004

BAMBU-5

076-016-0005

Sizes (mm)

: A: 252.2 B: 132

A: 183 B: 148.5 C: 132

A: 300 B: 132 C: 98

A: 500 B: 132 C: 98

A: 800 B: 132 C: 98




GARDEN LAMP / LED GARDEN LAMP




MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W


MANGO-1

075-009-0001

MANGO-2


075-009-0002

MANGO-3

075-009-0003


GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC


GARDENYA-1

075-010-0001

GARDENYA-2

075-010-0002

GARDENYA-3

075-010-0003

GARDENYA-4

075-010-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Down	Up&Down	Down	Up&Down


MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass


MANOLYA-1

075-008-0001


MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power	:	Max.35W	Max.2x35W	Max.2x60W
Lamp Holder	:	GU10	GU10	E27
Body	:	Stainless Steel	Stainless Steel	Aluminum
Lighting Direction	:	Down	Up&Down	Up&Down
Sizes (mm)	:	A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108




**HOROZ ELECTRIC**


Garden Lamp / LED Garden Lamp

PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**BLACK**

	PROTON-4	PROTON-6	PROTON-8
	076-039-0004	076-039-0006	076-039-0008
Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 92 B: 120 C: 38	: A: 95 B: 185 C: 38	: A: 95 B: 220 C: 50



GARDEN LAMP / LED GARDEN LAMP






**HOROZ ELECTRIC**

Garden Lamp / LED Garden Lamp

SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs


076 040 0015

**BLACK****GARDEN LAMP / LED GARDEN LAMP****ANDIZ****NEW PRODUCT****BLACK****WHITE**

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs

**SEKOYA****NEW PRODUCT****BLACK****WHITE**

076 038 0004



Adjustable Beam Angle




**HOROZ ELECTRIC**


Garden Lamp / LED Garden Lamp

ARENA

076 033 0010



**LED
HOUSE
NUMBER**

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1L-9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs

**48D**

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- 1000 lm
- Average Life: 30.000 Hrs



SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
076-021-0012	076-019-0012	076-022-0012	076-020-0012


Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm
---------------	-----------	--------	--------	--------

**BLACK**

GARDEN LAMP / LED GARDEN LAMP

KUKA-5

076 031 0005



**HOROZ ELECTRIC****Garden Lamp / LED Garden Lamp****ZEYTİN**

076 032 0012

**BADEM**

076 028 0012

**SUSAM**



076 030 0012

**ILGIN**

076 029 0012

**BLACK**

- 100-240V / 50-60Hz
- 4200K
- 480 lm
- Average Life: 30.000 Hrs

**12W****HURMA**

076 010 0005

**MERSİN**




076 011 0005

**GÜRGEN**

076 012 0005

**BLACK**

- 100-240V / 50-60Hz
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**5W****IHLAMUR**

076 013 0002

**İĞDE**





076 014 0002

**İNCİR**

076 015 0002

**BLACK**

- 100-240V / 50-60Hz
- 4200K
- 110 lm
- Average Life: 30.000 Hrs

**2W**

**HOROZ ELECTRIC**


Garden Lamp / LED Garden Lamp

SERVi

076 009 0012

**BLACK****WHITE**




- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs

**BLACK**

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body

**SELVi****SALKIM****ZAKKUM****MEŞE****TAFLAN**

	SELVi	SALKIM	ZAKKUM	MEŞE	TAFLAN
	076-007-0004	076-008-0004	076-005-0003	076-004-0006	076-006-0006
Power :	3.5 W	3.5 W	3W	5.5 W	5.5 W
Luminous Flux :	35 lm	65 lm	230 lm	420 lm	200 lm
Lighting Direction :	Up&Down	Up&Down	Down	Up&Down	All Directions

**ARDIÇ**

076 003 0006

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 385 lm
- Average Life: 30.000 Hrs




**HOROZ ELECTRIC**

LED Solar Lamp


SOLARIS



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002
Power	2 W	2 W
Luminous Flux	220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)




- Li-Ion Battery 3.7V
- 4000K
- Solar Charging Time: 4-6 Hours In Direct Sunlight
- Average Life: 50,000 Hrs



LED Solar Lamp




LED SOLAR LAMP



SIRIUS



	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1 W	2 W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	3.7V 1200 mAh Li-Ion	3.7V 2200 mAh Li-Ion
Back Light	Yes (Blue)	No

**WITH PIR SENSOR**

- 4000K
- Solar Charging Time: 8-10 Hours In Direct Sunlight
- Average Life: 50,000 Hrs



**HOROZ ELECTRIC**


LED Solar Lamp

OMNIA

078 013 0003


**LED
HOUSE
NUMBER**

- Li-Ion Battery 3.7V 1800 mAh
- 4000K
- 4lm
- Solar Charging Time: 4-6 Hours in Direct Sunlight
- Average Life: 50,000 Hrs
- USB Charging Available
- Number and letter stickers included (3x1-9, 2x0, 1xA,B,C,D)



WIZARD

078 008 0001


**WITH PIR SENSOR**

MAGIC

078 007 0001



- 3 Ni-MH AA 100 mAh 1.2V
- 6400K
- 9x1.5 lm
- Average Life: 100,000 Hrs





**HOROZ ELECTRIC****LED Solar Lamp**

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs

**VENÜS****MARS****NEPTUN****PLUTON****HALLEY****CRYSTAL****ORBIT****LOTUS**

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL	ORBIT	LOTUS
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001	078-010-0001	078-011-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No	Yes	Yes



LED SOLAR LAMP



**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp

RUBY


079 028 0002

QUARTZ

079 027 0002

WHITE

- 110-265V / 50-60Hz
- 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**


Inground & Recessed Type LED Lamp

**DIAMOND**

079 026 0002

WHITE**BLACK****GOLD****SILVER**


- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs

**GOLD**

079 025 0003

WHITE

- 220-240V / 50-60Hz
- 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs

**WITH PIR SENSOR**

INGROUND & RECESSED TYPE LED LAMP



**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp

ZÜMRÜT


079 001 0003

YAKUT

079 002 0003

WHITE**MAT CHROME**

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs


**İNCİ**

079 004 0002

SAFİR

079 003 0002



- 220-240V / 50-60Hz
- 75 lm
- Average Life: 50.000 Hrs

**ELMAS**

079 005 0002

WHITE

- 220-240V / 50-60Hz
- 98 lm
- Average Life: 50.000 Hrs





INGROUND & RECESSED TYPE LED LAMP

**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs


**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 1.6 W	1.2 W	1.6 W	1.2 W	1.6 W	1.2 W
Luminous Flux	: 90 lm	72 lm	90 lm	72 lm	90 lm	72 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110



INGROUND & RECESSED TYPE LED LAMP


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 1.6 W	0.9 W	1.6 W	0.9 W	1.6 W	0.9 W
Luminous Flux	: 90 lm	57 lm	90 lm	57 lm	90 lm	57 lm
Sizes (mm)	: A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	: 90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	: W: 95	W: 140	W: 185	W: 95	W: 140	W: 185



**HOROZ ELECTRIC**LED Strip / RGB RF Controller / Socket Set /
LED Driver / RGB Controller / RGB Amplifier**HOROZ ELECTRIC**LED Strip
RGB RF Controller
Socket Set
LED Driver
RGB Controller
RGB Amplifier**WATERPROOF**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

NEOLED/SLIM

2700K



6400K



YELLOW



RED




GREEN



BLUE

NEOLED


2700K




6400K




YELLOW



RED



GREEN



BLUE

**NEOLED/RGB****RGB****NEOLED/SLIM**

081-010-0003

Power :	4 W/m
Luminous Flux :	19 lm/LED
LED :	120 pcs/m, 28x35
Socket Sets :	5 sets/100 m Roll
Width :	7 mm
Thickness :	13 mm

NEOLED

081-010-0001

Power :	6.5 W/m
Luminous Flux :	22 lm/LED
LED :	120 pcs/m, 28x35
Socket Sets :	5 sets/100 m Roll
Width :	12 mm
Thickness :	14 mm

NEOLED/RGB

081-010-0002

Power :	8 W/m
Luminous Flux :	19 lm/LED
LED :	72 pcs/m, 50x50
Socket Sets :	3 sets/50 m Roll
Width :	11 mm
Thickness :	19 mm










LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER

**HOROZ ELECTRIC**LED Strip / RGB RF Controller / Socket Set /
LED Driver / RGB Controller / RGB Amplifier**WATERPROOF**

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

**220-240V**

Can be cut each 1 meter

VOLGA**VOLGA/ RGB****COLORADO****COLORADO/ RGB****GANJ****GANJ / RGB**

	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	6 W/m	9.5 W/m	5 W/m	11 W/m	7 W/m	12.5 W/m
Luminous Flux :	12 lm/LED	12 lm/LED	7 lm/LED	7 lm/LED	7 lm/LED	7 lm/LED
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12 mm	13 mm	12 mm	13 mm	15 mm	15 mm
Thickness :	5 mm	5 mm	5 mm	5 mm	5 mm	5 mm



RGB RF CONTROLLER

220V / 50-60Hz



**NEW
PRODUCT**



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



SOCKET SET

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



**NEW
PRODUCT**



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED /SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



**NEW
PRODUCT**



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

**HORUZ ELECTRIC**LED Strip / RGB RF Controller / Socket Set /
LED Driver / RGB Controller / RGB Amplifier**NiL****NiL/RGB****AMAZON****AMAZON/RGB**

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC****NiL&AMAZON****NiL****NiL&AMAZON**


3 LEDs make a group and each group can be cut or extended in terms of the length of application

**NiL&AMAZON****NiL&AMAZON****NiL&AMAZON****NiL/RGB&AMAZON/RGB**

	NiL	NiL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

SLIM CASE

	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0.8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 35 B: 22 C: 77	A: 32 B: 27 C: 140	A: 40 B: 30 C: 160	A: 40 B: 30 C: 160	A: 57 B: 42 C: 200	A: 67 B: 40 C: 220	A: 62 B: 40 C: 225	A: 62 B: 40 C: 225



REN

REN/RGB

THAMES

THAMES/RGB



3 LEDs make a group and each group can be cut or extended in terms of the length of application

WATERPROOF

- Average Life: 30,000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



12V DC



	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
Size (mm) :	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45

**HOROZ ELECTRIC**

RGB Controller / RGB Amplifier / LED Christmas Light & Drivers


RGB CONTROLLER

	RGB Controller 2A	RGB Controller 6A
	101-001-0072	101-002-0432
Output Power	72 W	216 W-432 W
Output Current	2A/Each Color	6A/Each Color
Input Voltage	DC 12V	DC 12V-DC 24V
Output Voltage	DC 12V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF

**AMPLIFIER**

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V

	AMPLIFIER-12A	AMPLIFIER-24A
	101-001-0144	101-001-0288
Output Power	144 W	288 W
Output Current	4A/Each Color	8A/Each Color
35x28 RGB LED Strip	30 Meters with 60 Leds/Meter	60 Meters with 60 Leds/Meter
50x50 RGB LED Strip	10 Meters with 60 Leds/Meter	20 Meters with 60 Leds/Meter

**HOROZ ELECTRIC**

LED Christmas Light & Drivers

**MONTANA**

080 001 0004


- 4.5V DC
- 4W/10m
- Average Life: 30,000 Hrs
- Standard Length: 1m / 10 LED
- Package: 10m/Roll

**LINKABLE**

- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4.5V




	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:30 B:20 C:25	A:43 B:20 C:25



HENRY

084 034 0005



- 220-240V / 50-60Hz
- 200lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30,000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included



LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT-UP


NEW
PRODUCT



Emergency LED Lantern / LED Emergency Exit Lamp / Rechargeable LED Solar Camping Light / LED Headlight / LED Torch



MALDINI




- 220-240V / 50-60Hz
- Average Life: 30,000 Hrs
- EXIT sticker included

EXIT



	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003
Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45



LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT-UP


MESSI



- 220-240V / 50-60Hz or 6V DC
- Average Life: 30,000 Hrs



	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50



LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP

WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs



LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



ROBSON

084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 12V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes




EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



ZOFF

084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 12V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes



EXIT & SAFETY

RECHARGEABLE


EMERGENCY

AUTOMATIC LIGHT-UP



ROMARIO

084 022 0010



SOLAR

RECHARGEABLE

- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
1 Hour for Strong Light
25 Hours for Weak Light
- Average Life: 30.000 Hrs



DIMMABLE



MÜLLER

084 018 0001



RECHARGEABLE

AUTOMATIC LIGHT-UP

AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs



BECKHAM



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



LED HEADLIGHT

RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light
- Average Life: 30.000 Hrs




PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light




	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (mm)	A: 65 B: 220	A: 51 B: 155	A: 65 B: 170



LED TORCH

RECHARGEABLE



BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (mm)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



LED TORCH

RECHARGEABLE



PUSKAS

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003
Power	0.5 W	0.9 W
Luminous Flux	25 lm	45 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	4 Hours	5 Hours
Sizes (mm)	A: 75 B: 195	A: 100 B: 210



LED TORCH


RECHARGEABLE



MARADONA-2

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs



LED TORCH

RECHARGEABLE



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50 Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50 Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor Sensor




TUCSON

088 001 0009

WHITE

- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-15m/s



MEGANE

088 001 0008

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec Max. 7 min ± 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

088 001 0002

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 1m Max. (<24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

088 001 0003

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec - 8 ± 2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



**HOROZ ELECTRIC**


Light Control Photosensor / Sensor

FOCUS

088 001 0001

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max. 1000W
- Detection Distance: 8 ± 1m Max. (-24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: <10Lux - 2000Lux



MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



CORSA

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m



POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: <3-2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



Detection is possible to go through doors, panes of glass or thin walls

LIGHT CONTROL PHOTOSENSOR / SENSOR


**HOROZ ELECTRIC**

Doorbell / Wireless Lighting Controller Switch / Timer / Plug in Switch

086 001 0001

LORD


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



086 001 0002

SOLID

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



DOORBELL / WIRELESS LIGHTING CONTROLLER SWITCH / TIMER / PLUG IN SWITCH

**HOROZ ELECTRIC**


Doorbell / Wireless Lighting Controller Switch / Timer / Plug in Switch



086 001 0006

SOLO


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



086 001 0004

ALBA


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



086 001 0003

HELIX


- Operation Voltage: 4.5V DC (3xAAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome - Alarm
- USB Cable Included



086 001 0005

VIOLA

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



**HOROZ ELECTRIC**

Doorbell / Wireless Lighting Controller Switch / Timer / Plug in Switch



CONTROLLER

Wireless Lighting
Controller Switch




30m~60m

- Working voltage: AC 180~250V 50Hz
- Operation Range: 30m~60m in 360 degree (in open area)
- Tungsten filament lamp≤1000W
- Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)



CONTROLLER-1
105-001-0001
1 Channel



CONTROLLER-2
105-001-0002
2 Channels




CONTROLLER-3
105-001-0003
3 Channels



TIMER

- Working voltage: AC 220~240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001
Type	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	24	20	48
Minimum Setting	30 Minutes	1 Minute	15 Minutes
Power Reserve	No	Yes	Yes

DOORBELL / WIRELESS LIGHTING CONTROLLER SWITCH / TIMER / PLUG IN SWITCH

AXIS


113 001 0001

- Working Voltage: 250V~
- Power: Max.3680W
- Current: 16A
- Child Protection Shutter
- Working signal Indicator
- USB O/P: DC 5V, Max 2.1A

PLUG IN SWITCH



2 X USB
CHARGING
SOCKET



**HOROZ ELECTRIC****Dimmer / Switch / Socket****HOROZ ELECTRIC****Dimmer
Switch / Socket****HORIZON**

112 006 0001

- 250V~
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)

**ATOM**

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)



112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0003

- 1-GANG GROUNDED SOCKET (16A)
- 1-GANG ONE WAY SWITCH (10A)




112 100 0005

- 1-GANG GROUNDED SOCKET (16A)
- 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)




DIMMER / SWITCH / SOCKET




EVA


■ 250V~




112 001 0001 ■ ONE WAY SWITCH (10A)




112 001 0003 ■ 2-GANG ONE WAY SWITCH (10A)




112 001 0002 ■ TWO WAY SWITCH (10A)




112 001 0004 ■ PUSH BUTTON (10A)




112 002 0001 ■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002 ■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001 ■ SOCKET (16A)



112 003 0002 ■ 2-GANG SOCKET (16A)



112 004 0001 ■ GROUND SOCKET (16A)



112 004 0002 ■ 2-GANG GROUND SOCKET (16A)





Motor Protector
Motor Protector Box
Contactor / Thermal Relay
Circuit Breaker



SAFE

Motor Protector



NEW
PRODUCT

SAFE



114 008 0001

Motor Protector Box

For Motor Protectors: 114-006-0610 & 114-006-1625



	114-006-0610	114-006-1625	114-006-2540	114-006-4063
Rated Current (A) :	6-10A	16-25A	25-40A	40-63A
Motor Power (kW) :	4kW	11kW	18,5kW	30kW
Poles :	3 Pole	3 Pole	3 Pole	3 Pole
Type :	AC-3	AC-3	AC-3	AC-3
Rated voltage(V) :	400V	400V	400V	400V
Sizes (mm) :	A: 89 B: 44,5 C: 66	A: 89 B: 44,5 C: 66	A: 121 B: 61,5 C: 105	A: 121 B: 61,5 C: 105





SAFE

Contactor



	T14-005-0009	T14-005-0012	T14-005-0018	T14-005-0025	T14-005-0032	T14-005-0040	T14-005-0050	T14-005-0065
Rated Current (A)	: 9A	12A	18A	25A	32A	40A	50A	65A
Poles	: 3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	: 4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116


	T14-005-1009	T14-005-1012	T14-005-1018	T14-005-1025	T14-005-1032	T14-005-1040	T14-005-1050	T14-005-1065
Rated Current (A)	: 9A	12A	18A	25A	32A	40A	50A	65A
Poles	: 3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	: 4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116


SAFE

Thermal Relay



	T14-007-0001	T14-007-0002	T14-007-0003	T14-007-0004	T14-007-0005	T14-007-0006	T14-007-0007
Rated Current (A)	: 0,63-1A	1-1,6A	2,5-4A	4-6A	7-10A	12-18A	17-25A
Poles	: 3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC
Rated voltage(V)	: 660V	660V	660V	660V	660V	660V	660V





SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA



(B)



(C)




(C)

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm



(C)




(C)


SAFE


RCCB Circuit Breaker



	T14-003-2025	T14-003-2040	T14-003-4025	T14-003-4040	T14-003-4063	T14-003-4080	T14-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74


SAFE

MCCB Circuit Breaker



	T14-004-3040	T14-004-3050	T14-004-3063	T14-004-3100	T14-004-3125	T14-004-3160	T14-004-3200	T14-004-3250	T14-004-3400	T14-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

**HOROZ ELECTRIC**

Lamp Holder




Lamp Holder



094 004 0001


10 cm.

20 cm.




094 004 0002


15 cm.




094 001 0001

BAKELITE


094 001 0002




094 001 0003




094 001 0004



094 002 0001

PLASTIC


094 002 0002




094 002 0003




094 002 0004




094 003 0001

PORCELAIN


094 003 0002




094 003 0003



094 003 0004




**HOROZ ELECTRIC****Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / RG6 / UTP Cat5e / UTP Cat6****Starter S10**

	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

■ 220-240V / 50-60Hz
■ 12V AC



	TRANSFORMER-60	TRANSFORMER-105	TRANSFORMER-150
	093-001-0060	093-001-0105	093-001-0150
Power :	60 W	105 W	150 W

**HOROZ ELECTRIC**

Starter / Transformer
Adhesive Tape / Nail Cable Clip
Cable Tie / RG6 / UTP Cat5e
UTP Cat6

**ADHESIVE TAPE**

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS

■ 20 YARDS

NAIL CABLE CLIP

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE

■ 2,5*100	■ 7,2*300
■ 2,5*150	■ 7,2*350
■ 2,5*200	■ 7,2*400
■ 3,6*150	■ 7,2*450
■ 3,6*200	■ 9*550
■ 3,6*250	■ 9*650
■ 3,6*280	■ 9*750
■ 3,6*300	■ 9*1020
■ 3,6*370	
■ 4,8*200	
■ 4,8*250	
■ 4,8*300	
■ 4,8*350	
■ 4,8*370	
■ 4,8*400	

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e




UTP Cat6

STARTER / TRANSFORMER / ADHESIVE TAPE / NAIL CABLE CLIP / CABLE TIE / RG6 / UTP CAT5E / UTP CAT6

**HOROZ ELECTRIC****IP 68 Connector / Compact Connector / Wire Spring Connector
Terminal Block / Cable Reel****IP 68 CONNECTOR**

- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection

**NEW
PRODUCT****IP68**IP 68 CONNECTOR-1
106-004-0001IP 68 CONNECTOR-2
106-004-0002

Pole : 1 Pole

2 Poles

SLIM CONNECTOR

- 450V~
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent

**NEW
PRODUCT**SLIM CONNECTOR-2
103-002-0002SLIM CONNECTOR-3
103-002-0003SLIM CONNECTOR-5
103-002-0005


Pole : 2 Poles

3 Poles

5 Poles

CONNECTOR



- 400V/4kV~
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG

CONNECTOR-2
103-001-0002CONNECTOR-3
103-001-0003CONNECTOR-5
103-001-0005

Pole : 2 Poles

3 Poles

5 Poles

**HOROZ ELECTRIC****IP 68 Connector
Compact Connector
Wire Spring Connector
Terminal Block****WIRE SPRING**WIRE SPRING-2/15
106-002-0015WIRE SPRING-2/25
106-002-0025WIRE SPRING-2/6
106-002-0060WIRE SPRING-3/15
106-003-0015WIRE SPRING-3/25
106-003-0025WIRE SPRING-3/6
106-003-0060

Pole : 2 Poles

2 Poles

2 Poles

2 Poles

3 Poles

3 Poles

3 Poles

Cable Diameter : 0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²0.2-1.5 mm²0.5-2.5 mm²1.5-6.0 mm²

Current / Voltage : 5A/380V

10A/380V

25A/380V

5A/380V

10A/380V


25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²

**HOROZ ELECTRIC****Cable Reel****REEL**

- 230V~/50-60Hz
- Max. 3000W
- Max. 13.04A
- 3x15 mm²
- 4 Sockets
- Overload Protection

REEL-15
104-006-0015REEL-25
104-006-0025REEL-50
104-006-0050EMPTY-25
104-007-0025

Cable Length : 15 Meters

25 Meters

50 Meters

Max. 25 Meters

Sizes (mm) : A: 200 B: 260 C: 150

A: 275 B: 314 C: 170

A: 265 B: 345 C: 210

A: 230 B: 310 C: 195





E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **Kaçmaz**Grup

www.horozelektrik.com